

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040220\
 Data File : PL057731.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 Apr 2020 15:03
 Operator : AJ\MA
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 03 00:56:11 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031420.M
 Quant Title : GC Extractables
 QLast Update : Mon Mar 16 09:40:37 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.459	3.957	516.4E6	108.5E6	55.710	50.005
28)	SA Decachlor...	8.208	8.980	483.1E6	99734292	45.652	44.979
Target Compounds							
2)	A alpha-BHC	3.896	4.344	902.9E6	169.0E6	56.678	52.618
3)	MA gamma-BHC...	4.180	4.626	833.7E6	168.2E6	58.008	53.625
4)	MA Heptachlor	4.480	5.128	857.5E6	177.0E6	57.737	56.234
5)	MB Aldrin	4.728	5.430	790.2E6	172.0E6	57.285	56.366
6)	B beta-BHC	4.431	4.800	334.9E6	78297132	56.965	54.285
7)	B delta-BHC	4.635	5.014	820.2E6	151.2E6	58.441	57.602
8)	B Heptachlo...	5.171	5.815	717.8E6	170.9E6	56.009	62.633
9)	A Endosulfan I	5.509	6.169	651.9E6	156.1E6	54.826	54.855
10)	B gamma-Chl...	5.397	6.048	722.7E6	172.5E6	55.420	55.957
11)	B alpha-Chl...	5.455	6.120	703.4E6	171.8E6	54.434	55.187
12)	B 4,4'-DDE	5.620	6.279	669.6E6	155.8E6	53.757	54.815
13)	MA Dieldrin	5.752	6.425	694.7E6	160.2E6	55.080	54.145
14)	MA Endrin	6.010	6.642	615.1E6	129.0E6	53.805	53.454
15)	B Endosulfa...	6.282	6.852	555.0E6	131.8E6	51.098	50.168
16)	A 4,4'-DDD	6.135	6.768	539.3E6	118.5E6	55.020	51.871
17)	MA 4,4'-DDT	6.376	7.065	530.4E6	111.7E6	53.188	49.058
18)	B Endrin al...	6.451	6.976	478.0E6	110.1E6	51.757	49.549
19)	B Endosulfa...	6.664	7.199	496.2E6	118.0E6	49.407	48.379
20)	A Methoxychlor	6.921	7.525	270.5E6	58759787	50.408	45.180
21)	B Endrin ke...	7.155	7.666	609.7E6	122.4E6	53.942	47.265
22)	Mirex	7.341	8.116	390.3E6	88336500	48.187	46.261
23)	Chlordane-1	4.331	0.000	813538	0	2.507	N.D. #
24)	Chlordane-2	4.830	5.430f	-57011	172.0E6	N.D.	1824.640
25)	Chlordane-3	5.397	6.048	722.7E6	172.5E6	640.863	454.818 #
26)	Chlordane-4	5.455	6.120	703.4E6	171.8E6	733.761	375.309 #
27)	Chlordane-5	6.282	0.000	555.0E6	0	1525.256	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040220\
Data File : PL057731.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 Apr 2020 15:03
Operator : AJ\MA
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 03 00:56:11 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031420.M
Quant Title : GC Extractables
QLast Update : Mon Mar 16 09:40:37 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.459 min
Delta R.T.: 0.000 min
Response: 516396401
Conc: 55.71 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.957 min
Delta R.T.: 0.000 min
Response: 108488517
Conc: 50.01 ng/ml




#2 alpha-BHC

R.T.: 3.896 min
Delta R.T.: 0.000 min
Response: 902852754
Conc: 56.68 ng/ml



#2 alpha-BHC


R.T.: 4.344 min
Delta R.T.: -0.001 min
Response: 169011789
Conc: 52.62 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.180 min
Delta R.T.: 0.000 min
Response: 833733780
Conc: 58.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.626 min
Delta R.T.: 0.000 min
Response: 168244233
Conc: 53.62 ng/ml




#4 Heptachlor

R.T.: 4.480 min
Delta R.T.: 0.000 min
Response: 857525198
Conc: 57.74 ng/ml



#4 Heptachlor


R.T.: 5.128 min
Delta R.T.: 0.000 min
Response: 177008768
Conc: 56.23 ng/ml



#5 Aldrin


R.T.: 4.728 min
Delta R.T.: 0.000 min
Response: 790202167
Conc: 57.28 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.430 min
Delta R.T.: 0.000 min
Response: 171956156
Conc: 56.37 ng/ml




#6 beta-BHC

R.T.: 4.431 min
Delta R.T.: 0.000 min
Response: 334903697
Conc: 56.97 ng/ml



#6 beta-BHC


R.T.: 4.800 min
Delta R.T.: 0.000 min
Response: 78297132
Conc: 54.28 ng/ml



#7 delta-BHC


R.T.: 4.635 min
Delta R.T.: 0.000 min
Response: 820225612
Conc: 58.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.014 min
Delta R.T.: 0.000 min
Response: 151229590
Conc: 57.60 ng/ml




#8 Heptachlor epoxide

R.T.: 5.171 min
Delta R.T.: 0.000 min
Response: 717803719
Conc: 56.01 ng/ml



#8 Heptachlor epoxide


R.T.: 5.815 min
Delta R.T.: 0.000 min
Response: 170905284
Conc: 62.63 ng/ml



#9 Endosulfan I


R.T.: 5.509 min
Delta R.T.: 0.000 min
Response: 651874894
Conc: 54.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.169 min
Delta R.T.: 0.000 min
Response: 156080878
Conc: 54.86 ng/ml




#10 gamma-Chlordane

R.T.: 5.397 min
Delta R.T.: 0.000 min
Response: 722689133
Conc: 55.42 ng/ml



#10 gamma-Chlordane


R.T.: 6.048 min
Delta R.T.: 0.000 min
Response: 172466562
Conc: 55.96 ng/ml



#11 alpha-Chlordane


R.T.: 5.455 min
Delta R.T.: 0.000 min
Response: 703434957
Conc: 54.43 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.120 min
Delta R.T.: 0.000 min
Response: 171777080
Conc: 55.19 ng/ml




#12 4,4'-DDE

R.T.: 5.620 min
Delta R.T.: 0.000 min
Response: 669576046
Conc: 53.76 ng/ml



#12 4,4'-DDE


R.T.: 6.279 min
Delta R.T.: 0.000 min
Response: 155808142
Conc: 54.81 ng/ml



#13 Dieldrin


R.T.: 5.752 min
Delta R.T.: 0.000 min
Response: 694707894
Conc: 55.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.425 min
Delta R.T.: 0.000 min
Response: 160160331
Conc: 54.15 ng/ml




#14 Endrin

R.T.: 6.010 min
Delta R.T.: 0.000 min
Response: 615064304
Conc: 53.80 ng/ml



#14 Endrin


R.T.: 6.642 min
Delta R.T.: 0.000 min
Response: 128973064
Conc: 53.45 ng/ml



#15 Endosulfan II


R.T.: 6.282 min
Delta R.T.: 0.000 min
Response: 554976218
Conc: 51.10 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.852 min
Delta R.T.: 0.000 min
Response: 131784036
Conc: 50.17 ng/ml




#16 4,4'-DDD

R.T.: 6.135 min
Delta R.T.: 0.001 min
Response: 539270990
Conc: 55.02 ng/ml



#16 4,4'-DDD


R.T.: 6.768 min
Delta R.T.: 0.000 min
Response: 118459747
Conc: 51.87 ng/ml



#17 4,4'-DDT


R.T.: 6.376 min
Delta R.T.: 0.000 min
Response: 530430859
Conc: 53.19 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.065 min
Delta R.T.: 0.000 min
Response: 111736230
Conc: 49.06 ng/ml




#18 Endrin aldehyde

R.T.: 6.451 min
Delta R.T.: 0.000 min
Response: 477988643
Conc: 51.76 ng/ml



#18 Endrin aldehyde


R.T.: 6.976 min
Delta R.T.: 0.000 min
Response: 110149832
Conc: 49.55 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.664 min
Delta R.T.: 0.001 min
Response: 496169966
Conc: 49.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.199 min
Delta R.T.: 0.000 min
Response: 118000020
Conc: 48.38 ng/ml




#20 Methoxychlor

R.T.: 6.921 min
Delta R.T.: 0.000 min
Response: 270480371
Conc: 50.41 ng/ml



#20 Methoxychlor


R.T.: 7.525 min
Delta R.T.: 0.000 min
Response: 58759787
Conc: 45.18 ng/ml



#21 Endrin ketone


R.T.: 7.155 min
Delta R.T.: 0.000 min
Response: 609682628
Conc: 53.94 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.666 min
Delta R.T.: 0.000 min
Response: 122351851
Conc: 47.27 ng/ml




#22 Mirex

R.T.: 7.341 min
Delta R.T.: 0.000 min
Response: 390277330
Conc: 48.19 ng/ml



#22 Mirex


R.T.: 8.116 min
Delta R.T.: 0.000 min
Response: 88336500
Conc: 46.26 ng/ml



#23 Chlordane-1


R.T.: 4.331 min
Delta R.T.: 0.004 min
Response: 813538
Conc: 2.51 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T. : 4.941 min
Response: 0
Conc: N.D.




#24 Chlordane-2

R.T.: 4.830 min
Delta R.T.: 0.000 min
Response: -57011
Conc: N.D.



#24 Chlordane-2


R.T.: 5.430 min
Delta R.T.: 0.024 min
Response: 171956156
Conc: 1824.64 ng/ml



#25 Chlordane-3


R.T.: 5.397 min
Delta R.T.: 0.000 min
Response: 722689133
Conc: 640.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 6.048 min
Delta R.T.: 0.000 min
Response: 172466562
Conc: 454.82 ng/ml




#26 Chlordane-4

R.T.: 5.455 min
Delta R.T.: 0.001 min
Response: 703434957
Conc: 733.76 ng/ml



#26 Chlordane-4


R.T.: 6.120 min
Delta R.T.: -0.002 min
Response: 171777080
Conc: 375.31 ng/ml



#27 Chlordane-5


R.T.: 6.282 min
Delta R.T.: -0.008 min
Response: 554976218
Conc: 1525.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.922 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.208 min
Delta R.T.: 0.001 min
Response: 483055225
Conc: 45.65 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.980 min
Delta R.T.: 0.000 min
Response: 99734292
Conc: 44.98 ng/ml