

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040319\
 Data File : PL046989.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 03 Apr 2019 22:42
 Operator : AJ\SJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 04 01:35:23 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL032219.M
 Quant Title : GC Extractables
 QLast Update : Fri Mar 22 13:40:08 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.358	3.976	355.1E6	113.9E6	48.819	49.737
28)	SA Decachlor...	8.034	9.029	438.1E6	120.5E6	52.085	51.979
Target Compounds							
2)	A alpha-BHC	3.787	4.366	600.0E6	164.6E6	51.446	51.229
3)	MA gamma-BHC...	4.064	4.650	537.4E6	153.3E6	50.018	51.216
4)	MA Heptachlor	4.350	5.156	563.8E6	157.0E6	51.141	51.056
5)	MB Aldrin	4.591	5.460	524.3E6	146.8E6	50.833	51.247
6)	B beta-BHC	4.317	4.823	217.4E6	67872912	48.280	51.198
7)	B delta-BHC	4.512	5.039	519.3E6	130.6E6	51.301	56.285
8)	B Heptachlor...	5.028	5.846	496.8E6	136.3E6	50.936	51.691
9)	A Endosulfan I	5.359	6.203	472.3E6	132.4E6	50.237	50.741
10)	B gamma-Chl...	5.251	6.081	516.0E6	144.2E6	50.233	50.796
11)	B alpha-Chl...	5.307	6.153	506.8E6	143.9E6	49.988	50.721
12)	B 4,4'-DDE	5.474	6.312	462.4E6	127.0E6	50.226	51.181
13)	MA Dieldrin	5.599	6.460	509.2E6	137.0E6	50.741	50.548
14)	MA Endrin	5.852	6.677	474.6E6	122.5E6	50.392	51.250
15)	B Endosulfa...	6.127	6.888	453.6E6	124.3E6	50.630	51.498
16)	A 4,4'-DDD	5.985	6.801	385.9E6	103.3E6	51.056	51.333
17)	MA 4,4'-DDT	6.220	7.099	400.4E6	108.2E6	52.865	51.593
18)	B Endrin al...	6.293	7.011	375.1E6	107.6E6	50.052	50.679
19)	B Endosulfa...	6.505	7.234	421.7E6	119.3E6	51.360	50.570
20)	A Methoxychlor	6.765	7.558	213.2E6	65405994	50.163	51.308
21)	B Endrin ke...	6.988	7.704	474.3E6	129.0E6	51.291	51.930
22)	Mirex	7.164	8.155	358.4E6	103.1E6	49.195	51.540
24)	Chlordane-2	0.000	5.460f	0	146.8E6	N.D.	1256.927 #
25)	Chlordane-3	5.251	6.081	516.0E6	144.2E6	463.349	378.120
26)	Chlordane-4	5.307	6.153	506.8E6	143.9E6	490.133	311.814 #
27)	Chlordane-5	6.127	0.000	453.6E6	0	1329.231	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040319\
Data File : PL046989.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 03 Apr 2019 22:42
Operator : AJ\SJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 04 01:35:23 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL032219.M
Quant Title : GC Extractables
QLast Update : Fri Mar 22 13:40:08 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.358 min
Delta R.T.: -0.003 min
Response: 355141371
Conc: 48.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.976 min
Delta R.T.: -0.004 min
Response: 113877143
Conc: 49.74 ng/ml




#2 alpha-BHC

R.T.: 3.787 min
Delta R.T.: -0.004 min
Response: 599967544
Conc: 51.45 ng/ml



#2 alpha-BHC


R.T.: 4.366 min
Delta R.T.: -0.005 min
Response: 164614243
Conc: 51.23 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.064 min
Delta R.T.: -0.004 min
Response: 537424334
Conc: 50.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.650 min
Delta R.T.: -0.005 min
Response: 153289382
Conc: 51.22 ng/ml




#4 Heptachlor

R.T.: 4.350 min
Delta R.T.: -0.005 min
Response: 563832830
Conc: 51.14 ng/ml



#4 Heptachlor


R.T.: 5.156 min
Delta R.T.: -0.006 min
Response: 157043161
Conc: 51.06 ng/ml



#5 Aldrin


R.T.: 4.591 min
Delta R.T.: -0.005 min
Response: 524344052
Conc: 50.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.460 min
Delta R.T.: -0.006 min
Response: 146820742
Conc: 51.25 ng/ml




#6 beta-BHC

R.T.: 4.317 min
Delta R.T.: -0.004 min
Response: 217378807
Conc: 48.28 ng/ml



#6 beta-BHC


R.T.: 4.823 min
Delta R.T.: -0.005 min
Response: 67872912
Conc: 51.20 ng/ml



#7 delta-BHC


R.T.: 4.512 min
Delta R.T.: -0.005 min
Response: 519320663
Conc: 51.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.039 min
Delta R.T.: -0.005 min
Response: 130591415
Conc: 56.29 ng/ml




#8 Heptachlor epoxide

R.T.: 5.028 min
Delta R.T.: -0.006 min
Response: 496802025
Conc: 50.94 ng/ml



#8 Heptachlor epoxide


R.T.: 5.846 min
Delta R.T.: -0.007 min
Response: 136320337
Conc: 51.69 ng/ml



#9 Endosulfan I


R.T.: 5.359 min
Delta R.T.: -0.007 min
Response: 472340961
Conc: 50.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.203 min
Delta R.T.: -0.007 min
Response: 132428160
Conc: 50.74 ng/ml




#10 gamma-Chlordane

R.T.: 5.251 min
Delta R.T.: -0.006 min
Response: 516019692
Conc: 50.23 ng/ml



#10 gamma-Chlordane


R.T.: 6.081 min
Delta R.T.: -0.007 min
Response: 144164772
Conc: 50.80 ng/ml



#11 alpha-Chlordane


R.T.: 5.307 min
Delta R.T.: -0.007 min
Response: 506827027
Conc: 49.99 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.153 min
Delta R.T.: -0.007 min
Response: 143878644
Conc: 50.72 ng/ml




#12 4,4'-DDE

R.T.: 5.474 min
Delta R.T.: -0.007 min
Response: 462424411
Conc: 50.23 ng/ml



#12 4,4'-DDE


R.T.: 6.312 min
Delta R.T.: -0.006 min
Response: 127047524
Conc: 51.18 ng/ml



#13 Dielldrin


R.T.: 5.599 min
Delta R.T.: -0.007 min
Response: 509215158
Conc: 50.74 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dielldrin

R.T.: 6.460 min
Delta R.T.: -0.007 min
Response: 137018963
Conc: 50.55 ng/ml




#14 Endrin

R.T.: 5.852 min
Delta R.T.: -0.007 min
Response: 474648905
Conc: 50.39 ng/ml



#14 Endrin


R.T.: 6.677 min
Delta R.T.: -0.007 min
Response: 122475575
Conc: 51.25 ng/ml



#15 Endosulfan II


R.T.: 6.127 min
Delta R.T.: -0.007 min
Response: 453622792
Conc: 50.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.888 min
Delta R.T.: -0.007 min
Response: 124259008
Conc: 51.50 ng/ml




#16 4,4'-DDD

R.T.: 5.985 min
Delta R.T.: -0.007 min
Response: 385934035
Conc: 51.06 ng/ml



#16 4,4'-DDD


R.T.: 6.801 min
Delta R.T.: -0.007 min
Response: 103283481
Conc: 51.33 ng/ml



#17 4,4'-DDT


R.T.: 6.220 min
Delta R.T.: -0.008 min
Response: 400414987
Conc: 52.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.099 min
Delta R.T.: -0.008 min
Response: 108187298
Conc: 51.59 ng/ml




#18 Endrin aldehyde

R.T.: 6.293 min
Delta R.T.: -0.008 min
Response: 375147548
Conc: 50.05 ng/ml



#18 Endrin aldehyde


R.T.: 7.011 min
Delta R.T.: -0.007 min
Response: 107640964
Conc: 50.68 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.505 min
Delta R.T.: -0.007 min
Response: 421723878
Conc: 51.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.234 min
Delta R.T.: -0.008 min
Response: 119293663
Conc: 50.57 ng/ml




#20 Methoxychlor

R.T.: 6.765 min
Delta R.T.: -0.009 min
Response: 213184415
Conc: 50.16 ng/ml



#20 Methoxychlor


R.T.: 7.558 min
Delta R.T.: -0.008 min
Response: 65405994
Conc: 51.31 ng/ml



#21 Endrin ketone


R.T.: 6.988 min
Delta R.T.: -0.008 min
Response: 474279861
Conc: 51.29 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.704 min
Delta R.T.: -0.008 min
Response: 129021747
Conc: 51.93 ng/ml




#22 Mirex

R.T.: 7.164 min
Delta R.T.: -0.009 min
Response: 358412796
Conc: 49.20 ng/ml



#22 Mirex


R.T.: 8.155 min
Delta R.T.: -0.010 min
Response: 103088237
Conc: 51.54 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.701 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 5.460 min
Delta R.T.: 0.018 min
Response: 146820742
Conc: 1256.93 ng/ml




#25 Chlordane-3

R.T.: 5.251 min
Delta R.T.: -0.008 min
Response: 516019692
Conc: 463.35 ng/ml



#25 Chlordane-3


R.T.: 6.081 min
Delta R.T.: -0.008 min
Response: 144164772
Conc: 378.12 ng/ml



#26 Chlordane-4


R.T.: 5.307 min
Delta R.T.: -0.008 min
Response: 506827027
Conc: 490.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 6.153 min
Delta R.T.: -0.010 min
Response: 143878644
Conc: 311.81 ng/ml




#27 Chlordane-5

R.T.: 6.127 min
Delta R.T.: -0.012 min
Response: 453622792
Conc: 1329.23 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T. : 6.967 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.034 min
Delta R.T.: -0.010 min
Response: 438092235
Conc: 52.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 9.029 min
Delta R.T.: -0.011 min
Response: 120511991
Conc: 51.98 ng/ml