

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040319\
 Data File : PL046996.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 04 Apr 2019 00:22
 Operator : AJ\SJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 04 01:36:53 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL032219.M
 Quant Title : GC Extractables
 QLast Update : Fri Mar 22 13:40:08 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.357	3.976	356.1E6	115.4E6	48.952	50.397
28)	SA Decachlor...	8.033	9.028	436.2E6	118.3E6	51.866	51.005
Target Compounds							
2)	A alpha-BHC	3.787	4.366	598.7E6	166.5E6	51.335	51.825
3)	MA gamma-BHC...	4.064	4.650	535.7E6	155.0E6	49.854	51.778
4)	MA Heptachlor	4.350	5.156	558.3E6	157.4E6	50.638	51.161
5)	MB Aldrin	4.590	5.460	520.4E6	147.4E6	50.447	51.453
6)	B beta-BHC	4.317	4.823	217.8E6	68806240	48.367	51.902
7)	B delta-BHC	4.512	5.039	517.2E6	131.9E6	51.092	56.865
8)	B Heptachlor...	5.027	5.846	491.4E6	135.8E6	50.384	51.508
9)	A Endosulfan I	5.359	6.203	467.5E6	132.6E6	49.722	50.810
10)	B gamma-Chl...	5.250	6.080	511.5E6	145.1E6	49.790	51.122
11)	B alpha-Chl...	5.306	6.153	502.8E6	144.5E6	49.591	50.954
12)	B 4,4'-DDE	5.473	6.311	454.6E6	126.6E6	49.378	51.005
13)	MA Dieldrin	5.599	6.459	504.6E6	136.4E6	50.284	50.326
14)	MA Endrin	5.852	6.677	470.4E6	122.3E6	49.939	51.163
15)	B Endosulfa...	6.127	6.887	448.8E6	124.0E6	50.092	51.390
16)	A 4,4'-DDD	5.985	6.801	381.9E6	103.4E6	50.526	51.412
17)	MA 4,4'-DDT	6.220	7.099	396.7E6	108.2E6	52.372	51.621
18)	B Endrin al...	6.293	7.011	371.2E6	107.7E6	49.531	50.721
19)	B Endosulfa...	6.504	7.233	416.8E6	119.6E6	50.766	50.695
20)	A Methoxychlor	6.764	7.557	212.9E6	65526865	50.094	51.403
21)	B Endrin ke...	6.987	7.703	469.9E6	129.0E6	50.819	51.929
22)	Mirex	7.163	8.154	356.8E6	103.2E6	48.967	51.574
24)	Chlordane-2	0.000	5.460f	0	147.4E6	N.D.	1261.985 #
25)	Chlordane-3	5.250	6.080	511.5E6	145.1E6	459.266	380.542
26)	Chlordane-4	5.306	6.153	502.8E6	144.5E6	486.243	313.243 #
27)	Chlordane-5	6.127	0.000	448.8E6	0	1315.114	N.D. #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040319\
Data File : PL046996.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 04 Apr 2019 00:22
Operator : AJ\SJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 04 01:36:53 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL032219.M
Quant Title : GC Extractables
QLast Update : Fri Mar 22 13:40:08 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.357 min
Delta R.T.: -0.004 min
Response: 356105903
Conc: 48.95 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.976 min
Delta R.T.: -0.004 min
Response: 115389298
Conc: 50.40 ng/ml




#2 alpha-BHC

R.T.: 3.787 min
Delta R.T.: -0.004 min
Response: 598668299
Conc: 51.33 ng/ml



#2 alpha-BHC


R.T.: 4.366 min
Delta R.T.: -0.005 min
Response: 166528869
Conc: 51.82 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.064 min
Delta R.T.: -0.004 min
Response: 535660925
Conc: 49.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.650 min
Delta R.T.: -0.005 min
Response: 154973471
Conc: 51.78 ng/ml




#4 Heptachlor

R.T.: 4.350 min
Delta R.T.: -0.005 min
Response: 558291898
Conc: 50.64 ng/ml



#4 Heptachlor


R.T.: 5.156 min
Delta R.T.: -0.006 min
Response: 157365614
Conc: 51.16 ng/ml



#5 Aldrin


R.T.: 4.590 min
Delta R.T.: -0.005 min
Response: 520360754
Conc: 50.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.460 min
Delta R.T.: -0.007 min
Response: 147411505
Conc: 51.45 ng/ml




#6 beta-BHC

R.T.: 4.317 min
Delta R.T.: -0.004 min
Response: 217766527
Conc: 48.37 ng/ml



#6 beta-BHC


R.T.: 4.823 min
Delta R.T.: -0.004 min
Response: 68806240
Conc: 51.90 ng/ml



#7 delta-BHC


R.T.: 4.512 min
Delta R.T.: -0.005 min
Response: 517210288
Conc: 51.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.039 min
Delta R.T.: -0.005 min
Response: 131937021
Conc: 56.87 ng/ml




#8 Heptachlor epoxide

R.T.: 5.027 min
Delta R.T.: -0.006 min
Response: 491424571
Conc: 50.38 ng/ml



#8 Heptachlor epoxide


R.T.: 5.846 min
Delta R.T.: -0.007 min
Response: 135837063
Conc: 51.51 ng/ml



#9 Endosulfan I


R.T.: 5.359 min
Delta R.T.: -0.007 min
Response: 467500843
Conc: 49.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.203 min
Delta R.T.: -0.008 min
Response: 132608611
Conc: 50.81 ng/ml




#10 gamma-Chlordane

R.T.: 5.250 min
Delta R.T.: -0.007 min
Response: 511471839
Conc: 49.79 ng/ml



#10 gamma-Chlordane


R.T.: 6.080 min
Delta R.T.: -0.007 min
Response: 145088290
Conc: 51.12 ng/ml



#11 alpha-Chlordane


R.T.: 5.306 min
Delta R.T.: -0.008 min
Response: 502804148
Conc: 49.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.153 min
Delta R.T.: -0.008 min
Response: 144538126
Conc: 50.95 ng/ml




#12 4,4'-DDE

R.T.: 5.473 min
Delta R.T.: -0.007 min
Response: 454623640
Conc: 49.38 ng/ml



#12 4,4'-DDE


R.T.: 6.311 min
Delta R.T.: -0.007 min
Response: 126611663
Conc: 51.01 ng/ml



#13 Dielldrin


R.T.: 5.599 min
Delta R.T.: -0.008 min
Response: 504633244
Conc: 50.28 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dielldrin

R.T.: 6.459 min
Delta R.T.: -0.008 min
Response: 136416290
Conc: 50.33 ng/ml




#14 Endrin

R.T.: 5.852 min
Delta R.T.: -0.008 min
Response: 470383467
Conc: 49.94 ng/ml



#14 Endrin


R.T.: 6.677 min
Delta R.T.: -0.008 min
Response: 122267658
Conc: 51.16 ng/ml



#15 Endosulfan II


R.T.: 6.127 min
Delta R.T.: -0.008 min
Response: 448805246
Conc: 50.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.887 min
Delta R.T.: -0.007 min
Response: 123999509
Conc: 51.39 ng/ml




#16 4,4'-DDD

R.T.: 5.985 min
Delta R.T.: -0.008 min
Response: 381931708
Conc: 50.53 ng/ml



#16 4,4'-DDD


R.T.: 6.801 min
Delta R.T.: -0.008 min
Response: 103441858
Conc: 51.41 ng/ml



#17 4,4'-DDT


R.T.: 6.220 min
Delta R.T.: -0.007 min
Response: 396683139
Conc: 52.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.099 min
Delta R.T.: -0.008 min
Response: 108247771
Conc: 51.62 ng/ml




#18 Endrin aldehyde

R.T.: 6.293 min
Delta R.T.: -0.008 min
Response: 371241528
Conc: 49.53 ng/ml



#18 Endrin aldehyde


R.T.: 7.011 min
Delta R.T.: -0.008 min
Response: 107730280
Conc: 50.72 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.504 min
Delta R.T.: -0.008 min
Response: 416846296
Conc: 50.77 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.233 min
Delta R.T.: -0.008 min
Response: 119590500
Conc: 50.70 ng/ml




#20 Methoxychlor

R.T.: 6.764 min
Delta R.T.: -0.009 min
Response: 212894568
Conc: 50.09 ng/ml



#20 Methoxychlor


R.T.: 7.557 min
Delta R.T.: -0.008 min
Response: 65526865
Conc: 51.40 ng/ml



#21 Endrin ketone


R.T.: 6.987 min
Delta R.T.: -0.009 min
Response: 469910403
Conc: 50.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.703 min
Delta R.T.: -0.009 min
Response: 129019088
Conc: 51.93 ng/ml




#22 Mirex

R.T.: 7.163 min
Delta R.T.: -0.010 min
Response: 356753271
Conc: 48.97 ng/ml



#22 Mirex


R.T.: 8.154 min
Delta R.T.: -0.011 min
Response: 103156409
Conc: 51.57 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.701 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 5.460 min
Delta R.T.: 0.017 min
Response: 147411505
Conc: 1261.98 ng/ml




#25 Chlordane-3

R.T.: 5.250 min
Delta R.T.: -0.008 min
Response: 511471839
Conc: 459.27 ng/ml



#25 Chlordane-3


R.T.: 6.080 min
Delta R.T.: -0.009 min
Response: 145088290
Conc: 380.54 ng/ml



#26 Chlordane-4


R.T.: 5.306 min
Delta R.T.: -0.008 min
Response: 502804148
Conc: 486.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 6.153 min
Delta R.T.: -0.011 min
Response: 144538126
Conc: 313.24 ng/ml




#27 Chlordane-5

R.T.: 6.127 min
Delta R.T.: -0.013 min
Response: 448805246
Conc: 1315.11 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T. : 6.967 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.033 min
Delta R.T.: -0.011 min
Response: 436248203
Conc: 51.87 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 9.028 min
Delta R.T.: -0.012 min
Response: 118253419
Conc: 51.00 ng/ml