

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040319\
 Data File : PL047016.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 04 Apr 2019 05:10
 Operator : AJ\SJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 04 05:57:32 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL032219.M
 Quant Title : GC Extractables
 QLast Update : Fri Mar 22 13:40:08 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.358	3.976	351.1E6	113.0E6	48.270	49.354
28)	SA Decachlor...	8.033	9.027	404.8E6	115.1E6	48.130	49.644
Target Compounds							
2)	A alpha-BHC	3.787	4.366	572.8E6	164.1E6	49.114	51.067
3)	MA gamma-BHC...	4.064	4.650	522.8E6	152.1E6	48.661	50.810
4)	MA Heptachlor	4.350	5.156	540.5E6	152.5E6	49.021	49.568
5)	MB Aldrin	4.590	5.459	508.1E6	145.4E6	49.260	50.737
6)	B beta-BHC	4.317	4.823	213.9E6	67911021	47.507	51.227
7)	B delta-BHC	4.512	5.038	505.8E6	130.1E6	49.968	56.080
8)	B Heptachlor...	5.027	5.846	478.9E6	132.3E6	49.096	50.183
9)	A Endosulfan I	5.359	6.202	456.0E6	128.7E6	48.493	49.320
10)	B gamma-Chl...	5.250	6.080	497.0E6	140.4E6	48.383	49.468
11)	B alpha-Chl...	5.306	6.152	488.8E6	139.5E6	48.212	49.166
12)	B 4,4'-DDE	5.474	6.310	439.4E6	122.3E6	47.720	49.276
13)	MA Dieldrin	5.598	6.459	489.7E6	131.2E6	48.796	48.411
14)	MA Endrin	5.851	6.676	436.2E6	112.7E6	46.306	47.139
15)	B Endosulfa...	6.126	6.886	430.4E6	120.0E6	48.040	49.737
16)	A 4,4'-DDD	5.984	6.800	374.7E6	101.1E6	49.564	50.246
17)	MA 4,4'-DDT	6.219	7.098	366.7E6	99774304	48.420	47.581
18)	B Endrin al...	6.293	7.010	356.8E6	104.4E6	47.600	49.130
19)	B Endosulfa...	6.504	7.233	394.1E6	114.0E6	48.000	48.338
20)	A Methoxychlor	6.764	7.556	197.4E6	60824925	46.439	47.714
21)	B Endrin ke...	6.987	7.702	449.3E6	124.4E6	48.588	50.054
22)	Mirex	7.163	8.153	328.5E6	98466550	45.088	49.229
24)	Chlordane-2	0.000	5.459f	0	145.4E6	N.D.	1244.431 #
25)	Chlordane-3	5.250	6.080	497.0E6	140.4E6	446.291	368.230
26)	Chlordane-4	5.306	6.152	488.8E6	139.5E6	472.721	302.252 #
27)	Chlordane-5	6.126	0.000	430.4E6	0	1261.232	N.D. #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040319\
Data File : PL047016.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 04 Apr 2019 05:10
Operator : AJ\SJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 04 05:57:32 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL032219.M
Quant Title : GC Extractables
QLast Update : Fri Mar 22 13:40:08 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.358 min
Delta R.T.: -0.003 min
Response: 351149847
Conc: 48.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.976 min
Delta R.T.: -0.005 min
Response: 113000720
Conc: 49.35 ng/ml




#2 alpha-BHC

R.T.: 3.787 min
Delta R.T.: -0.004 min
Response: 572773572
Conc: 49.11 ng/ml



#2 alpha-BHC


R.T.: 4.366 min
Delta R.T.: -0.005 min
Response: 164093296
Conc: 51.07 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.064 min
Delta R.T.: -0.004 min
Response: 522836510
Conc: 48.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.650 min
Delta R.T.: -0.006 min
Response: 152075048
Conc: 50.81 ng/ml




#4 Heptachlor

R.T.: 4.350 min
Delta R.T.: -0.005 min
Response: 540461783
Conc: 49.02 ng/ml



#4 Heptachlor


R.T.: 5.156 min
Delta R.T.: -0.007 min
Response: 152464807
Conc: 49.57 ng/ml



#5 Aldrin


R.T.: 4.590 min
Delta R.T.: -0.006 min
Response: 508111533
Conc: 49.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.459 min
Delta R.T.: -0.007 min
Response: 145361048
Conc: 50.74 ng/ml




#6 beta-BHC

R.T.: 4.317 min
Delta R.T.: -0.004 min
Response: 213898372
Conc: 47.51 ng/ml



#6 beta-BHC


R.T.: 4.823 min
Delta R.T.: -0.005 min
Response: 67911021
Conc: 51.23 ng/ml



#7 delta-BHC


R.T.: 4.512 min
Delta R.T.: -0.005 min
Response: 505831305
Conc: 49.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.038 min
Delta R.T.: -0.006 min
Response: 130115633
Conc: 56.08 ng/ml




#8 Heptachlor epoxide

R.T.: 5.027 min
Delta R.T.: -0.006 min
Response: 478861881
Conc: 49.10 ng/ml



#8 Heptachlor epoxide


R.T.: 5.846 min
Delta R.T.: -0.008 min
Response: 132342257
Conc: 50.18 ng/ml



#9 Endosulfan I


R.T.: 5.359 min
Delta R.T.: -0.008 min
Response: 455950823
Conc: 48.49 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.202 min
Delta R.T.: -0.008 min
Response: 128718799
Conc: 49.32 ng/ml




#10 gamma-Chlordane

R.T.: 5.250 min
Delta R.T.: -0.007 min
Response: 497022654
Conc: 48.38 ng/ml



#10 gamma-Chlordane


R.T.: 6.080 min
Delta R.T.: -0.008 min
Response: 140394387
Conc: 49.47 ng/ml



#11 alpha-Chlordane


R.T.: 5.306 min
Delta R.T.: -0.008 min
Response: 488821549
Conc: 48.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.152 min
Delta R.T.: -0.008 min
Response: 139466781
Conc: 49.17 ng/ml




#12 4,4'-DDE

R.T.: 5.474 min
Delta R.T.: -0.007 min
Response: 439356668
Conc: 47.72 ng/ml



#12 4,4'-DDE


R.T.: 6.310 min
Delta R.T.: -0.008 min
Response: 122319040
Conc: 49.28 ng/ml



#13 Dielldrin


R.T.: 5.598 min
Delta R.T.: -0.008 min
Response: 489697405
Conc: 48.80 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dielldrin

R.T.: 6.459 min
Delta R.T.: -0.008 min
Response: 131226659
Conc: 48.41 ng/ml




#14 Endrin

R.T.: 5.851 min
Delta R.T.: -0.008 min
Response: 436167773
Conc: 46.31 ng/ml



#14 Endrin


R.T.: 6.676 min
Delta R.T.: -0.009 min
Response: 112651823
Conc: 47.14 ng/ml



#15 Endosulfan II


R.T.: 6.126 min
Delta R.T.: -0.008 min
Response: 430416926
Conc: 48.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.886 min
Delta R.T.: -0.009 min
Response: 120009600
Conc: 49.74 ng/ml




#16 4,4'-DDD

R.T.: 5.984 min
Delta R.T.: -0.008 min
Response: 374657990
Conc: 49.56 ng/ml



#16 4,4'-DDD


R.T.: 6.800 min
Delta R.T.: -0.008 min
Response: 101096541
Conc: 50.25 ng/ml



#17 4,4'-DDT


R.T.: 6.219 min
Delta R.T.: -0.008 min
Response: 366749488
Conc: 48.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.098 min
Delta R.T.: -0.009 min
Response: 99774304
Conc: 47.58 ng/ml




#18 Endrin aldehyde

R.T.: 6.293 min
Delta R.T.: -0.009 min
Response: 356771277
Conc: 47.60 ng/ml



#18 Endrin aldehyde


R.T.: 7.010 min
Delta R.T.: -0.009 min
Response: 104352914
Conc: 49.13 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.504 min
Delta R.T.: -0.009 min
Response: 394136265
Conc: 48.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.233 min
Delta R.T.: -0.009 min
Response: 114030333
Conc: 48.34 ng/ml




#20 Methoxychlor

R.T.: 6.764 min
Delta R.T.: -0.010 min
Response: 197361489
Conc: 46.44 ng/ml



#20 Methoxychlor


R.T.: 7.556 min
Delta R.T.: -0.009 min
Response: 60824925
Conc: 47.71 ng/ml



#21 Endrin ketone


R.T.: 6.987 min
Delta R.T.: -0.009 min
Response: 449285101
Conc: 48.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.702 min
Delta R.T.: -0.010 min
Response: 124361923
Conc: 50.05 ng/ml




#22 Mirex

R.T.: 7.163 min
Delta R.T.: -0.010 min
Response: 328489346
Conc: 45.09 ng/ml



#22 Mirex


R.T.: 8.153 min
Delta R.T.: -0.011 min
Response: 98466550
Conc: 49.23 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.701 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 5.459 min
Delta R.T.: 0.017 min
Response: 145361048
Conc: 1244.43 ng/ml




#25 Chlordane-3

R.T.: 5.250 min
Delta R.T.: -0.008 min
Response: 497022654
Conc: 446.29 ng/ml



#25 Chlordane-3


R.T.: 6.080 min
Delta R.T.: -0.009 min
Response: 140394387
Conc: 368.23 ng/ml



#26 Chlordane-4


R.T.: 5.306 min
Delta R.T.: -0.008 min
Response: 488821549
Conc: 472.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 6.152 min
Delta R.T.: -0.011 min
Response: 139466781
Conc: 302.25 ng/ml




#27 Chlordane-5

R.T.: 6.126 min
Delta R.T.: -0.013 min
Response: 430416926
Conc: 1261.23 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T. : 6.967 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.033 min
Delta R.T.: -0.011 min
Response: 404822087
Conc: 48.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 9.027 min
Delta R.T.: -0.013 min
Response: 115097972
Conc: 49.64 ng/ml