

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040320\
 Data File : PL057793.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 03 Apr 2020 21:31
 Operator : AJ\MA
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 04 08:19:06 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL040320.M
 Quant Title : GC Extractables
 QLast Update : Sat Apr 04 06:41:11 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.458	3.957	509.9E6	110.1E6	50.583	50.735
2)	SA Decachlor...	8.206	8.979	468.3E6	108.5E6	45.430	48.552
Target Compounds							
2)	A alpha-BHC	3.895	4.344	884.2E6	170.6E6	50.898	51.950
3)	MA gamma-BHC...	4.179	4.627	797.4E6	167.7E6	54.860	51.616
4)	MA Heptachlor	4.478	5.128	819.2E6	169.9E6	51.106	50.628
5)	MB Aldrin	4.727	5.430	755.3E6	165.2E6	51.296	51.007
6)	B beta-BHC	4.430	4.800	322.8E6	71733246	51.110	51.659
7)	B delta-BHC	4.634	5.014	790.1E6	138.5E6	52.063	55.175
8)	B Heptachlo...	5.169	5.814	676.1E6	149.0E6	50.308	55.161
9)	A Endosulfan I	5.508	6.169	617.3E6	147.4E6	50.365	49.440
10)	B gamma-Chl...	5.396	6.048	677.8E6	162.4E6	49.909	50.121
11)	B alpha-Chl...	5.454	6.120	664.4E6	162.7E6	49.896	49.707
12)	B 4,4'-DDE	5.618	6.279	649.2E6	147.5E6	49.553	49.829
13)	MA Dieldrin	5.750	6.425	656.5E6	151.2E6	50.465	49.473
14)	MA Endrin	6.007	6.641	564.1E6	123.9E6	48.326	49.608
15)	B Endosulfa...	6.281	6.852	530.7E6	126.5E6	47.971	48.767
16)	A 4,4'-DDD	6.134	6.767	498.4E6	115.6E6	49.871	50.659
17)	MA 4,4'-DDT	6.374	7.064	494.4E6	110.3E6	48.707	49.503
18)	B Endrin al...	6.449	6.975	447.9E6	108.5E6	47.907	48.844
19)	B Endosulfa...	6.662	7.198	478.4E6	117.0E6	47.084	49.290
20)	A Methoxychlor	6.918	7.524	253.3E6	61507773	45.942	48.355
21)	B Endrin ke...	7.153	7.666	543.7E6	122.4E6	48.839	49.498
22)	Mirex	7.339	8.115	372.2E6	90471504	45.404	49.206



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040320\
Data File : PL057793.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 03 Apr 2020 21:31
Operator : AJ\MA
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 04 08:19:06 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL040320.M
Quant Title : GC Extractables
QLast Update : Sat Apr 04 06:41:11 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.458 min
Delta R.T.: 0.000 min
Response: 509925301
Conc: 50.58 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.957 min
Delta R.T.: 0.000 min
Response: 110103137
Conc: 50.74 ng/ml




#2 alpha-BHC

R.T.: 3.895 min
Delta R.T.: 0.000 min
Response: 884195881
Conc: 50.90 ng/ml



#2 alpha-BHC


R.T.: 4.344 min
Delta R.T.: 0.000 min
Response: 170585939
Conc: 51.95 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.179 min
Delta R.T.: 0.000 min
Response: 797400123
Conc: 54.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.627 min
Delta R.T.: 0.000 min
Response: 167679301
Conc: 51.62 ng/ml




#4 Heptachlor

R.T.: 4.478 min
Delta R.T.: 0.000 min
Response: 819241918
Conc: 51.11 ng/ml



#4 Heptachlor


R.T.: 5.128 min
Delta R.T.: 0.000 min
Response: 169916041
Conc: 50.63 ng/ml



#5 Aldrin


R.T.: 4.727 min
Delta R.T.: 0.000 min
Response: 755337091
Conc: 51.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.430 min
Delta R.T.: -0.001 min
Response: 165170954
Conc: 51.01 ng/ml




#6 beta-BHC

R.T.: 4.430 min
Delta R.T.: 0.000 min
Response: 322775952
Conc: 51.11 ng/ml



#6 beta-BHC


R.T.: 4.800 min
Delta R.T.: 0.000 min
Response: 71733246
Conc: 51.66 ng/ml



#7 delta-BHC


R.T.: 4.634 min
Delta R.T.: 0.000 min
Response: 790122110
Conc: 52.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.014 min
Delta R.T.: 0.000 min
Response: 138493975
Conc: 55.18 ng/ml




#8 Heptachlor epoxide

R.T.: 5.169 min
Delta R.T.: 0.000 min
Response: 676138224
Conc: 50.31 ng/ml



#8 Heptachlor epoxide


R.T.: 5.814 min
Delta R.T.: 0.000 min
Response: 148951212
Conc: 55.16 ng/ml



#9 Endosulfan I


R.T.: 5.508 min
Delta R.T.: 0.000 min
Response: 617300613
Conc: 50.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.169 min
Delta R.T.: -0.001 min
Response: 147416951
Conc: 49.44 ng/ml




#10 gamma-Chlordane

R.T.: 5.396 min
Delta R.T.: -0.001 min
Response: 677834298
Conc: 49.91 ng/ml



#10 gamma-Chlordane


R.T.: 6.048 min
Delta R.T.: -0.001 min
Response: 162385329
Conc: 50.12 ng/ml



#11 alpha-Chlordane


R.T.: 5.454 min
Delta R.T.: 0.000 min
Response: 664397344
Conc: 49.90 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.120 min
Delta R.T.: 0.000 min
Response: 162656922
Conc: 49.71 ng/ml




#12 4,4'-DDE

R.T.: 5.618 min
Delta R.T.: 0.000 min
Response: 649151572
Conc: 49.55 ng/ml



#12 4,4'-DDE


R.T.: 6.279 min
Delta R.T.: -0.002 min
Response: 147526621
Conc: 49.83 ng/ml



#13 Dieldrin


R.T.: 5.750 min
Delta R.T.: 0.000 min
Response: 656497564
Conc: 50.46 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.425 min
Delta R.T.: 0.000 min
Response: 151170763
Conc: 49.47 ng/ml




#14 Endrin

R.T.: 6.007 min
Delta R.T.: -0.001 min
Response: 564102549
Conc: 48.33 ng/ml



#14 Endrin


R.T.: 6.641 min
Delta R.T.: -0.001 min
Response: 123947067
Conc: 49.61 ng/ml



#15 Endosulfan II


R.T.: 6.281 min
Delta R.T.: -0.001 min
Response: 530663378
Conc: 47.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.852 min
Delta R.T.: 0.000 min
Response: 126484649
Conc: 48.77 ng/ml




#16 4,4'-DDD

R.T.: 6.134 min
Delta R.T.: 0.000 min
Response: 498439074
Conc: 49.87 ng/ml



#16 4,4'-DDD


R.T.: 6.767 min
Delta R.T.: -0.001 min
Response: 115612874
Conc: 50.66 ng/ml



#17 4,4'-DDT


R.T.: 6.374 min
Delta R.T.: 0.000 min
Response: 494351852
Conc: 48.71 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.064 min
Delta R.T.: -0.001 min
Response: 110261126
Conc: 49.50 ng/ml




#18 Endrin aldehyde

R.T.: 6.449 min
Delta R.T.: -0.001 min
Response: 447911535
Conc: 47.91 ng/ml



#18 Endrin aldehyde


R.T.: 6.975 min
Delta R.T.: -0.001 min
Response: 108512687
Conc: 48.84 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.662 min
Delta R.T.: 0.000 min
Response: 478357961
Conc: 47.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.198 min
Delta R.T.: -0.001 min
Response: 116966813
Conc: 49.29 ng/ml




#20 Methoxychlor

R.T.: 6.918 min
Delta R.T.: -0.001 min
Response: 253257987
Conc: 45.94 ng/ml



#20 Methoxychlor


R.T.: 7.524 min
Delta R.T.: -0.001 min
Response: 61507773
Conc: 48.35 ng/ml



#21 Endrin ketone


R.T.: 7.153 min
Delta R.T.: 0.000 min
Response: 543708728
Conc: 48.84 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.666 min
Delta R.T.: -0.001 min
Response: 122358504
Conc: 49.50 ng/ml




#22 Mirex

R.T.: 7.339 min
Delta R.T.: -0.001 min
Response: 372185525
Conc: 45.40 ng/ml



#22 Mirex


R.T.: 8.115 min
Delta R.T.: -0.002 min
Response: 90471504
Conc: 49.21 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.206 min
Delta R.T.: 0.000 min
Response: 468311079
Conc: 45.43 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.979 min
Delta R.T.: -0.002 min
Response: 108454300
Conc: 48.55 ng/ml