

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040425\
 Data File : PL095044.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 04 Apr 2025 08:33
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PEM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 04 22:30:30 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 11 17:42:21 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.538	2.771	64898898	83639722	22.927	23.433
28)	SA Decachlor...	9.052	7.901	52190552	92399815	24.765	22.875
Target Compounds							
2)	A alpha-BHC	3.993	3.272	49508108	60662195	11.923	11.252
3)	MA gamma-BHC...	4.325	3.601	48167428	58401177	12.071	11.363
6)	B beta-BHC	4.525	3.902	22390890	28190342	12.135	12.691
14)	MA Endrin	6.571	5.629	134.8E6	235.6E6	48.619	53.983
16)	A 4,4'-DDD	6.708	5.777	6475429	9978591	2.989	2.775
17)	MA 4,4'-DDT	7.022	6.027	264.1E6	489.8E6	111.031	121.481
18)	B Endrin al...	6.921	6.104	6000416	9025702	2.842	2.682
20)	A Methoxychlor	7.499	6.602	317.7E6	582.6E6	265.423	274.658
21)	B Endrin ke...	7.641	6.831	10465857	20732789	3.959	4.344



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040425\
Data File : PL095044.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 04 Apr 2025 08:33
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PEM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 04 22:30:30 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
Quant Title : GC Extractables
QLast Update : Tue Mar 11 17:42:21 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.538 min
Delta R.T.: 0.000 min
Response: 64898898
Conc: 22.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#1 Tetrachloro-m-xylene

R.T.: 2.771 min
Delta R.T.: -0.001 min
Response: 83639722
Conc: 23.43 ng/ml




#2 alpha-BHC

R.T.: 3.993 min
Delta R.T.: 0.000 min
Response: 49508108
Conc: 11.92 ng/ml



#2 alpha-BHC


R.T.: 3.272 min
Delta R.T.: -0.002 min
Response: 60662195
Conc: 11.25 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.325 min
Delta R.T.: -0.001 min
Response: 48167428
Conc: 12.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#3 gamma-BHC (Lindane)

R.T.: 3.601 min
Delta R.T.: -0.003 min
Response: 58401177
Conc: 11.36 ng/ml




#6 beta-BHC

R.T.: 4.525 min
Delta R.T.: 0.000 min
Response: 22390890
Conc: 12.13 ng/ml



#6 beta-BHC


R.T.: 3.902 min
Delta R.T.: -0.003 min
Response: 28190342
Conc: 12.69 ng/ml



#14 Endrin


R.T.: 6.571 min
Delta R.T.: -0.002 min
Response: 134776123
Conc: 48.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#14 Endrin

R.T.: 5.629 min
Delta R.T.: -0.004 min
Response: 235564148
Conc: 53.98 ng/ml




#16 4,4'-DDD

R.T.: 6.708 min
Delta R.T.: -0.002 min
Response: 6475429
Conc: 2.99 ng/ml



#16 4,4'-DDD


R.T.: 5.777 min
Delta R.T.: -0.005 min
Response: 9978591
Conc: 2.77 ng/ml



#17 4,4'-DDT


R.T.: 7.022 min
Delta R.T.: -0.002 min
Response: 264091633
Conc: 111.03 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#17 4,4'-DDT

R.T.: 6.027 min
Delta R.T.: -0.005 min
Response: 489823335
Conc: 121.48 ng/ml




#18 Endrin aldehyde

R.T.: 6.921 min
Delta R.T.: -0.002 min
Response: 6000416
Conc: 2.84 ng/ml



#18 Endrin aldehyde


R.T.: 6.104 min
Delta R.T.: -0.005 min
Response: 9025702
Conc: 2.68 ng/ml



#20 Methoxychlor


R.T.: 7.499 min
Delta R.T.: 0.000 min
Response: 317731017
Conc: 265.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#20 Methoxychlor

R.T.: 6.602 min
Delta R.T.: -0.005 min
Response: 582569105
Conc: 274.66 ng/ml




#21 Endrin ketone

R.T.: 7.641 min
Delta R.T.: -0.003 min
Response: 10465857
Conc: 3.96 ng/ml



#21 Endrin ketone


R.T.: 6.831 min
Delta R.T.: -0.005 min
Response: 20732789
Conc: 4.34 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.052 min
Delta R.T.: -0.004 min
Response: 52190552
Conc: 24.76 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM



#28 Decachlorobiphenyl

R.T.: 7.901 min
Delta R.T.: -0.006 min
Response: 92399815
Conc: 22.87 ng/ml