

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040519\
 Data File : PL047070.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 05 Apr 2019 13:50
 Operator : AJ\SJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 05 23:09:54 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL032219.M
 Quant Title : GC Extractables
 QLast Update : Fri Mar 22 13:40:08 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.357	3.975	376.9E6	114.6E6	51.804	50.045
28)	SA Decachlor...	8.034	9.027	404.2E6	118.2E6	48.052	50.961
Target Compounds							
2)	A alpha-BHC	3.787	4.365	611.9E6	165.3E6	52.466	51.438
3)	MA gamma-BHC...	4.064	4.649	558.8E6	152.9E6	52.009	51.091
4)	MA Heptachlor	4.351	5.155	582.6E6	154.7E6	52.841	50.293
5)	MB Aldrin	4.590	5.459	537.5E6	144.1E6	52.111	50.297
6)	B beta-BHC	4.317	4.822	228.9E6	68347924	50.829	51.556
7)	B delta-BHC	4.512	5.038	543.3E6	126.3E6	53.672	54.428
8)	B Heptachlor...	5.028	5.844	497.7E6	126.2E6	51.025	47.844
9)	A Endosulfan I	5.359	6.201	469.1E6	126.0E6	49.895	48.267
10)	B gamma-Chl...	5.251	6.079	514.2E6	139.2E6	50.053	49.036
11)	B alpha-Chl...	5.306	6.151	502.8E6	137.0E6	49.588	48.310
12)	B 4,4'-DDE	5.473	6.309	447.7E6	121.3E6	48.628	48.859
13)	MA Dieldrin	5.599	6.457	500.7E6	130.1E6	49.890	47.980
14)	MA Endrin	5.853	6.675	455.8E6	115.6E6	48.393	48.364
15)	B Endosulfa...	6.127	6.885	436.4E6	118.7E6	48.704	49.202
16)	A 4,4'-DDD	5.986	6.800	382.1E6	99117983	50.543	49.263
17)	MA 4,4'-DDT	6.220	7.097	378.0E6	98783311	49.911	47.108
18)	B Endrin al...	6.293	7.009	368.5E6	102.5E6	49.164	48.265
19)	B Endosulfa...	6.505	7.232	405.8E6	111.3E6	49.418	47.201
20)	A Methoxychlor	6.765	7.556	201.2E6	57860813	47.340	45.389
21)	B Endrin ke...	6.988	7.701	446.5E6	118.3E6	48.291	47.597
22)	Mirex	7.164	8.153	327.2E6	96858357	44.914	48.425
24)	Chlordane-2	0.000	5.459f	0	144.1E6	N.D.	1233.638 #
25)	Chlordane-3	5.251	6.079	514.2E6	139.2E6	461.692	365.018
26)	Chlordane-4	5.306	6.151	502.8E6	137.0E6	486.218	296.991 #
27)	Chlordane-5	6.127	0.000	436.4E6	0	1278.682	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040519\
Data File : PL047070.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Apr 2019 13:50
Operator : AJ\SJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 05 23:09:54 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL032219.M
Quant Title : GC Extractables
QLast Update : Fri Mar 22 13:40:08 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.357 min
Delta R.T.: -0.004 min
Response: 376854854
Conc: 51.80 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.975 min
Delta R.T.: -0.006 min
Response: 114582728
Conc: 50.04 ng/ml




#2 alpha-BHC

R.T.: 3.787 min
Delta R.T.: -0.004 min
Response: 611861008
Conc: 52.47 ng/ml



#2 alpha-BHC


R.T.: 4.365 min
Delta R.T.: -0.006 min
Response: 165285171
Conc: 51.44 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.064 min
Delta R.T.: -0.005 min
Response: 558810107
Conc: 52.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.649 min
Delta R.T.: -0.007 min
Response: 152916533
Conc: 51.09 ng/ml




#4 Heptachlor

R.T.: 4.351 min
Delta R.T.: -0.005 min
Response: 582576704
Conc: 52.84 ng/ml



#4 Heptachlor


R.T.: 5.155 min
Delta R.T.: -0.008 min
Response: 154694496
Conc: 50.29 ng/ml



#5 Aldrin


R.T.: 4.590 min
Delta R.T.: -0.005 min
Response: 537524187
Conc: 52.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.459 min
Delta R.T.: -0.008 min
Response: 144100263
Conc: 50.30 ng/ml




#6 beta-BHC

R.T.: 4.317 min
Delta R.T.: -0.004 min
Response: 228855223
Conc: 50.83 ng/ml



#6 beta-BHC


R.T.: 4.822 min
Delta R.T.: -0.006 min
Response: 68347924
Conc: 51.56 ng/ml



#7 delta-BHC


R.T.: 4.512 min
Delta R.T.: -0.005 min
Response: 543319302
Conc: 53.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.038 min
Delta R.T.: -0.007 min
Response: 126282465
Conc: 54.43 ng/ml




#8 Heptachlor epoxide

R.T.: 5.028 min
Delta R.T.: -0.006 min
Response: 497674089
Conc: 51.02 ng/ml



#8 Heptachlor epoxide


R.T.: 5.844 min
Delta R.T.: -0.009 min
Response: 126174737
Conc: 47.84 ng/ml



#9 Endosulfan I


R.T.: 5.359 min
Delta R.T.: -0.007 min
Response: 469130525
Conc: 49.90 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.201 min
Delta R.T.: -0.009 min
Response: 125971480
Conc: 48.27 ng/ml




#10 gamma-Chlordane

R.T.: 5.251 min
Delta R.T.: -0.006 min
Response: 514174265
Conc: 50.05 ng/ml



#10 gamma-Chlordane


R.T.: 6.079 min
Delta R.T.: -0.009 min
Response: 139169553
Conc: 49.04 ng/ml



#11 alpha-Chlordane


R.T.: 5.306 min
Delta R.T.: -0.008 min
Response: 502777816
Conc: 49.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.151 min
Delta R.T.: -0.010 min
Response: 137039093
Conc: 48.31 ng/ml




#12 4,4'-DDE

R.T.: 5.473 min
Delta R.T.: -0.007 min
Response: 447713749
Conc: 48.63 ng/ml



#12 4,4'-DDE


R.T.: 6.309 min
Delta R.T.: -0.009 min
Response: 121283688
Conc: 48.86 ng/ml



#13 Dielddrin


R.T.: 5.599 min
Delta R.T.: -0.007 min
Response: 500674262
Conc: 49.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dielddrin

R.T.: 6.457 min
Delta R.T.: -0.010 min
Response: 130059161
Conc: 47.98 ng/ml




#14 Endrin

R.T.: 5.853 min
Delta R.T.: -0.007 min
Response: 455820812
Conc: 48.39 ng/ml



#14 Endrin


R.T.: 6.675 min
Delta R.T.: -0.010 min
Response: 115578949
Conc: 48.36 ng/ml



#15 Endosulfan II


R.T.: 6.127 min
Delta R.T.: -0.007 min
Response: 436371919
Conc: 48.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.885 min
Delta R.T.: -0.009 min
Response: 118718285
Conc: 49.20 ng/ml




#16 4,4'-DDD

R.T.: 5.986 min
Delta R.T.: -0.007 min
Response: 382059039
Conc: 50.54 ng/ml



#16 4,4'-DDD


R.T.: 6.800 min
Delta R.T.: -0.009 min
Response: 99117983
Conc: 49.26 ng/ml



#17 4,4'-DDT


R.T.: 6.220 min
Delta R.T.: -0.007 min
Response: 378040954
Conc: 49.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.097 min
Delta R.T.: -0.010 min
Response: 98783311
Conc: 47.11 ng/ml




#18 Endrin aldehyde

R.T.: 6.293 min
Delta R.T.: -0.008 min
Response: 368492336
Conc: 49.16 ng/ml



#18 Endrin aldehyde


R.T.: 7.009 min
Delta R.T.: -0.010 min
Response: 102513812
Conc: 48.26 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.505 min
Delta R.T.: -0.008 min
Response: 405783559
Conc: 49.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.232 min
Delta R.T.: -0.010 min
Response: 111346771
Conc: 47.20 ng/ml




#20 Methoxychlor

R.T.: 6.765 min
Delta R.T.: -0.009 min
Response: 201189443
Conc: 47.34 ng/ml



#20 Methoxychlor


R.T.: 7.556 min
Delta R.T.: -0.010 min
Response: 57860813
Conc: 45.39 ng/ml



#21 Endrin ketone


R.T.: 6.988 min
Delta R.T.: -0.008 min
Response: 446536036
Conc: 48.29 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.701 min
Delta R.T.: -0.010 min
Response: 118255797
Conc: 47.60 ng/ml




#22 Mirex

R.T.: 7.164 min
Delta R.T.: -0.009 min
Response: 327225427
Conc: 44.91 ng/ml



#22 Mirex


R.T.: 8.153 min
Delta R.T.: -0.011 min
Response: 96858357
Conc: 48.42 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.701 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 5.459 min
Delta R.T.: 0.016 min
Response: 144100263
Conc: 1233.64 ng/ml




#25 Chlordane-3

R.T.: 5.251 min
Delta R.T.: -0.008 min
Response: 514174265
Conc: 461.69 ng/ml



#25 Chlordane-3


R.T.: 6.079 min
Delta R.T.: -0.010 min
Response: 139169553
Conc: 365.02 ng/ml



#26 Chlordane-4


R.T.: 5.306 min
Delta R.T.: -0.008 min
Response: 502777816
Conc: 486.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 6.151 min
Delta R.T.: -0.012 min
Response: 137039093
Conc: 296.99 ng/ml




#27 Chlordane-5

R.T.: 6.127 min
Delta R.T.: -0.013 min
Response: 436371919
Conc: 1278.68 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.967 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.034 min
Delta R.T.: -0.011 min
Response: 404164867
Conc: 48.05 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 9.027 min
Delta R.T.: -0.008 min
Response: 118152583
Conc: 50.96 ng/ml