

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040621\
 Data File : PL065892.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 06 Apr 2021 09:53
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 07 04:28:08 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL033121.M
 Quant Title : GC Extractables
 QLast Update : Wed Mar 31 15:57:28 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.276	3.780	48579601	49970123	18.648	18.204
28)	SA Decachlor...	7.908	8.728	49428793	44286833	21.342	19.644
Target Compounds							
2)	A alpha-BHC	3.699	4.165	35769634	36921764	8.746	9.087
3)	MA gamma-BHC...	3.971	4.444	32944692	32205446	8.900	8.796
4)	MA Heptachlor	0.000	4.944	0	1715084	N.D.	0.486 #
5)	MB Aldrin	4.501	0.000	337461	0	0.099	N.D. #
6)	B beta-BHC	4.223	4.628	14471009	19451453	9.079	11.167
8)	B Heptachlo...	0.000	5.606	0	5470076	N.D.	1.761 #
11)	B alpha-Chl...	0.000	5.933f	0	316259	N.D.	0.107 #
12)	B 4,4'-DDE	5.369	6.077	666117	552294	0.241	0.211
13)	MA Dieldrin	0.000	6.242f	0	1385463	N.D.	0.492 #
14)	MA Endrin	5.738	6.433	124.9E6	114.6E6	46.243	45.994
15)	B Endosulfa...	0.000	6.669f	0	4532839	N.D.	1.918 #
16)	A 4,4'-DDD	5.876	6.570	2611657	2028502	1.151	0.962
17)	MA 4,4'-DDT	6.107	6.860	195.4E6	185.1E6	92.768	82.654
18)	B Endrin al...	6.180	6.775	978387	398455	0.517	0.210 #
20)	A Methoxychlor	6.652	7.326	270.0E6	256.9E6	215.090	202.811
21)	B Endrin ke...	6.864	7.462	2155704	1875733	0.786	0.730
26)	Chlordane-4	0.000	5.933f	0	316259	N.D.	0.625 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040621\
Data File : PL065892.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 06 Apr 2021 09:53
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 07 04:28:08 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL033121.M
Quant Title : GC Extractables
QLast Update : Wed Mar 31 15:57:28 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.276 min
Delta R.T.: -0.004 min
Response: 48579601
Conc: 18.65 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.780 min
Delta R.T.: -0.001 min
Response: 49970123
Conc: 18.20 ng/ml




#2 alpha-BHC

R.T.: 3.699 min
Delta R.T.: -0.004 min
Response: 35769634
Conc: 8.75 ng/ml



#2 alpha-BHC


R.T.: 4.165 min
Delta R.T.: -0.002 min
Response: 36921764
Conc: 9.09 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 3.971 min
Delta R.T.: -0.004 min
Response: 32944692
Conc: 8.90 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 4.444 min
Delta R.T.: -0.002 min
Response: 32205446
Conc: 8.80 ng/ml




#4 Heptachlor

R.T.: 0.000 min
Exp R.T. : 4.260 min
Response: 0
Conc: N.D.



#4 Heptachlor


R.T.: 4.944 min
Delta R.T.: 0.013 min
Response: 1715084
Conc: 0.49 ng/ml



#5 Aldrin


R.T.: 4.501 min
Delta R.T.: 0.004 min
Response: 337461
Conc: 0.10 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 0.000 min
Exp R.T. : 5.227 min
Response: 0
Conc: N.D.




#6 beta-BHC

R.T.: 4.223 min
Delta R.T.: -0.004 min
Response: 14471009
Conc: 9.08 ng/ml



#6 beta-BHC


R.T.: 4.628 min
Delta R.T.: 0.000 min
Response: 19451453
Conc: 11.17 ng/ml



#8 Heptachlor epoxide


R.T.: 0.000 min
Exp R.T.: 4.929 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#8 Heptachlor epoxide

R.T.: 5.606 min
Delta R.T.: -0.008 min
Response: 5470076
Conc: 1.76 ng/ml




#11 alpha-Chlordane

R.T.: 0.000 min
Exp R.T.: 5.206 min
Response: 0
Conc: N.D.



#11 alpha-Chlordane


R.T.: 5.933 min
Delta R.T.: 0.019 min
Response: 316259
Conc: 0.11 ng/ml



#12 4,4'-DDE


R.T.: 5.369 min
Delta R.T.: -0.003 min
Response: 666117
Conc: 0.24 ng/ml

Instrument :
ECD_L
ClientSampleId :




#12 4,4'-DDE

R.T.: 6.077 min
Delta R.T.: -0.001 min
Response: 552294
Conc: 0.21 ng/ml




#13 Dieldrin

R.T.: 0.000 min
Exp R.T. : 5.493 min
Response: 0
Conc: N.D.



#13 Dieldrin


R.T.: 6.242 min
Delta R.T.: 0.023 min
Response: 1385463
Conc: 0.49 ng/ml



#14 Endrin


R.T.: 5.738 min
Delta R.T.: -0.004 min
Response: 124856999
Conc: 46.24 ng/ml

Instrument :
ECD_L
ClientSampleId :




#14 Endrin

R.T.: 6.433 min
Delta R.T.: -0.002 min
Response: 114560490
Conc: 45.99 ng/ml




#15 Endosulfan II

R.T.: 0.000 min
Exp R.T. : 6.015 min
Response: 0
Conc: N.D.



#15 Endosulfan II


R.T.: 6.669 min
Delta R.T.: 0.018 min
Response: 4532839
Conc: 1.92 ng/ml



#16 4,4'-DDD


R.T.: 5.876 min
Delta R.T.: -0.002 min
Response: 2611657
Conc: 1.15 ng/ml

Instrument :
ECD_L
ClientSampleId :




#16 4,4'-DDD

R.T.: 6.570 min
Delta R.T.: 0.000 min
Response: 2028502
Conc: 0.96 ng/ml




#17 4,4'-DDT

R.T.: 6.107 min
Delta R.T.: -0.004 min
Response: 195445481
Conc: 92.77 ng/ml



#17 4,4'-DDT


R.T.: 6.860 min
Delta R.T.: -0.001 min
Response: 185067948
Conc: 82.65 ng/ml



#18 Endrin aldehyde


R.T.: 6.180 min
Delta R.T.: -0.002 min
Response: 978387
Conc: 0.52 ng/ml

Instrument :
ECD_L
ClientSampleId :




#18 Endrin aldehyde

R.T.: 6.775 min
Delta R.T.: 0.000 min
Response: 398455
Conc: 0.21 ng/ml




#20 Methoxychlor

R.T.: 6.652 min
Delta R.T.: -0.004 min
Response: 270018490
Conc: 215.09 ng/ml



#20 Methoxychlor


R.T.: 7.326 min
Delta R.T.: 0.000 min
Response: 256865316
Conc: 202.81 ng/ml



#21 Endrin ketone


R.T.: 6.864 min
Delta R.T.: -0.006 min
Response: 2155704
Conc: 0.79 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 7.462 min
Delta R.T.: 0.000 min
Response: 1875733
Conc: 0.73 ng/ml




#26 Chlordane-4

R.T.: 0.000 min
Exp R.T. : 5.205 min
Response: 0
Conc: N.D.



#26 Chlordane-4


R.T.: 5.933 min
Delta R.T.: 0.019 min
Response: 316259
Conc: 0.63 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.908 min
Delta R.T.: -0.006 min
Response: 49428793
Conc: 21.34 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 8.728 min
Delta R.T.: 0.000 min
Response: 44286833
Conc: 19.64 ng/ml