

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040919\
 Data File : PL047158.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 10 Apr 2019 01:12
 Operator : AJ\SJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 10 01:24:39 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL032219.M
 Quant Title : GC Extractables
 QLast Update : Fri Mar 22 13:40:08 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.358	3.977	347.3E6	112.2E6	47.737	48.993
28)	SA Decachlor...	8.037	9.032	376.4E6	108.2E6	44.750	46.672
Target Compounds							
2)	A alpha-BHC	3.788	4.368	584.2E6	162.8E6	50.095	50.675
3)	MA gamma-BHC...	4.065	4.652	521.5E6	151.2E6	48.532	50.527
4)	MA Heptachlor	4.351	5.158	528.6E6	151.0E6	47.943	49.103
5)	MB Aldrin	4.592	5.462	501.0E6	144.1E6	48.573	50.292
6)	B beta-BHC	4.318	4.825	213.3E6	67450051	47.383	50.879
7)	B delta-BHC	4.513	5.041	499.7E6	130.3E6	49.361	56.174
8)	B Heptachlor...	5.029	5.848	469.4E6	132.3E6	48.123	50.173
9)	A Endosulfan I	5.361	6.204	444.7E6	127.3E6	47.298	48.795
10)	B gamma-Chl...	5.252	6.082	487.4E6	139.6E6	47.446	49.188
11)	B alpha-Chl...	5.308	6.155	477.0E6	138.7E6	47.042	48.880
12)	B 4,4'-DDE	5.475	6.313	448.3E6	122.6E6	48.689	49.393
13)	MA Dieldrin	5.600	6.461	477.0E6	131.3E6	47.531	48.441
14)	MA Endrin	5.854	6.679	422.9E6	110.0E6	44.897	46.027
15)	B Endosulfa...	6.128	6.890	417.6E6	117.7E6	46.608	48.774
16)	A 4,4'-DDD	5.986	6.803	377.0E6	103.8E6	49.869	51.589
17)	MA 4,4'-DDT	6.221	7.101	342.0E6	95873881	45.150	45.721
18)	B Endrin al...	6.295	7.013	344.1E6	101.6E6	45.913	47.838
19)	B Endosulfa...	6.506	7.236	380.5E6	110.7E6	46.334	46.937
20)	A Methoxychlor	6.766	7.559	182.4E6	56686153	42.923	44.468
21)	B Endrin ke...	6.990	7.705	438.0E6	121.7E6	47.371	48.978
22)	Mirex	7.167	8.157	320.5E6	94807462	43.997	47.400


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040919\
Data File : PL047158.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Apr 2019 01:12
Operator : AJ\SJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 10 01:24:39 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL032219.M
Quant Title : GC Extractables
QLast Update : Fri Mar 22 13:40:08 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.358 min
Delta R.T.: -0.003 min
Response: 347267301
Conc: 47.74 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.977 min
Delta R.T.: -0.003 min
Response: 112174937
Conc: 48.99 ng/ml




#2 alpha-BHC

R.T.: 3.788 min
Delta R.T.: -0.003 min
Response: 584212818
Conc: 50.10 ng/ml



#2 alpha-BHC


R.T.: 4.368 min
Delta R.T.: -0.003 min
Response: 162832659
Conc: 50.67 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.065 min
Delta R.T.: -0.003 min
Response: 521450915
Conc: 48.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.652 min
Delta R.T.: -0.004 min
Response: 151227216
Conc: 50.53 ng/ml




#4 Heptachlor

R.T.: 4.351 min
Delta R.T.: -0.004 min
Response: 528584020
Conc: 47.94 ng/ml



#4 Heptachlor


R.T.: 5.158 min
Delta R.T.: -0.004 min
Response: 151034276
Conc: 49.10 ng/ml



#5 Aldrin


R.T.: 4.592 min
Delta R.T.: -0.004 min
Response: 501031489
Conc: 48.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.462 min
Delta R.T.: -0.005 min
Response: 144085822
Conc: 50.29 ng/ml




#6 beta-BHC

R.T.: 4.318 min
Delta R.T.: -0.003 min
Response: 213338048
Conc: 47.38 ng/ml



#6 beta-BHC


R.T.: 4.825 min
Delta R.T.: -0.003 min
Response: 67450051
Conc: 50.88 ng/ml



#7 delta-BHC


R.T.: 4.513 min
Delta R.T.: -0.003 min
Response: 499680238
Conc: 49.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.041 min
Delta R.T.: -0.003 min
Response: 130332698
Conc: 56.17 ng/ml




#8 Heptachlor epoxide

R.T.: 5.029 min
Delta R.T.: -0.005 min
Response: 469364790
Conc: 48.12 ng/ml



#8 Heptachlor epoxide


R.T.: 5.848 min
Delta R.T.: -0.006 min
Response: 132316588
Conc: 50.17 ng/ml



#9 Endosulfan I


R.T.: 5.361 min
Delta R.T.: -0.006 min
Response: 444710883
Conc: 47.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.204 min
Delta R.T.: -0.006 min
Response: 127348456
Conc: 48.79 ng/ml




#10 gamma-Chlordane

R.T.: 5.252 min
Delta R.T.: -0.005 min
Response: 487392207
Conc: 47.45 ng/ml



#10 gamma-Chlordane


R.T.: 6.082 min
Delta R.T.: -0.005 min
Response: 139600450
Conc: 49.19 ng/ml



#11 alpha-Chlordane


R.T.: 5.308 min
Delta R.T.: -0.006 min
Response: 476963744
Conc: 47.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.155 min
Delta R.T.: -0.005 min
Response: 138656773
Conc: 48.88 ng/ml




#12 4,4'-DDE

R.T.: 5.475 min
Delta R.T.: -0.006 min
Response: 448273298
Conc: 48.69 ng/ml



#12 4,4'-DDE


R.T.: 6.313 min
Delta R.T.: -0.005 min
Response: 122610246
Conc: 49.39 ng/ml



#13 Dielddrin


R.T.: 5.600 min
Delta R.T.: -0.006 min
Response: 476998645
Conc: 47.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dielddrin

R.T.: 6.461 min
Delta R.T.: -0.006 min
Response: 131306831
Conc: 48.44 ng/ml




#14 Endrin

R.T.: 5.854 min
Delta R.T.: -0.006 min
Response: 422897969
Conc: 44.90 ng/ml



#14 Endrin


R.T.: 6.679 min
Delta R.T.: -0.006 min
Response: 109994266
Conc: 46.03 ng/ml



#15 Endosulfan II


R.T.: 6.128 min
Delta R.T.: -0.006 min
Response: 417592203
Conc: 46.61 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.890 min
Delta R.T.: -0.005 min
Response: 117685621
Conc: 48.77 ng/ml




#16 4,4'-DDD

R.T.: 5.986 min
Delta R.T.: -0.007 min
Response: 376960321
Conc: 49.87 ng/ml



#16 4,4'-DDD


R.T.: 6.803 min
Delta R.T.: -0.005 min
Response: 103797954
Conc: 51.59 ng/ml



#17 4,4'-DDT


R.T.: 6.221 min
Delta R.T.: -0.006 min
Response: 341978563
Conc: 45.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.101 min
Delta R.T.: -0.006 min
Response: 95873881
Conc: 45.72 ng/ml




#18 Endrin aldehyde

R.T.: 6.295 min
Delta R.T.: -0.007 min
Response: 344125615
Conc: 45.91 ng/ml



#18 Endrin aldehyde


R.T.: 7.013 min
Delta R.T.: -0.006 min
Response: 101607475
Conc: 47.84 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.506 min
Delta R.T.: -0.006 min
Response: 380458145
Conc: 46.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.236 min
Delta R.T.: -0.006 min
Response: 110724394
Conc: 46.94 ng/ml




#20 Methoxychlor

R.T.: 6.766 min
Delta R.T.: -0.008 min
Response: 182418727
Conc: 42.92 ng/ml



#20 Methoxychlor


R.T.: 7.559 min
Delta R.T.: -0.006 min
Response: 56686153
Conc: 44.47 ng/ml



#21 Endrin ketone


R.T.: 6.990 min
Delta R.T.: -0.006 min
Response: 438031896
Conc: 47.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.705 min
Delta R.T.: -0.007 min
Response: 121688700
Conc: 48.98 ng/ml




#22 Mirex

R.T.: 7.167 min
Delta R.T.: -0.007 min
Response: 320538288
Conc: 44.00 ng/ml



#22 Mirex


R.T.: 8.157 min
Delta R.T.: -0.008 min
Response: 94807462
Conc: 47.40 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.037 min
Delta R.T.: -0.007 min
Response: 376398389
Conc: 44.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 9.032 min
Delta R.T.: -0.003 min
Response: 108207382
Conc: 46.67 ng/ml