

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL041122\
 Data File : PL073937.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 11 Apr 2022 13:02
 Operator : AR\AJ
 Sample : PB143881BS
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB143881BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 12 02:05:09 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL040822.M
 Quant Title : GC Extractables
 QLast Update : Fri Apr 08 15:48:40 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.637	5.490	6681479	35528911	20.679	19.927
28)	SA Decachlor...	10.411	11.332	11415728	38133361	21.952	21.589
Target Compounds							
2)	A alpha-BHC	5.346	6.053	21236560	132.3E6	50.604	52.555
3)	MA gamma-BHC...	5.769	6.442	21076916	123.8E6	50.255	52.294
4)	MA Heptachlor	6.180	7.101	22188968	134.5E6	49.259	51.575
5)	MB Aldrin	6.505	7.469	20952103	123.3E6	50.481	52.514
6)	B beta-BHC	6.149	6.678	9708331	55554218	47.514	49.293
7)	B delta-BHC	6.411	6.946	20855330	125.1E6	50.415	51.233
8)	B Heptachlo...	7.082	7.925	21889950	115.1E6	51.033	51.104
9)	A Endosulfan I	7.485	8.326	21040651	103.7E6	51.303	52.652
10)	B gamma-Chl...	7.360	8.193	22355076	115.3E6	50.970	51.697
11)	B alpha-Chl...	7.429	8.276	22607915	112.8E6	51.175	52.406
12)	B 4,4'-DDE	7.644	8.461	18860804	106.3E6	51.699	53.386
13)	MA Dieldrin	7.772	8.611	21557531	105.4E6	50.184	52.558
14)	MA Endrin	8.063	8.845	20414187	88560598	50.252	52.289
15)	B Endosulfa...	8.373	9.069	20288598	85409531	49.225	49.164
16)	A 4,4'-DDD	8.229	8.988	16975817	83435767	52.569	54.228
17)	MA 4,4'-DDT	8.490	9.306	18682140	89335113	50.542	50.396
18)	B Endrin al...	8.562	9.202	16509454	67428241	51.025	52.204
19)	B Endosulfa...	8.793	9.439	21839315	85959394	51.143	51.648
20)	A Methoxychlor	9.085	9.786	12159358	46720591	48.977	48.574
21)	B Endrin ke...	9.312	9.928	25894863	92438980	53.003	53.404
22)	Mirex	9.500	10.405	26921945	81951747	57.722	59.497



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL041122\
Data File : PL073937.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Apr 2022 13:02
Operator : AR\AJ
Sample : PB143881BS
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PB143881BS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 12 02:05:09 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL040822.M
Quant Title : GC Extractables
QLast Update : Fri Apr 08 15:48:40 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 4.637 min
Delta R.T.: -0.002 min
Response: 6681479
Conc: 20.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB143881BS




#1 Tetrachloro-m-xylene

R.T.: 5.490 min
Delta R.T.: -0.002 min
Response: 35528911
Conc: 19.93 ng/ml




#2 alpha-BHC

R.T.: 5.346 min
Delta R.T.: -0.001 min
Response: 21236560
Conc: 50.60 ng/ml



#2 alpha-BHC


R.T.: 6.053 min
Delta R.T.: -0.001 min
Response: 132338031
Conc: 52.55 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 5.769 min
Delta R.T.: -0.001 min
Response: 21076916
Conc: 50.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB143881BS




#3 gamma-BHC (Lindane)

R.T.: 6.442 min
Delta R.T.: -0.001 min
Response: 123785892
Conc: 52.29 ng/ml




#4 Heptachlor

R.T.: 6.180 min
Delta R.T.: -0.001 min
Response: 22188968
Conc: 49.26 ng/ml



#4 Heptachlor


R.T.: 7.101 min
Delta R.T.: -0.002 min
Response: 134530547
Conc: 51.58 ng/ml



#5 Aldrin


R.T.: 6.505 min
Delta R.T.: -0.002 min
Response: 20952103
Conc: 50.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB143881BS




#5 Aldrin

R.T.: 7.469 min
Delta R.T.: -0.002 min
Response: 123333661
Conc: 52.51 ng/ml




#6 beta-BHC

R.T.: 6.149 min
Delta R.T.: -0.001 min
Response: 9708331
Conc: 47.51 ng/ml



#6 beta-BHC


R.T.: 6.678 min
Delta R.T.: -0.002 min
Response: 55554218
Conc: 49.29 ng/ml



#7 delta-BHC


R.T.: 6.411 min
Delta R.T.: -0.001 min
Response: 20855330
Conc: 50.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB143881BS




#7 delta-BHC

R.T.: 6.946 min
Delta R.T.: -0.002 min
Response: 125124688
Conc: 51.23 ng/ml




#8 Heptachlor epoxide

R.T.: 7.082 min
Delta R.T.: -0.001 min
Response: 21889950
Conc: 51.03 ng/ml



#8 Heptachlor epoxide


R.T.: 7.925 min
Delta R.T.: -0.001 min
Response: 115064232
Conc: 51.10 ng/ml



#9 Endosulfan I


R.T.: 7.485 min
Delta R.T.: -0.002 min
Response: 21040651
Conc: 51.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB143881BS




#9 Endosulfan I

R.T.: 8.326 min
Delta R.T.: -0.002 min
Response: 103654289
Conc: 52.65 ng/ml




#10 gamma-Chlordane

R.T.: 7.360 min
Delta R.T.: -0.002 min
Response: 22355076
Conc: 50.97 ng/ml



#10 gamma-Chlordane


R.T.: 8.193 min
Delta R.T.: -0.002 min
Response: 115302217
Conc: 51.70 ng/ml



#11 alpha-Chlordane


R.T.: 7.429 min
Delta R.T.: -0.001 min
Response: 22607915
Conc: 51.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB143881BS




#11 alpha-Chlordane

R.T.: 8.276 min
Delta R.T.: -0.002 min
Response: 112808770
Conc: 52.41 ng/ml




#12 4,4'-DDE

R.T.: 7.644 min
Delta R.T.: -0.001 min
Response: 18860804
Conc: 51.70 ng/ml



#12 4,4'-DDE


R.T.: 8.461 min
Delta R.T.: -0.001 min
Response: 106328934
Conc: 53.39 ng/ml



#13 Dieldrin


R.T.: 7.772 min
Delta R.T.: -0.001 min
Response: 21557531
Conc: 50.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB143881BS




#13 Dieldrin

R.T.: 8.611 min
Delta R.T.: -0.002 min
Response: 105392803
Conc: 52.56 ng/ml




#14 Endrin

R.T.: 8.063 min
Delta R.T.: -0.002 min
Response: 20414187
Conc: 50.25 ng/ml



#14 Endrin


R.T.: 8.845 min
Delta R.T.: -0.002 min
Response: 88560598
Conc: 52.29 ng/ml



#15 Endosulfan II


R.T.: 8.373 min
Delta R.T.: -0.002 min
Response: 20288598
Conc: 49.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB143881BS




#15 Endosulfan II

R.T.: 9.069 min
Delta R.T.: 0.000 min
Response: 85409531
Conc: 49.16 ng/ml




#16 4,4'-DDD

R.T.: 8.229 min
Delta R.T.: -0.002 min
Response: 16975817
Conc: 52.57 ng/ml



#16 4,4'-DDD


R.T.: 8.988 min
Delta R.T.: -0.002 min
Response: 83435767
Conc: 54.23 ng/ml



#17 4,4'-DDT


R.T.: 8.490 min
Delta R.T.: -0.002 min
Response: 18682140
Conc: 50.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB143881BS




#17 4,4'-DDT

R.T.: 9.306 min
Delta R.T.: -0.002 min
Response: 89335113
Conc: 50.40 ng/ml




#18 Endrin aldehyde

R.T.: 8.562 min
Delta R.T.: -0.002 min
Response: 16509454
Conc: 51.03 ng/ml



#18 Endrin aldehyde


R.T.: 9.202 min
Delta R.T.: -0.003 min
Response: 67428241
Conc: 52.20 ng/ml



#19 Endosulfan Sulfate


R.T.: 8.793 min
Delta R.T.: -0.002 min
Response: 21839315
Conc: 51.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB143881BS




#19 Endosulfan Sulfate

R.T.: 9.439 min
Delta R.T.: -0.003 min
Response: 85959394
Conc: 51.65 ng/ml




#20 Methoxychlor

R.T.: 9.085 min
Delta R.T.: -0.002 min
Response: 12159358
Conc: 48.98 ng/ml



#20 Methoxychlor


R.T.: 9.786 min
Delta R.T.: -0.003 min
Response: 46720591
Conc: 48.57 ng/ml



#21 Endrin ketone


R.T.: 9.312 min
Delta R.T.: -0.002 min
Response: 25894863
Conc: 53.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB143881BS




#21 Endrin ketone

R.T.: 9.928 min
Delta R.T.: -0.003 min
Response: 92438980
Conc: 53.40 ng/ml




#22 Mirex

R.T.: 9.500 min
Delta R.T.: -0.003 min
Response: 26921945
Conc: 57.72 ng/ml



#22 Mirex


R.T.: 10.405 min
Delta R.T.: -0.003 min
Response: 81951747
Conc: 59.50 ng/ml



#28 Decachlorobiphenyl

R.T.: 10.411 min
Delta R.T.: -0.003 min
Response: 11415728
Conc: 21.95 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB143881BS



#28 Decachlorobiphenyl

R.T.: 11.332 min
Delta R.T.: -0.004 min
Response: 38133361
Conc: 21.59 ng/ml