

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL041219\
 Data File : PL047328.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 12 Apr 2019 16:12
 Operator : AJ\SJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 12 23:26:54 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL032219.M
 Quant Title : GC Extractables
 QLast Update : Fri Mar 22 13:40:08 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.356	3.975	376.6E6	117.4E6	51.768	51.259
28)	SA Decachlor...	8.032	9.026	443.9E6	124.3E6	52.780	53.620
Target Compounds							
2)	A alpha-BHC	3.786	4.365	627.8E6	167.9E6	53.832	52.262
3)	MA gamma-BHC...	4.063	4.649	564.8E6	155.7E6	52.570	52.027
4)	MA Heptachlor	4.350	5.155	584.9E6	155.8E6	53.047	50.638
5)	MB Aldrin	4.590	5.459	548.1E6	148.4E6	53.138	51.804
6)	B beta-BHC	4.316	4.823	228.3E6	68246607	50.717	51.480
7)	B delta-BHC	4.512	5.038	540.7E6	132.5E6	53.414	57.088
8)	B Heptachlor...	5.027	5.846	514.9E6	136.1E6	52.790	51.592
9)	A Endosulfan I	5.359	6.202	491.0E6	133.0E6	52.218	50.969
10)	B gamma-Chl...	5.250	6.079	535.1E6	145.0E6	52.088	51.095
11)	B alpha-Chl...	5.306	6.152	526.2E6	144.9E6	51.895	51.069
12)	B 4,4'-DDE	5.473	6.310	483.8E6	127.3E6	52.544	51.270
13)	MA Dieldrin	5.599	6.458	524.4E6	134.9E6	52.251	49.771
14)	MA Endrin	5.851	6.676	486.6E6	121.5E6	51.659	50.850
15)	B Endosulfa...	6.126	6.886	464.9E6	124.3E6	51.884	51.513
16)	A 4,4'-DDD	5.984	6.800	400.2E6	103.8E6	52.944	51.565
17)	MA 4,4'-DDT	6.219	7.098	408.7E6	106.4E6	53.956	50.719
18)	B Endrin al...	6.292	7.010	384.4E6	107.5E6	51.291	50.634
19)	B Endosulfa...	6.505	7.233	428.2E6	118.6E6	52.148	50.276
20)	A Methoxychlor	6.764	7.557	217.9E6	65489750	51.275	51.374
21)	B Endrin ke...	6.987	7.702	481.0E6	128.5E6	52.013	51.730
22)	Mirex	7.163	8.154	364.8E6	102.5E6	50.075	51.226
24)	Chlordane-2	0.000	5.459f	0	148.4E6	N.D.	1270.601 #
25)	Chlordane-3	5.250	6.079	535.1E6	145.0E6	480.460	380.343
26)	Chlordane-4	5.306	6.152	526.2E6	144.9E6	508.835	313.956 #
27)	Chlordane-5	6.126	0.000	464.9E6	0	1362.158	N.D. #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL041219\
Data File : PL047328.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Apr 2019 16:12
Operator : AJ\SJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 12 23:26:54 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL032219.M
Quant Title : GC Extractables
QLast Update : Fri Mar 22 13:40:08 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.356 min
Delta R.T.: -0.005 min
Response: 376592483
Conc: 51.77 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.975 min
Delta R.T.: -0.005 min
Response: 117362799
Conc: 51.26 ng/ml




#2 alpha-BHC

R.T.: 3.786 min
Delta R.T.: -0.005 min
Response: 627791800
Conc: 53.83 ng/ml



#2 alpha-BHC


R.T.: 4.365 min
Delta R.T.: -0.006 min
Response: 167931811
Conc: 52.26 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.063 min
Delta R.T.: -0.005 min
Response: 564836906
Conc: 52.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.649 min
Delta R.T.: -0.006 min
Response: 155717614
Conc: 52.03 ng/ml




#4 Heptachlor

R.T.: 4.350 min
Delta R.T.: -0.006 min
Response: 584857307
Conc: 53.05 ng/ml



#4 Heptachlor


R.T.: 5.155 min
Delta R.T.: -0.007 min
Response: 155756642
Conc: 50.64 ng/ml



#5 Aldrin


R.T.: 4.590 min
Delta R.T.: -0.006 min
Response: 548121061
Conc: 53.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.459 min
Delta R.T.: -0.008 min
Response: 148417947
Conc: 51.80 ng/ml




#6 beta-BHC

R.T.: 4.316 min
Delta R.T.: -0.005 min
Response: 228347173
Conc: 50.72 ng/ml



#6 beta-BHC


R.T.: 4.823 min
Delta R.T.: -0.005 min
Response: 68246607
Conc: 51.48 ng/ml



#7 delta-BHC


R.T.: 4.512 min
Delta R.T.: -0.005 min
Response: 540709964
Conc: 53.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.038 min
Delta R.T.: -0.006 min
Response: 132454984
Conc: 57.09 ng/ml




#8 Heptachlor epoxide

R.T.: 5.027 min
Delta R.T.: -0.007 min
Response: 514887045
Conc: 52.79 ng/ml



#8 Heptachlor epoxide


R.T.: 5.846 min
Delta R.T.: -0.008 min
Response: 136058629
Conc: 51.59 ng/ml



#9 Endosulfan I


R.T.: 5.359 min
Delta R.T.: -0.008 min
Response: 490967427
Conc: 52.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.202 min
Delta R.T.: -0.008 min
Response: 133021795
Conc: 50.97 ng/ml




#10 gamma-Chlordane

R.T.: 5.250 min
Delta R.T.: -0.007 min
Response: 535075987
Conc: 52.09 ng/ml



#10 gamma-Chlordane


R.T.: 6.079 min
Delta R.T.: -0.008 min
Response: 145012638
Conc: 51.10 ng/ml



#11 alpha-Chlordane


R.T.: 5.306 min
Delta R.T.: -0.008 min
Response: 526165893
Conc: 51.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.152 min
Delta R.T.: -0.009 min
Response: 144866933
Conc: 51.07 ng/ml




#12 4,4'-DDE

R.T.: 5.473 min
Delta R.T.: -0.008 min
Response: 483774405
Conc: 52.54 ng/ml



#12 4,4'-DDE


R.T.: 6.310 min
Delta R.T.: -0.008 min
Response: 127268814
Conc: 51.27 ng/ml



#13 Dielddrin


R.T.: 5.599 min
Delta R.T.: -0.008 min
Response: 524369254
Conc: 52.25 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dielddrin

R.T.: 6.458 min
Delta R.T.: -0.008 min
Response: 134912780
Conc: 49.77 ng/ml




#14 Endrin

R.T.: 5.851 min
Delta R.T.: -0.008 min
Response: 486589633
Conc: 51.66 ng/ml



#14 Endrin


R.T.: 6.676 min
Delta R.T.: -0.009 min
Response: 121519580
Conc: 50.85 ng/ml



#15 Endosulfan II


R.T.: 6.126 min
Delta R.T.: -0.008 min
Response: 464859555
Conc: 51.88 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.886 min
Delta R.T.: -0.008 min
Response: 124294855
Conc: 51.51 ng/ml




#16 4,4'-DDD

R.T.: 5.984 min
Delta R.T.: -0.009 min
Response: 400207699
Conc: 52.94 ng/ml



#16 4,4'-DDD


R.T.: 6.800 min
Delta R.T.: -0.008 min
Response: 103750239
Conc: 51.56 ng/ml



#17 4,4'-DDT


R.T.: 6.219 min
Delta R.T.: -0.009 min
Response: 408681973
Conc: 53.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.098 min
Delta R.T.: -0.009 min
Response: 106354457
Conc: 50.72 ng/ml




#18 Endrin aldehyde

R.T.: 6.292 min
Delta R.T.: -0.009 min
Response: 384432309
Conc: 51.29 ng/ml



#18 Endrin aldehyde


R.T.: 7.010 min
Delta R.T.: -0.008 min
Response: 107545477
Conc: 50.63 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.505 min
Delta R.T.: -0.008 min
Response: 428198951
Conc: 52.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.233 min
Delta R.T.: -0.009 min
Response: 118601128
Conc: 50.28 ng/ml




#20 Methoxychlor

R.T.: 6.764 min
Delta R.T.: -0.009 min
Response: 217911791
Conc: 51.27 ng/ml



#20 Methoxychlor


R.T.: 7.557 min
Delta R.T.: -0.009 min
Response: 65489750
Conc: 51.37 ng/ml



#21 Endrin ketone


R.T.: 6.987 min
Delta R.T.: -0.009 min
Response: 480953011
Conc: 52.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.702 min
Delta R.T.: -0.010 min
Response: 128525413
Conc: 51.73 ng/ml




#22 Mirex

R.T.: 7.163 min
Delta R.T.: -0.010 min
Response: 364821974
Conc: 50.07 ng/ml



#22 Mirex


R.T.: 8.154 min
Delta R.T.: -0.011 min
Response: 102460398
Conc: 51.23 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.701 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 5.459 min
Delta R.T.: 0.016 min
Response: 148417947
Conc: 1270.60 ng/ml




#25 Chlordane-3

R.T.: 5.250 min
Delta R.T.: -0.009 min
Response: 535075987
Conc: 480.46 ng/ml



#25 Chlordane-3


R.T.: 6.079 min
Delta R.T.: -0.010 min
Response: 145012638
Conc: 380.34 ng/ml



#26 Chlordane-4


R.T.: 5.306 min
Delta R.T.: -0.008 min
Response: 526165893
Conc: 508.84 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 6.152 min
Delta R.T.: -0.012 min
Response: 144866933
Conc: 313.96 ng/ml




#27 Chlordane-5

R.T.: 6.126 min
Delta R.T.: -0.013 min
Response: 464859555
Conc: 1362.16 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T. : 6.967 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.032 min
Delta R.T.: -0.012 min
Response: 443931682
Conc: 52.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 9.026 min
Delta R.T.: -0.009 min
Response: 124316261
Conc: 53.62 ng/ml