

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL041421\
 Data File : PL066120.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Apr 2021 14:18
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PEM

Manual Integrations
 APPROVED

Ankita
 4/15/2021 12:07:40 PM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 15 01:11:49 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL041421.M
 Quant Title : GC Extractables
 QLast Update : Wed Apr 14 15:37:20 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.445	4.154	52106477	79435181	20.472	19.747
28)	SA Decachlor...	8.169	9.352	51540354	71233017	21.608	21.811
Target Compounds							
2)	A alpha-BHC	3.880	4.557	41469469	58058535	10.078	9.998m
3)	MA gamma-BHC...	4.159	4.851	40941116	51828593	10.506	9.735
6)	B beta-BHC	4.408	5.028	20008331	33647634	11.353	9.907
12)	B 4,4'-DDE	5.590	6.539	831445	896504	0.223m	0.217m
14)	MA Endrin	5.971	6.923	180.1E6	162.2E6	51.647	50.187
16)	A 4,4'-DDD	6.102	7.039	9107308	8639180	2.766	2.524
17)	MA 4,4'-DDT	6.341	7.340	320.8E6	335.8E6	100.642	98.992
18)	B Endrin al...	6.411	7.261	2771993	2830236	1.075	1.012m
20)	A Methoxychlor	6.887	7.801	386.1E6	443.8E6	213.270	247.675
21)	B Endrin ke...	7.105	7.968	12194780	8259398	3.317m	2.245 #

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL041421\
Data File : PL066120.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Apr 2021 14:18
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampled :
PEM


Manual Integrations
APPROVED

Ankita
4/15/2021 12:07:40 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 15 01:11:49 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL041421.M
Quant Title : GC Extractables
QLast Update : Wed Apr 14 15:37:20 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.445 min
Delta R.T.: 0.000 min
Response: 52106477
Conc: 20.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM


Manual Integrations
APPROVED

Ankita
4/15/2021 12:07:40 PM




#1 Tetrachloro-m-xylene

R.T.: 4.154 min
Delta R.T.: 0.001 min
Response: 79435181
Conc: 19.75 ng/ml




#2 alpha-BHC

R.T.: 3.880 min
Delta R.T.: 0.000 min
Response: 41469469
Conc: 10.08 ng/ml



#2 alpha-BHC

R.T.: 4.557 min
Delta R.T.: -0.001 min
Response: 58058535
Conc: 10.00 ng/ml m




#3 gamma-BHC (Lindane)

R.T.: 4.159 min
Delta R.T.: 0.000 min
Response: 40941116
Conc: 10.51 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM


Manual Integrations
APPROVED

Ankita
4/15/2021 12:07:40 PM




#3 gamma-BHC (Lindane)

R.T.: 4.851 min
Delta R.T.: 0.000 min
Response: 51828593
Conc: 9.74 ng/ml




#6 beta-BHC

R.T.: 4.408 min
Delta R.T.: 0.000 min
Response: 20008331
Conc: 11.35 ng/ml



#6 beta-BHC

R.T.: 5.028 min
Delta R.T.: 0.000 min
Response: 33647634
Conc: 9.91 ng/ml




#12 4,4'-DDE

R.T.: 5.590 min
Delta R.T.: -0.001 min
Response: 831445
Conc: 0.22 ng/ml m

Instrument :
ECD_L
ClientSampleId :
PEM


Manual Integrations
APPROVED

Ankita
4/15/2021 12:07:40 PM




#12 4,4'-DDE

R.T.: 6.539 min
Delta R.T.: 0.000 min
Response: 896504
Conc: 0.22 ng/ml m




#14 Endrin

R.T.: 5.971 min
Delta R.T.: 0.000 min
Response: 180078322
Conc: 51.65 ng/ml



#14 Endrin

R.T.: 6.923 min
Delta R.T.: 0.000 min
Response: 162182858
Conc: 50.19 ng/ml




#16 4,4'-DDD

R.T.: 6.102 min
Delta R.T.: 0.000 min
Response: 9107308
Conc: 2.77 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM


Manual Integrations
APPROVED

Ankita
4/15/2021 12:07:40 PM




#16 4,4'-DDD

R.T.: 7.039 min
Delta R.T.: 0.000 min
Response: 8639180
Conc: 2.52 ng/ml




#17 4,4'-DDT

R.T.: 6.341 min
Delta R.T.: 0.000 min
Response: 320774698
Conc: 100.64 ng/ml



#17 4,4'-DDT

R.T.: 7.340 min
Delta R.T.: 0.000 min
Response: 335816469
Conc: 98.99 ng/ml




#18 Endrin aldehyde

R.T.: 6.411 min
Delta R.T.: 0.001 min
Response: 2771993
Conc: 1.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM


Manual Integrations
APPROVED

Ankita
4/15/2021 12:07:40 PM




#18 Endrin aldehyde

R.T.: 7.261 min
Delta R.T.: 0.000 min
Response: 2830236
Conc: 1.01 ng/ml m




#20 Methoxychlor

R.T.: 6.887 min
Delta R.T.: 0.000 min
Response: 386128343
Conc: 213.27 ng/ml



#20 Methoxychlor

R.T.: 7.801 min
Delta R.T.: 0.002 min
Response: 443805202
Conc: 247.68 ng/ml




#21 Endrin ketone

R.T.: 7.105 min
Delta R.T.: 0.000 min
Response: 12194780
Conc: 3.32 ng/ml m

Instrument :
ECD_L
ClientSampleId :
PEM


Manual Integrations
APPROVED

Ankita
4/15/2021 12:07:40 PM




#21 Endrin ketone

R.T.: 7.968 min
Delta R.T.: 0.001 min
Response: 8259398
Conc: 2.25 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.169 min
Delta R.T.: 0.000 min
Response: 51540354
Conc: 21.61 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.352 min
Delta R.T.: 0.001 min
Response: 71233017
Conc: 21.81 ng/ml