

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL041519\
 Data File : PL047407.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Apr 2019 22:29
 Operator : AJ\SJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 16 01:51:45 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL032219.M
 Quant Title : GC Extractables
 QLast Update : Fri Mar 22 13:40:08 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.357	3.976	362.1E6	112.4E6	49.781	49.070
28)	SA Decachlor...	8.034	9.030	405.9E6	120.6E6	48.258	51.997
Target Compounds							
2)	A alpha-BHC	3.786	4.366	601.1E6	161.3E6	51.544	50.207
3)	MA gamma-BHC...	4.063	4.650	546.3E6	149.5E6	50.843	49.966
4)	MA Heptachlor	4.350	5.156	565.4E6	152.2E6	51.281	49.492
5)	MB Aldrin	4.590	5.460	530.4E6	143.5E6	51.418	50.085
6)	B beta-BHC	4.317	4.824	222.4E6	66832193	49.395	50.413
7)	B delta-BHC	4.512	5.039	526.3E6	131.7E6	51.995	56.767
8)	B Heptachlor...	5.027	5.847	497.1E6	132.7E6	50.962	50.320
9)	A Endosulfan I	5.359	6.203	471.8E6	127.2E6	50.179	48.733
10)	B gamma-Chl...	5.250	6.081	524.5E6	142.5E6	51.059	50.226
11)	B alpha-Chl...	5.306	6.154	511.2E6	139.0E6	50.419	48.987
12)	B 4,4'-DDE	5.473	6.312	411.3E6	122.8E6	44.674	49.450
13)	MA Dieldrin	5.599	6.460	506.1E6	130.7E6	50.430	48.216
14)	MA Endrin	5.852	6.678	468.1E6	118.3E6	49.693	49.505
15)	B Endosulfa...	6.127	6.888	443.7E6	117.8E6	49.517	48.830
16)	A 4,4'-DDD	5.985	6.802	388.7E6	100.6E6	51.426	49.987
17)	MA 4,4'-DDT	6.219	7.100	388.1E6	102.1E6	51.245	48.708
18)	B Endrin al...	6.293	7.012	361.8E6	101.8E6	48.274	47.937
19)	B Endosulfa...	6.505	7.235	401.2E6	112.3E6	48.862	47.589
20)	A Methoxychlor	6.764	7.558	203.8E6	61086773	47.943	47.920
21)	B Endrin ke...	6.988	7.704	450.0E6	120.1E6	48.667	48.332
22)	Mirex	7.164	8.155	341.3E6	97601763	46.844	48.797
24)	Chlordane-2	0.000	5.460f	0	143.5E6	N.D.	1228.419 #
25)	Chlordane-3	5.250	6.081	524.5E6	142.5E6	470.970	373.874
26)	Chlordane-4	5.306	6.154	511.2E6	139.0E6	494.360	301.154 #
27)	Chlordane-5	6.127	0.000	443.7E6	0	1300.013	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL041519\
 Data File : PL047407.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Apr 2019 22:29
 Operator : AJ\SJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 16 01:51:45 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL032219.M
 Quant Title : GC Extractables
 QLast Update : Fri Mar 22 13:40:08 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.357 min
Delta R.T.: -0.004 min
Response: 362136295
Conc: 49.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.976 min
Delta R.T.: -0.005 min
Response: 112350421
Conc: 49.07 ng/ml




#2 alpha-BHC

R.T.: 3.786 min
Delta R.T.: -0.004 min
Response: 601103866
Conc: 51.54 ng/ml



#2 alpha-BHC


R.T.: 4.366 min
Delta R.T.: -0.005 min
Response: 161328845
Conc: 50.21 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.063 min
Delta R.T.: -0.005 min
Response: 546286148
Conc: 50.84 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.650 min
Delta R.T.: -0.005 min
Response: 149548264
Conc: 49.97 ng/ml




#4 Heptachlor

R.T.: 4.350 min
Delta R.T.: -0.006 min
Response: 565380569
Conc: 51.28 ng/ml



#4 Heptachlor


R.T.: 5.156 min
Delta R.T.: -0.006 min
Response: 152232720
Conc: 49.49 ng/ml



#5 Aldrin


R.T.: 4.590 min
Delta R.T.: -0.006 min
Response: 530376081
Conc: 51.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.460 min
Delta R.T.: -0.006 min
Response: 143490707
Conc: 50.08 ng/ml




#6 beta-BHC

R.T.: 4.317 min
Delta R.T.: -0.004 min
Response: 222397965
Conc: 49.40 ng/ml



#6 beta-BHC


R.T.: 4.824 min
Delta R.T.: -0.004 min
Response: 66832193
Conc: 50.41 ng/ml



#7 delta-BHC


R.T.: 4.512 min
Delta R.T.: -0.005 min
Response: 526342929
Conc: 51.99 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.039 min
Delta R.T.: -0.005 min
Response: 131709685
Conc: 56.77 ng/ml




#8 Heptachlor epoxide

R.T.: 5.027 min
Delta R.T.: -0.007 min
Response: 497056547
Conc: 50.96 ng/ml



#8 Heptachlor epoxide


R.T.: 5.847 min
Delta R.T.: -0.007 min
Response: 132704596
Conc: 50.32 ng/ml



#9 Endosulfan I


R.T.: 5.359 min
Delta R.T.: -0.007 min
Response: 471796621
Conc: 50.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.203 min
Delta R.T.: -0.007 min
Response: 127187484
Conc: 48.73 ng/ml




#10 gamma-Chlordane

R.T.: 5.250 min
Delta R.T.: -0.007 min
Response: 524507163
Conc: 51.06 ng/ml



#10 gamma-Chlordane


R.T.: 6.081 min
Delta R.T.: -0.007 min
Response: 142546097
Conc: 50.23 ng/ml



#11 alpha-Chlordane


R.T.: 5.306 min
Delta R.T.: -0.008 min
Response: 511197944
Conc: 50.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.154 min
Delta R.T.: -0.007 min
Response: 138959906
Conc: 48.99 ng/ml




#12 4,4'-DDE

R.T.: 5.473 min
Delta R.T.: -0.007 min
Response: 411315347
Conc: 44.67 ng/ml



#12 4,4'-DDE


R.T.: 6.312 min
Delta R.T.: -0.006 min
Response: 122751289
Conc: 49.45 ng/ml



#13 Dielldrin


R.T.: 5.599 min
Delta R.T.: -0.008 min
Response: 506096870
Conc: 50.43 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dielldrin

R.T.: 6.460 min
Delta R.T.: -0.007 min
Response: 130699052
Conc: 48.22 ng/ml




#14 Endrin

R.T.: 5.852 min
Delta R.T.: -0.007 min
Response: 468068971
Conc: 49.69 ng/ml



#14 Endrin


R.T.: 6.678 min
Delta R.T.: -0.007 min
Response: 118304633
Conc: 49.50 ng/ml



#15 Endosulfan II


R.T.: 6.127 min
Delta R.T.: -0.007 min
Response: 443651744
Conc: 49.52 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.888 min
Delta R.T.: -0.007 min
Response: 117821864
Conc: 48.83 ng/ml




#16 4,4'-DDD

R.T.: 5.985 min
Delta R.T.: -0.007 min
Response: 388734615
Conc: 51.43 ng/ml



#16 4,4'-DDD


R.T.: 6.802 min
Delta R.T.: -0.007 min
Response: 100575490
Conc: 49.99 ng/ml



#17 4,4'-DDT


R.T.: 6.219 min
Delta R.T.: -0.008 min
Response: 388146435
Conc: 51.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.100 min
Delta R.T.: -0.007 min
Response: 102138508
Conc: 48.71 ng/ml




#18 Endrin aldehyde

R.T.: 6.293 min
Delta R.T.: -0.008 min
Response: 361823643
Conc: 48.27 ng/ml



#18 Endrin aldehyde


R.T.: 7.012 min
Delta R.T.: -0.007 min
Response: 101818106
Conc: 47.94 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.505 min
Delta R.T.: -0.007 min
Response: 401218079
Conc: 48.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.235 min
Delta R.T.: -0.007 min
Response: 112261661
Conc: 47.59 ng/ml




#20 Methoxychlor

R.T.: 6.764 min
Delta R.T.: -0.009 min
Response: 203751327
Conc: 47.94 ng/ml



#20 Methoxychlor


R.T.: 7.558 min
Delta R.T.: -0.007 min
Response: 61086773
Conc: 47.92 ng/ml



#21 Endrin ketone


R.T.: 6.988 min
Delta R.T.: -0.008 min
Response: 450015648
Conc: 48.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.704 min
Delta R.T.: -0.008 min
Response: 120082855
Conc: 48.33 ng/ml




#22 Mirex

R.T.: 7.164 min
Delta R.T.: -0.009 min
Response: 341286125
Conc: 46.84 ng/ml



#22 Mirex


R.T.: 8.155 min
Delta R.T.: -0.009 min
Response: 97601763
Conc: 48.80 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.701 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 5.460 min
Delta R.T.: 0.018 min
Response: 143490707
Conc: 1228.42 ng/ml




#25 Chlordane-3

R.T.: 5.250 min
Delta R.T.: -0.008 min
Response: 524507163
Conc: 470.97 ng/ml



#25 Chlordane-3


R.T.: 6.081 min
Delta R.T.: -0.008 min
Response: 142546097
Conc: 373.87 ng/ml



#26 Chlordane-4


R.T.: 5.306 min
Delta R.T.: -0.008 min
Response: 511197944
Conc: 494.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 6.154 min
Delta R.T.: -0.010 min
Response: 138959906
Conc: 301.15 ng/ml




#27 Chlordane-5

R.T.: 6.127 min
Delta R.T.: -0.013 min
Response: 443651744
Conc: 1300.01 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T. : 6.967 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.034 min
Delta R.T.: -0.011 min
Response: 405902442
Conc: 48.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 9.030 min
Delta R.T.: -0.005 min
Response: 120554792
Conc: 52.00 ng/ml