

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL041520\
 Data File : PL058034.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Apr 2020 21:31
 Operator : AJ\MA
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 16 00:56:49 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL040320.M
 Quant Title : GC Extractables
 QLast Update : Sat Apr 04 06:41:11 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml



System Monitoring Compounds							
1)	SA Tetrachlo...	3.457	3.956	501.4E6	102.2E6	49.735	47.098
28)	SA Decachlor...	8.204	8.977	456.3E6	96938307	44.263	43.397
Target Compounds							
2)	A alpha-BHC	3.893	4.343	870.1E6	160.9E6	50.086	48.991
3)	MA gamma-BHC...	4.177	4.625	796.1E6	159.2E6	54.774	49.011
4)	MA Heptachlor	4.477	5.126	815.3E6	165.0E6	50.862	49.173
5)	MB Aldrin	4.725	5.428	770.1E6	159.3E6	52.300	49.185
6)	B beta-BHC	4.429	4.798	326.0E6	68820898	51.620	49.562
7)	B delta-BHC	4.633	5.012	800.0E6	136.7E6	52.717	54.493
8)	B Heptachlo...	5.167	5.812	692.5E6	148.7E6	51.526	55.077
9)	A Endosulfan I	5.506	6.167	630.3E6	144.1E6	51.428	48.320
10)	B gamma-Chl...	5.394	6.047	698.3E6	158.7E6	51.416	48.968
11)	B alpha-Chl...	5.452	6.118	677.7E6	158.6E6	50.897	48.481
12)	B 4,4'-DDE	5.615	6.277	656.4E6	143.1E6	50.108	48.342
13)	MA Dieldrin	5.749	6.423	665.8E6	147.6E6	51.177	48.304
14)	MA Endrin	6.005	6.639	577.6E6	117.7E6	49.482	47.113
15)	B Endosulfa...	6.279	6.850	549.5E6	118.6E6	49.674	45.726
16)	A 4,4'-DDD	6.131	6.766	529.7E6	112.7E6	52.996	49.368
17)	MA 4,4'-DDT	6.371	7.063	469.9E6	95080015	46.295	42.687
18)	B Endrin al...	6.447	6.974	442.6E6	97334951	47.335	43.812
19)	B Endosulfa...	6.660	7.196	498.3E6	107.2E6	49.044	45.192
20)	A Methoxychlor	6.917	7.522	238.2E6	52929803	43.219	41.611
21)	B Endrin ke...	7.150	7.664	550.1E6	112.3E6	49.413	45.444
22)	Mirex	7.338	8.114	378.1E6	81640327	46.120	44.403
23)	Chlordane-1	4.329	0.000	556840	0	1.506	N.D. #
24)	Chlordane-2	4.828	5.428f	8936481	159.3E6	22.136	1526.180 #
25)	Chlordane-3	5.394	6.047	698.3E6	158.7E6	571.149	366.676 #
26)	Chlordane-4	5.452	6.118	677.7E6	158.6E6	651.535	302.219 #
27)	Chlordane-5	6.279	0.000	549.5E6	0	1452.638	N.D. #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL041520\
Data File : PL058034.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Apr 2020 21:31
Operator : AJ\MA
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 16 00:56:49 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL040320.M
Quant Title : GC Extractables
QLast Update : Sat Apr 04 06:41:11 2020
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.457 min
Delta R.T.: -0.001 min
Response: 501384564
Conc: 49.74 ng/ml




#1 Tetrachloro-m-xylene

R.T.: 3.956 min
Delta R.T.: -0.002 min
Response: 102209285
Conc: 47.10 ng/ml




#2 alpha-BHC

R.T.: 3.893 min
Delta R.T.: -0.002 min
Response: 870088875
Conc: 50.09 ng/ml




#2 alpha-BHC

R.T.: 4.343 min
Delta R.T.: -0.002 min
Response: 160870576
Conc: 48.99 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.177 min
Delta R.T.: -0.002 min
Response: 796146005
Conc: 54.77 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.625 min
Delta R.T.: -0.002 min
Response: 159215738
Conc: 49.01 ng/ml




#4 Heptachlor

R.T.: 4.477 min
Delta R.T.: -0.002 min
Response: 815330044
Conc: 50.86 ng/ml




#4 Heptachlor

R.T.: 5.126 min
Delta R.T.: -0.002 min
Response: 165032547
Conc: 49.17 ng/ml




#5 Aldrin

R.T.: 4.725 min
Delta R.T.: -0.002 min
Response: 770109509
Conc: 52.30 ng/ml




#5 Aldrin

R.T.: 5.428 min
Delta R.T.: -0.002 min
Response: 159270070
Conc: 49.19 ng/ml




#6 beta-BHC

R.T.: 4.429 min
Delta R.T.: -0.002 min
Response: 325992970
Conc: 51.62 ng/ml




#6 beta-BHC

R.T.: 4.798 min
Delta R.T.: -0.002 min
Response: 68820898
Conc: 49.56 ng/ml




#7 delta-BHC

R.T.: 4.633 min
Delta R.T.: -0.002 min
Response: 800044139
Conc: 52.72 ng/ml




#7 delta-BHC

R.T.: 5.012 min
Delta R.T.: -0.002 min
Response: 136716207
Conc: 54.49 ng/ml




#8 Heptachlor epoxide

R.T.: 5.167 min
Delta R.T.: -0.003 min
Response: 692501619
Conc: 51.53 ng/ml




#8 Heptachlor epoxide

R.T.: 5.812 min
Delta R.T.: -0.003 min
Response: 148725609
Conc: 55.08 ng/ml




#9 Endosulfan I

R.T.: 5.506 min
Delta R.T.: -0.003 min
Response: 630333895
Conc: 51.43 ng/ml




#9 Endosulfan I

R.T.: 6.167 min
Delta R.T.: -0.003 min
Response: 144078619
Conc: 48.32 ng/ml




#10 gamma-Chlordane

R.T.: 5.394 min
Delta R.T.: -0.003 min
Response: 698294314
Conc: 51.42 ng/ml




#10 gamma-Chlordane

R.T.: 6.047 min
Delta R.T.: -0.003 min
Response: 158650853
Conc: 48.97 ng/ml




#11 alpha-Chlordane

R.T.: 5.452 min
Delta R.T.: -0.003 min
Response: 677733132
Conc: 50.90 ng/ml




#11 alpha-Chlordane

R.T.: 6.118 min
Delta R.T.: -0.003 min
Response: 158646040
Conc: 48.48 ng/ml




#12 4,4'-DDE

R.T.: 5.615 min
Delta R.T.: -0.003 min
Response: 656421543
Conc: 50.11 ng/ml




#12 4,4'-DDE

R.T.: 6.277 min
Delta R.T.: -0.003 min
Response: 143124713
Conc: 48.34 ng/ml




#13 Dieldrin

R.T.: 5.749 min
Delta R.T.: -0.002 min
Response: 665767001
Conc: 51.18 ng/ml




#13 Dieldrin

R.T.: 6.423 min
Delta R.T.: -0.003 min
Response: 147600420
Conc: 48.30 ng/ml




#14 Endrin

R.T.: 6.005 min
Delta R.T.: -0.003 min
Response: 577589346
Conc: 49.48 ng/ml




#14 Endrin

R.T.: 6.639 min
Delta R.T.: -0.003 min
Response: 117714433
Conc: 47.11 ng/ml




#15 Endosulfan II

R.T.: 6.279 min
Delta R.T.: -0.003 min
Response: 549497057
Conc: 49.67 ng/ml




#15 Endosulfan II

R.T.: 6.850 min
Delta R.T.: -0.003 min
Response: 118597145
Conc: 45.73 ng/ml




#16 4,4'-DDD

R.T.: 6.131 min
Delta R.T.: -0.002 min
Response: 529666266
Conc: 53.00 ng/ml




#16 4,4'-DDD

R.T.: 6.766 min
Delta R.T.: -0.003 min
Response: 112666869
Conc: 49.37 ng/ml




#17 4,4'-DDT

R.T.: 6.371 min
Delta R.T.: -0.003 min
Response: 469866860
Conc: 46.29 ng/ml




#17 4,4'-DDT

R.T.: 7.063 min
Delta R.T.: -0.003 min
Response: 95080015
Conc: 42.69 ng/ml




#18 Endrin aldehyde

R.T.: 6.447 min
Delta R.T.: -0.003 min
Response: 442562102
Conc: 47.33 ng/ml




#18 Endrin aldehyde

R.T.: 6.974 min
Delta R.T.: -0.003 min
Response: 97334951
Conc: 43.81 ng/ml




#19 Endosulfan Sulfate

R.T.: 6.660 min
Delta R.T.: -0.003 min
Response: 498274291
Conc: 49.04 ng/ml




#19 Endosulfan Sulfate

R.T.: 7.196 min
Delta R.T.: -0.003 min
Response: 107241030
Conc: 45.19 ng/ml




#20 Methoxychlor

R.T.: 6.917 min
Delta R.T.: -0.003 min
Response: 238247514
Conc: 43.22 ng/ml




#20 Methoxychlor

R.T.: 7.522 min
Delta R.T.: -0.003 min
Response: 52929803
Conc: 41.61 ng/ml




#21 Endrin ketone

R.T.: 7.150 min
Delta R.T.: -0.003 min
Response: 550099027
Conc: 49.41 ng/ml




#21 Endrin ketone

R.T.: 7.664 min
Delta R.T.: -0.003 min
Response: 112339323
Conc: 45.44 ng/ml




#22 Mirex

R.T.: 7.338 min
Delta R.T.: -0.003 min
Response: 378051357
Conc: 46.12 ng/ml




#22 Mirex

R.T.: 8.114 min
Delta R.T.: -0.003 min
Response: 81640327
Conc: 44.40 ng/ml




#23 Chlordane-1

R.T.: 4.329 min
Delta R.T.: 0.002 min
Response: 556840
Conc: 1.51 ng/ml




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T.: 4.942 min
Response: 0
Conc: N.D.




#24 Chlordane-2

R.T.: 4.828 min
Delta R.T.: 0.000 min
Response: 8936481
Conc: 22.14 ng/ml




#24 Chlordane-2

R.T.: 5.428 min
Delta R.T.: 0.021 min
Response: 159270070
Conc: 1526.18 ng/ml




#25 Chlordane-3

R.T.: 5.394 min
Delta R.T.: -0.004 min
Response: 698294314
Conc: 571.15 ng/ml




#25 Chlordane-3

R.T.: 6.047 min
Delta R.T.: -0.003 min
Response: 158650853
Conc: 366.68 ng/ml




#26 Chlordane-4

R.T.: 5.452 min
Delta R.T.: -0.002 min
Response: 677733132
Conc: 651.54 ng/ml




#26 Chlordane-4

R.T.: 6.118 min
Delta R.T.: -0.006 min
Response: 158646040
Conc: 302.22 ng/ml




#27 Chlordane-5

R.T.: 6.279 min
Delta R.T.: -0.012 min
Response: 549497057
Conc: 1452.64 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T.: 6.922 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.204 min
Delta R.T.: -0.003 min
Response: 456280303
Conc: 44.26 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.977 min
Delta R.T.: -0.004 min
Response: 96938307
Conc: 43.40 ng/ml