

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL041520\
 Data File : PL058057.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 16 Apr 2020 03:26
 Operator : AJ\MA
 Sample : L2281-14
 Misc :
 ALS Vial : 48 Sample Multiplier: 1

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 16 05:01:06 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL040320.M
 Quant Title : GC Extractables
 QLast Update : Sat Apr 04 06:41:11 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml



System Monitoring Compounds							
1)	SA Tetrachlo...	3.457	3.956	188.1E6	38534101	18.658	17.756
28)	SA Decachlor...	8.203	8.978	178.4E6	38283657	17.301	17.139
Target Compounds							
4)	MA Heptachlor	0.000	5.143	0	1010654	N.D.	0.301 #
7)	B delta-BHC	0.000	4.985f	0	7465144	N.D.	4.890 #
8)	B Heptachlo...	5.171	5.811	3645030	22421448	0.271	8.303 #
9)	A Endosulfan I	5.512	0.000	720735	0	0.059	N.D. #
12)	B 4,4'-DDE	0.000	6.306f	0	386350	N.D.	0.130 #
14)	MA Endrin	6.010	0.000	24787094	0	2.123	N.D. #
15)	B Endosulfa...	6.253f	6.867	42182116	377590	3.813	0.146 #
18)	B Endrin al...	6.477f	0.000	8877393	0	0.949	N.D. #
19)	B Endosulfa...	6.669	0.000	423988	0	0.042	N.D. #
22)	Mirex	0.000	8.145f	0	283275	N.D.	0.154 #
24)	Chlordane-2	4.845f	0.000	116.0E6	0	287.396	N.D. #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL041520\
Data File : PL058057.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Apr 2020 03:26
Operator : AJ\MA
Sample : L2281-14
Misc :
ALS Vial : 48 Sample Multiplier: 1

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 16 05:01:06 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL040320.M
Quant Title : GC Extractables
QLast Update : Sat Apr 04 06:41:11 2020
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.457 min
Delta R.T.: 0.000 min
Response: 188086832
Conc: 18.66 ng/ml




#1 Tetrachloro-m-xylene

R.T.: 3.956 min
Delta R.T.: 0.000 min
Response: 38534101
Conc: 17.76 ng/ml




#4 Heptachlor

R.T.: 0.000 min
Exp R.T. : 4.479 min
Response: 0
Conc: N.D.




#4 Heptachlor

R.T.: 5.143 min
Delta R.T.: 0.014 min
Response: 1010654
Conc: 0.30 ng/ml




#7 delta-BHC

R.T.: 0.000 min
Exp R.T.: 4.634 min
Response: 0
Conc: N.D.




#7 delta-BHC

R.T.: 4.985 min
Delta R.T.: -0.029 min
Response: 7465144
Conc: 4.89 ng/ml




#8 Heptachlor epoxide

R.T.: 5.171 min
Delta R.T.: 0.002 min
Response: 3645030
Conc: 0.27 ng/ml




#8 Heptachlor epoxide

R.T.: 5.811 min
Delta R.T.: -0.004 min
Response: 22421448
Conc: 8.30 ng/ml




#9 Endosulfan I

R.T.: 5.512 min
Delta R.T.: 0.004 min
Response: 720735
Conc: 0.06 ng/ml




#9 Endosulfan I

R.T.: 0.000 min
Exp R.T.: 6.170 min
Response: 0
Conc: N.D.




#12 4,4'-DDE

R.T.: 0.000 min
Exp R.T.: 5.618 min
Response: 0
Conc: N.D.




#12 4,4'-DDE

R.T.: 6.306 min
Delta R.T.: 0.026 min
Response: 386350
Conc: 0.13 ng/ml




#14 Endrin

R.T.: 6.010 min
Delta R.T.: 0.001 min
Response: 24787094
Conc: 2.12 ng/ml




#14 Endrin

R.T.: 0.000 min
Exp R.T.: 6.642 min
Response: 0
Conc: N.D.




#15 Endosulfan II

R.T.: 6.253 min
Delta R.T.: -0.029 min
Response: 42182116
Conc: 3.81 ng/ml




#15 Endosulfan II

R.T.: 6.867 min
Delta R.T.: 0.015 min
Response: 377590
Conc: 0.15 ng/ml




#18 Endrin aldehyde

R.T.: 6.477 min
Delta R.T.: 0.027 min
Response: 8877393
Conc: 0.95 ng/ml




#18 Endrin aldehyde

R.T.: 0.000 min
Exp R.T.: 6.976 min
Response: 0
Conc: N.D.




#19 Endosulfan Sulfate

R.T.: 6.669 min
Delta R.T.: 0.006 min
Response: 423988
Conc: 0.04 ng/ml




#19 Endosulfan Sulfate

R.T.: 0.000 min
Exp R.T.: 7.199 min
Response: 0
Conc: N.D.




#22 Mirex

R.T.: 0.000 min
Exp R.T. : 7.341 min
Response: 0
Conc: N.D.




#22 Mirex

R.T.: 8.145 min
Delta R.T.: 0.028 min
Response: 283275
Conc: 0.15 ng/ml




#24 Chlordane-2

R.T.: 4.845 min
Delta R.T.: 0.017 min
Response: 116026427
Conc: 287.40 ng/ml




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 5.407 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.203 min
Delta R.T.: -0.004 min
Response: 178350974
Conc: 17.30 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.978 min
Delta R.T.: -0.003 min
Response: 38283657
Conc: 17.14 ng/ml