

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL041520\
 Data File : PL058058.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 16 Apr 2020 03:41
 Operator : AJ\MA
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 16 05:01:21 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL040320.M
 Quant Title : GC Extractables
 QLast Update : Sat Apr 04 06:41:11 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml



System Monitoring Compounds							
1)	SA Tetrachlo...	3.457	3.956	236.6E6	47126965	23.472	21.716
28)	SA Decachlor...	8.203	8.977	220.2E6	47090050	21.361	21.081
Target Compounds							
2)	A alpha-BHC	3.900	0.000	3023422	0	0.174	N.D. #
4)	MA Heptachlor	4.482	5.141	111727	1090048	0.007	0.325 #
5)	MB Aldrin	0.000	5.403f	0	76654	N.D.	0.024 #
8)	B Heptachlo...	5.174	5.811	2821552	18855470	0.210	6.983 #
12)	B 4,4'-DDE	5.640f	0.000	18073229	0	1.380	N.D. #
14)	MA Endrin	6.010	6.643	9087427	7194584	0.779	2.880 #
15)	B Endosulfa...	6.286	6.869f	14414805	281272	1.303	0.108 #
18)	B Endrin al...	6.426f	0.000	8511620	0	0.910	N.D. #
23)	Chlordane-1	4.353f	0.000	1549719	0	4.190	N.D. #
24)	Chlordane-2	4.814	5.403	25136636	76654	62.263	0.735 #
27)	Chlordane-5	6.286	0.000	14414805	0	38.107	N.D. #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL041520\
Data File : PL058058.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Apr 2020 03:41
Operator : AJ\MA
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 16 05:01:21 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL040320.M
Quant Title : GC Extractables
QLast Update : Sat Apr 04 06:41:11 2020
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.457 min
Delta R.T.: 0.000 min
Response: 236626209
Conc: 23.47 ng/ml




#1 Tetrachloro-m-xylene

R.T.: 3.956 min
Delta R.T.: 0.000 min
Response: 47126965
Conc: 21.72 ng/ml




#2 alpha-BHC

R.T.: 3.900 min
Delta R.T.: 0.005 min
Response: 3023422
Conc: 0.17 ng/ml




#2 alpha-BHC

R.T.: 0.000 min
Exp R.T.: 4.345 min
Response: 0
Conc: N.D.




#4 Heptachlor

R.T.: 4.482 min
Delta R.T.: 0.003 min
Response: 111727
Conc: 0.01 ng/ml




#4 Heptachlor

R.T.: 5.141 min
Delta R.T.: 0.012 min
Response: 1090048
Conc: 0.32 ng/ml




#5 Aldrin

R.T.: 0.000 min
Exp R.T. : 4.727 min
Response: 0
Conc: N.D.




#5 Aldrin

R.T.: 5.403 min
Delta R.T.: -0.028 min
Response: 76654
Conc: 0.02 ng/ml




#8 Heptachlor epoxide

R.T.: 5.174 min
Delta R.T.: 0.004 min
Response: 2821552
Conc: 0.21 ng/ml




#8 Heptachlor epoxide

R.T.: 5.811 min
Delta R.T.: -0.004 min
Response: 18855470
Conc: 6.98 ng/ml




#12 4,4'-DDE

R.T.: 5.640 min
Delta R.T.: 0.022 min
Response: 18073229
Conc: 1.38 ng/ml




#12 4,4'-DDE

R.T.: 0.000 min
Exp R.T.: 6.280 min
Response: 0
Conc: N.D.




#14 Endrin

R.T.: 6.010 min
Delta R.T.: 0.002 min
Response: 9087427
Conc: 0.78 ng/ml




#14 Endrin

R.T.: 6.643 min
Delta R.T.: 0.000 min
Response: 7194584
Conc: 2.88 ng/ml




#15 Endosulfan II

R.T.: 6.286 min
Delta R.T.: 0.004 min
Response: 14414805
Conc: 1.30 ng/ml




#15 Endosulfan II

R.T.: 6.869 min
Delta R.T.: 0.017 min
Response: 281272
Conc: 0.11 ng/ml




#18 Endrin aldehyde

R.T.: 6.426 min
Delta R.T.: -0.024 min
Response: 8511620
Conc: 0.91 ng/ml




#18 Endrin aldehyde

R.T.: 0.000 min
Exp R.T. : 6.976 min
Response: 0
Conc: N.D.




#23 Chlordane-1

R.T.: 4.353 min
Delta R.T.: 0.026 min
Response: 1549719
Conc: 4.19 ng/ml




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T. : 4.942 min
Response: 0
Conc: N.D.




#24 Chlordane-2

R.T.: 4.814 min
Delta R.T.: -0.014 min
Response: 25136636
Conc: 62.26 ng/ml




#24 Chlordane-2

R.T.: 5.403 min
Delta R.T.: -0.004 min
Response: 76654
Conc: 0.73 ng/ml




#27 Chlordane-5

R.T.: 6.286 min
Delta R.T.: -0.005 min
Response: 14414805
Conc: 38.11 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T.: 6.922 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.203 min
Delta R.T.: -0.004 min
Response: 220201048
Conc: 21.36 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.977 min
Delta R.T.: -0.004 min
Response: 47090050
Conc: 21.08 ng/ml