

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL041725\
 Data File : PL095294.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 17 Apr 2025 18:00
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 17 23:19:18 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL041425.M
 Quant Title : GC Extractables
 QLast Update : Mon Apr 14 19:12:49 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.535	2.768	58061892	76830555	21.165	20.647
28)	SA Decachlor...	9.049	7.898	48227232	82901944	20.030	18.845
Target Compounds							
2)	A alpha-BHC	3.991	3.269	44525304	54708527	11.078	9.880
3)	MA gamma-BHC...	4.324	3.599	42642158	50934758	11.089	9.678
6)	B beta-BHC	4.523	3.899	19351120	25118091	11.037	10.840
14)	MA Endrin	6.570	5.626	126.6E6	199.7E6	48.587	47.807
16)	A 4,4'-DDD	6.705	5.774	14172549	18909068	5.582	4.861
17)	MA 4,4'-DDT	7.020	6.024	217.4E6	391.8E6	85.389	94.040
18)	B Endrin al...	0.000	6.101	0	8112012	N.D.	2.407 #
20)	A Methoxychlor	7.497	6.599	265.7E6	484.4E6	198.400	215.704
21)	B Endrin ke...	7.639	6.828	11592335	19967933	4.016	3.960



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL041725\
Data File : PL095294.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 17 Apr 2025 18:00
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 17 23:19:18 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL041425.M
Quant Title : GC Extractables
QLast Update : Mon Apr 14 19:12:49 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.535 min
Delta R.T.: 0.000 min
Response: 58061892
Conc: 21.17 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.768 min
Delta R.T.: 0.000 min
Response: 76830555
Conc: 20.65 ng/ml




#2 alpha-BHC

R.T.: 3.991 min
Delta R.T.: 0.000 min
Response: 44525304
Conc: 11.08 ng/ml



#2 alpha-BHC


R.T.: 3.269 min
Delta R.T.: 0.000 min
Response: 54708527
Conc: 9.88 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.324 min
Delta R.T.: 0.000 min
Response: 42642158
Conc: 11.09 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.599 min
Delta R.T.: 0.000 min
Response: 50934758
Conc: 9.68 ng/ml




#6 beta-BHC

R.T.: 4.523 min
Delta R.T.: 0.000 min
Response: 19351120
Conc: 11.04 ng/ml



#6 beta-BHC


R.T.: 3.899 min
Delta R.T.: 0.000 min
Response: 25118091
Conc: 10.84 ng/ml



#14 Endrin


R.T.: 6.570 min
Delta R.T.: -0.001 min
Response: 126624582
Conc: 48.59 ng/ml

Instrument :
ECD_L
ClientSampleId :




#14 Endrin

R.T.: 5.626 min
Delta R.T.: 0.000 min
Response: 199709528
Conc: 47.81 ng/ml




#16 4,4'-DDD

R.T.: 6.705 min
Delta R.T.: -0.002 min
Response: 14172549
Conc: 5.58 ng/ml



#16 4,4'-DDD


R.T.: 5.774 min
Delta R.T.: 0.000 min
Response: 18909068
Conc: 4.86 ng/ml



#17 4,4'-DDT


R.T.: 7.020 min
Delta R.T.: -0.001 min
Response: 217362140
Conc: 85.39 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.024 min
Delta R.T.: 0.000 min
Response: 391766278
Conc: 94.04 ng/ml




#18 Endrin aldehyde

R.T.: 0.000 min
Exp R.T. : 6.922 min
Response: 0
Conc: N.D.



#18 Endrin aldehyde


R.T.: 6.101 min
Delta R.T.: 0.000 min
Response: 8112012
Conc: 2.41 ng/ml



#20 Methoxychlor


R.T.: 7.497 min
Delta R.T.: -0.001 min
Response: 265744621
Conc: 198.40 ng/ml

Instrument :
ECD_L
ClientSampleId :




#20 Methoxychlor

R.T.: 6.599 min
Delta R.T.: 0.000 min
Response: 484404195
Conc: 215.70 ng/ml




#21 Endrin ketone

R.T.: 7.639 min
Delta R.T.: -0.002 min
Response: 11592335
Conc: 4.02 ng/ml



#21 Endrin ketone


R.T.: 6.828 min
Delta R.T.: -0.001 min
Response: 19967933
Conc: 3.96 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.049 min
Delta R.T.: -0.003 min
Response: 48227232
Conc: 20.03 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 7.898 min
Delta R.T.: -0.002 min
Response: 82901944
Conc: 18.85 ng/ml