

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL041919\
 Data File : PL047582.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 19 Apr 2019 15:29
 Operator : AJ\SJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 19 16:22:48 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL041919.M
 Quant Title : GC Extractables
 QLast Update : Fri Apr 19 16:21:01 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.330	3.941	443.1E6	132.2E6	50.000	50.000
28)	SA Decachlor...	8.003	8.975	494.8E6	146.5E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.759	4.328	722.5E6	189.7E6	50.000	50.000
3)	MA gamma-BHC...	4.035	4.611	610.0E6	175.9E6	50.000	50.000
4)	MA Heptachlor	4.320	5.115	676.2E6	179.0E6	50.000	50.000
5)	MB Aldrin	4.560	5.418	638.3E6	164.0E6	50.000	50.000
6)	B beta-BHC	4.288	4.785	273.3E6	80816875	50.000	50.000
7)	B delta-BHC	4.483	4.999	648.4E6	138.9E6	50.000	50.000
8)	B Heptachlo...	4.997	5.803	599.2E6	138.0E6	50.000	50.000
9)	A Endosulfan I	5.328	6.158	573.9E6	148.0E6	50.000	50.000
10)	B gamma-Chl...	5.220	6.037	629.8E6	158.4E6	50.000	50.000
11)	B alpha-Chl...	5.276	6.109	616.1E6	159.8E6	50.000	50.000
12)	B 4,4'-DDE	5.444	6.268	607.5E6	149.7E6	50.000	50.000
13)	MA Dieldrin	5.567	6.415	621.2E6	155.6E6	50.000	50.000
14)	MA Endrin	5.820	6.631	586.8E6	139.4E6	50.000	50.000
15)	B Endosulfa...	6.095	6.842	545.4E6	138.9E6	50.000	50.000
16)	A 4,4'-DDD	5.956	6.758	472.9E6	120.5E6	50.000	50.000
17)	MA 4,4'-DDT	6.190	7.055	474.0E6	126.9E6	50.000	50.000
18)	B Endrin al...	6.263	6.966	446.1E6	120.9E6	50.000	50.000
19)	B Endosulfa...	6.474	7.188	496.0E6	132.9E6	50.000	50.000
20)	A Methoxychlor	6.736	7.515	250.4E6	72779932	50.000	50.000
21)	B Endrin ke...	6.956	7.658	547.1E6	141.8E6	50.000	50.000
22)	Mirex	7.130	8.108	398.8E6	110.4E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL041919\
Data File : PL047582.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 19 Apr 2019 15:29
Operator : AJ\SJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 19 16:22:48 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL041919.M
Quant Title : GC Extractables
QLast Update : Fri Apr 19 16:21:01 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.330 min
Delta R.T.: 0.000 min
Response: 443058760
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#1 Tetrachloro-m-xylene

R.T.: 3.941 min
Delta R.T.: 0.000 min
Response: 132207287
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.759 min
Delta R.T.: 0.000 min
Response: 722478203
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.328 min
Delta R.T.: 0.000 min
Response: 189670107
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.035 min
Delta R.T.: 0.000 min
Response: 609987362
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#3 gamma-BHC (Lindane)

R.T.: 4.611 min
Delta R.T.: 0.000 min
Response: 175865104
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.320 min
Delta R.T.: 0.000 min
Response: 676221238
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.115 min
Delta R.T.: 0.000 min
Response: 178971098
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.560 min
Delta R.T.: 0.000 min
Response: 638329565
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#5 Aldrin

R.T.: 5.418 min
Delta R.T.: 0.000 min
Response: 163989256
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.288 min
Delta R.T.: 0.000 min
Response: 273258327
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.785 min
Delta R.T.: 0.000 min
Response: 80816875
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.483 min
Delta R.T.: 0.000 min
Response: 648396392
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#7 delta-BHC

R.T.: 4.999 min
Delta R.T.: 0.000 min
Response: 138903107
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 4.997 min
Delta R.T.: 0.000 min
Response: 599185621
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 5.803 min
Delta R.T.: 0.000 min
Response: 137990070
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.328 min
Delta R.T.: 0.000 min
Response: 573910815
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#9 Endosulfan I

R.T.: 6.158 min
Delta R.T.: 0.000 min
Response: 148007611
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.220 min
Delta R.T.: 0.000 min
Response: 629759725
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.037 min
Delta R.T.: 0.000 min
Response: 158390563
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.276 min
Delta R.T.: 0.000 min
Response: 616083271
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#11 alpha-Chlordane

R.T.: 6.109 min
Delta R.T.: 0.000 min
Response: 159847400
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.444 min
Delta R.T.: 0.000 min
Response: 607535109
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.268 min
Delta R.T.: 0.000 min
Response: 149688193
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 5.567 min
Delta R.T.: 0.000 min
Response: 621190735
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#13 Dieldrin

R.T.: 6.415 min
Delta R.T.: 0.000 min
Response: 155589570
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 5.820 min
Delta R.T.: 0.000 min
Response: 586772594
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.631 min
Delta R.T.: 0.000 min
Response: 139374669
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.095 min
Delta R.T.: 0.000 min
Response: 545422189
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#15 Endosulfan II

R.T.: 6.842 min
Delta R.T.: 0.000 min
Response: 138924612
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 5.956 min
Delta R.T.: 0.000 min
Response: 472939869
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.758 min
Delta R.T.: 0.000 min
Response: 120528640
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.190 min
Delta R.T.: 0.000 min
Response: 473983743
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#17 4,4'-DDT

R.T.: 7.055 min
Delta R.T.: 0.000 min
Response: 126929980
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.263 min
Delta R.T.: 0.000 min
Response: 446108081
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.966 min
Delta R.T.: 0.000 min
Response: 120940210
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.474 min
Delta R.T.: 0.000 min
Response: 496014213
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#19 Endosulfan Sulfate

R.T.: 7.188 min
Delta R.T.: 0.000 min
Response: 132880534
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 6.736 min
Delta R.T.: 0.000 min
Response: 250415311
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.515 min
Delta R.T.: 0.000 min
Response: 72779932
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 6.956 min
Delta R.T.: 0.000 min
Response: 547104974
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#21 Endrin ketone

R.T.: 7.658 min
Delta R.T.: 0.000 min
Response: 141769255
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 7.130 min
Delta R.T.: 0.000 min
Response: 398798907
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 8.108 min
Delta R.T.: 0.000 min
Response: 110357923
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.003 min
Delta R.T.: 0.000 min
Response: 494849910
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050



#28 Decachlorobiphenyl

R.T.: 8.975 min
Delta R.T.: 0.000 min
Response: 146489203
Conc: 50.00 ng/ml