

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL042324\
 Data File : PL089151.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 Apr 2024 14:06
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 23 14:18:21 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL041524.M
 Quant Title : GC Extractables
 QLast Update : Mon Apr 15 18:43:22 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.551	2.797	109.3E6	73026224	51.425	54.788
28)	SA Decachlor...	9.063	7.948	71788496	72690430	56.359	54.283
Target Compounds							
2)	A alpha-BHC	4.006	3.303	156.0E6	111.6E6	52.176	56.430
3)	MA gamma-BHC...	4.338	3.633	151.6E6	108.2E6	52.544	56.226
4)	MA Heptachlor	4.928	3.975	129.4E6	100.3E6	52.000	55.805
5)	MB Aldrin	5.270	4.257	133.7E6	103.0E6	51.503	56.172
6)	B beta-BHC	4.532	3.930	66976431	46170188	49.912	55.243
7)	B delta-BHC	4.780	4.162	143.7E6	106.0E6	53.733	58.083
8)	B Heptachlo...	5.695	4.760	125.6E6	92683857	53.214	55.811
9)	A Endosulfan I	6.081	5.130	115.3E6	84436083	52.710	56.181
10)	B gamma-Chl...	5.951	5.010	121.4E6	93761587	52.811	57.156
11)	B alpha-Chl...	6.030	5.074	120.0E6	94177641	52.415	56.950
12)	B 4,4'-DDE	6.202	5.263	108.3E6	85379022	53.905	58.061
13)	MA Dieldrin	6.356	5.395	120.0E6	92908261	53.220	56.835
14)	MA Endrin	6.585	5.670	99793374	82590948	53.099	56.828
15)	B Endosulfa...	6.803	5.964	103.8E6	80646848	53.905	56.410
16)	A 4,4'-DDD	6.718	5.817	89167063	72121285	55.318	59.556
17)	MA 4,4'-DDT	7.032	6.069	93080486	74894816	51.080	57.139
18)	B Endrin al...	6.932	6.143	79211707	62603271	54.121	56.966
19)	B Endosulfa...	7.166	6.366	93385296	77100334	54.394	57.037
20)	A Methoxychlor	7.506	6.644	51263496	42183489	58.180	56.438
21)	B Endrin ke...	7.651	6.872	104.7E6	90266694	54.272	57.032
22)	Mirex	8.126	7.056	76506298	73073622	52.092	55.271
23)	Chlordane-1	0.000	3.799	0	29708	N.D.	0.579 #
24)	Chlordane-2	5.270f	4.391	133.7E6	561118	1415.225	8.640 #
25)	Chlordane-3	5.951	5.010	121.4E6	93761587	376.665	542.878 #
26)	Chlordane-4	6.030	5.074	120.0E6	94177641	303.540	580.648 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL042324\
Data File : PL089151.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 Apr 2024 14:06
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 23 14:18:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL041524.M
Quant Title : GC Extractables
QLast Update : Mon Apr 15 18:43:22 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.551 min
Delta R.T.: 0.000 min
Response: 109295856
Conc: 51.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.797 min
Delta R.T.: 0.000 min
Response: 73026224
Conc: 54.79 ng/ml




#2 alpha-BHC

R.T.: 4.006 min
Delta R.T.: 0.000 min
Response: 156007393
Conc: 52.18 ng/ml



#2 alpha-BHC


R.T.: 3.303 min
Delta R.T.: 0.000 min
Response: 111646709
Conc: 56.43 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.338 min
Delta R.T.: 0.000 min
Response: 151598197
Conc: 52.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.633 min
Delta R.T.: 0.000 min
Response: 108159815
Conc: 56.23 ng/ml




#4 Heptachlor

R.T.: 4.928 min
Delta R.T.: 0.000 min
Response: 129385330
Conc: 52.00 ng/ml



#4 Heptachlor


R.T.: 3.975 min
Delta R.T.: 0.000 min
Response: 100284382
Conc: 55.81 ng/ml



#5 Aldrin


R.T.: 5.270 min
Delta R.T.: 0.000 min
Response: 133679175
Conc: 51.50 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.257 min
Delta R.T.: 0.000 min
Response: 103042183
Conc: 56.17 ng/ml




#6 beta-BHC

R.T.: 4.532 min
Delta R.T.: 0.000 min
Response: 66976431
Conc: 49.91 ng/ml



#6 beta-BHC


R.T.: 3.930 min
Delta R.T.: 0.000 min
Response: 46170188
Conc: 55.24 ng/ml



#7 delta-BHC


R.T.: 4.780 min
Delta R.T.: 0.000 min
Response: 143693917
Conc: 53.73 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.162 min
Delta R.T.: 0.000 min
Response: 106045976
Conc: 58.08 ng/ml




#8 Heptachlor epoxide

R.T.: 5.695 min
Delta R.T.: 0.000 min
Response: 125565035
Conc: 53.21 ng/ml



#8 Heptachlor epoxide


R.T.: 4.760 min
Delta R.T.: 0.000 min
Response: 92683857
Conc: 55.81 ng/ml



#9 Endosulfan I


R.T.: 6.081 min
Delta R.T.: 0.000 min
Response: 115262811
Conc: 52.71 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.130 min
Delta R.T.: 0.000 min
Response: 84436083
Conc: 56.18 ng/ml




#10 gamma-Chlordane

R.T.: 5.951 min
Delta R.T.: 0.000 min
Response: 121402293
Conc: 52.81 ng/ml



#10 gamma-Chlordane


R.T.: 5.010 min
Delta R.T.: 0.000 min
Response: 93761587
Conc: 57.16 ng/ml



#11 alpha-Chlordane


R.T.: 6.030 min
Delta R.T.: 0.000 min
Response: 119997233
Conc: 52.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.074 min
Delta R.T.: 0.000 min
Response: 94177641
Conc: 56.95 ng/ml




#12 4,4'-DDE

R.T.: 6.202 min
Delta R.T.: 0.000 min
Response: 108334420
Conc: 53.91 ng/ml



#12 4,4'-DDE


R.T.: 5.263 min
Delta R.T.: 0.000 min
Response: 85379022
Conc: 58.06 ng/ml



#13 Dieldrin


R.T.: 6.356 min
Delta R.T.: 0.000 min
Response: 120018180
Conc: 53.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.395 min
Delta R.T.: 0.000 min
Response: 92908261
Conc: 56.84 ng/ml




#14 Endrin

R.T.: 6.585 min
Delta R.T.: 0.000 min
Response: 99793374
Conc: 53.10 ng/ml



#14 Endrin


R.T.: 5.670 min
Delta R.T.: 0.000 min
Response: 82590948
Conc: 56.83 ng/ml



#15 Endosulfan II


R.T.: 6.803 min
Delta R.T.: 0.000 min
Response: 103836417
Conc: 53.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.964 min
Delta R.T.: 0.000 min
Response: 80646848
Conc: 56.41 ng/ml




#16 4,4'-DDD

R.T.: 6.718 min
Delta R.T.: 0.000 min
Response: 89167063
Conc: 55.32 ng/ml



#16 4,4'-DDD


R.T.: 5.817 min
Delta R.T.: 0.000 min
Response: 72121285
Conc: 59.56 ng/ml



#17 4,4'-DDT


R.T.: 7.032 min
Delta R.T.: -0.001 min
Response: 93080486
Conc: 51.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.069 min
Delta R.T.: 0.000 min
Response: 74894816
Conc: 57.14 ng/ml




#18 Endrin aldehyde

R.T.: 6.932 min
Delta R.T.: 0.000 min
Response: 79211707
Conc: 54.12 ng/ml



#18 Endrin aldehyde


R.T.: 6.143 min
Delta R.T.: 0.000 min
Response: 62603271
Conc: 56.97 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.166 min
Delta R.T.: 0.000 min
Response: 93385296
Conc: 54.39 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.366 min
Delta R.T.: 0.000 min
Response: 77100334
Conc: 57.04 ng/ml




#20 Methoxychlor

R.T.: 7.506 min
Delta R.T.: 0.000 min
Response: 51263496
Conc: 58.18 ng/ml



#20 Methoxychlor


R.T.: 6.644 min
Delta R.T.: 0.000 min
Response: 42183489
Conc: 56.44 ng/ml



#21 Endrin ketone


R.T.: 7.651 min
Delta R.T.: -0.001 min
Response: 104665550
Conc: 54.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.872 min
Delta R.T.: 0.000 min
Response: 90266694
Conc: 57.03 ng/ml




#22 Mirex

R.T.: 8.126 min
Delta R.T.: 0.000 min
Response: 76506298
Conc: 52.09 ng/ml



#22 Mirex


R.T.: 7.056 min
Delta R.T.: 0.000 min
Response: 73073622
Conc: 55.27 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.713 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.799 min
Delta R.T.: -0.002 min
Response: 29708
Conc: 0.58 ng/ml




#24 Chlordane-2

R.T.: 5.270 min
Delta R.T.: 0.028 min
Response: 133679175
Conc: 1415.22 ng/ml



#24 Chlordane-2


R.T.: 4.391 min
Delta R.T.: 0.012 min
Response: 561118
Conc: 8.64 ng/ml



#25 Chlordane-3


R.T.: 5.951 min
Delta R.T.: 0.000 min
Response: 121402293
Conc: 376.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 5.010 min
Delta R.T.: 0.000 min
Response: 93761587
Conc: 542.88 ng/ml




#26 Chlordane-4

R.T.: 6.030 min
Delta R.T.: -0.004 min
Response: 119997233
Conc: 303.54 ng/ml



#26 Chlordane-4


R.T.: 5.074 min
Delta R.T.: 0.000 min
Response: 94177641
Conc: 580.65 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.063 min
Delta R.T.: 0.000 min
Response: 71788496
Conc: 56.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.948 min
Delta R.T.: 0.000 min
Response: 72690430
Conc: 54.28 ng/ml