

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL042419\
 Data File : PL047758.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Apr 2019 09:57
 Operator : AJ\SJ
 Sample : K2539-01RE
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 FK-SF-03-006-ARE

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 25 10:40:32 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL042419.M
 Quant Title : GC Extractables
 QLast Update : Thu Apr 25 01:53:03 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.328	3.941	41987938	11945929	4.540	5.004
28)	SA Decachlor...	8.001	8.980	66518695	21315935	5.942	7.467 #
Target Compounds							
4)	MA Heptachlor	4.318	5.117	20382024	6552441	1.431	1.950 #
5)	MB Aldrin	4.556	5.419	18434100	5362601	1.324	1.718 #
6)	B beta-BHC	4.318f	0.000	20382024	0	3.607	N.D. #
8)	B Heptachlo...	0.000	5.803	0	6311921	N.D.	2.258 #
10)	B gamma-Chl...	5.237f	6.041	12831539	3003250	0.964	0.992
11)	B alpha-Chl...	0.000	6.115	0	7966842	N.D.	2.633 #
12)	B 4,4'-DDE	5.441	6.271	10252325	4268368	0.824	1.546 #
16)	A 4,4'-DDD	0.000	6.767	0	2432691	N.D.	1.084 #
17)	MA 4,4'-DDT	6.183	7.031f	5838738	1134794	0.586	0.476
20)	A Methoxychlor	6.711f	0.000	7643967	0	1.437	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL042419\
Data File : PL047758.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 Apr 2019 09:57
Operator : AJ\SJ
Sample : K2539-01RE
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
FK-SF-03-006-ARE

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 25 10:40:32 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL042419.M
Quant Title : GC Extractables
QLast Update : Thu Apr 25 01:53:03 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.328 min
Delta R.T.: -0.002 min
Response: 41987938
Conc: 4.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
FK-SF-03-006-ARE




#1 Tetrachloro-m-xylene

R.T.: 3.941 min
Delta R.T.: -0.001 min
Response: 11945929
Conc: 5.00 ng/ml




#4 Heptachlor

R.T.: 4.318 min
Delta R.T.: -0.002 min
Response: 20382024
Conc: 1.43 ng/ml



#4 Heptachlor


R.T.: 5.117 min
Delta R.T.: -0.002 min
Response: 6552441
Conc: 1.95 ng/ml



#5 Aldrin


R.T.: 4.556 min
Delta R.T.: -0.003 min
Response: 18434100
Conc: 1.32 ng/ml

Instrument :
ECD_L
ClientSampleId :
FK-SF-03-006-ARE




#5 Aldrin

R.T.: 5.419 min
Delta R.T.: -0.003 min
Response: 5362601
Conc: 1.72 ng/ml




#6 beta-BHC

R.T.: 4.318 min
Delta R.T.: 0.030 min
Response: 20382024
Conc: 3.61 ng/ml



#6 beta-BHC


R.T.: 0.000 min
Exp R.T.: 4.789 min
Response: 0
Conc: N.D.



#8 Heptachlor epoxide


R.T.: 0.000 min
Exp R.T.: 4.997 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
FK-SF-03-006-ARE




#8 Heptachlor epoxide

R.T.: 5.803 min
Delta R.T.: -0.005 min
Response: 6311921
Conc: 2.26 ng/ml




#10 gamma-Chlordane

R.T.: 5.237 min
Delta R.T.: 0.018 min
Response: 12831539
Conc: 0.96 ng/ml



#10 gamma-Chlordane


R.T.: 6.041 min
Delta R.T.: 0.000 min
Response: 3003250
Conc: 0.99 ng/ml



#11 alpha-Chlordane


R.T.: 0.000 min
Exp R.T.: 5.276 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
FK-SF-03-006-ARE




#11 alpha-Chlordane

R.T.: 6.115 min
Delta R.T.: 0.000 min
Response: 7966842
Conc: 2.63 ng/ml




#12 4,4'-DDE

R.T.: 5.441 min
Delta R.T.: -0.003 min
Response: 10252325
Conc: 0.82 ng/ml



#12 4,4'-DDE


R.T.: 6.271 min
Delta R.T.: -0.003 min
Response: 4268368
Conc: 1.55 ng/ml



#16 4,4'-DDD


R.T.: 0.000 min
Exp R.T.: 5.955 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
FK-SF-03-006-ARE




#16 4,4'-DDD

R.T.: 6.767 min
Delta R.T.: 0.003 min
Response: 2432691
Conc: 1.08 ng/ml




#17 4,4'-DDT

R.T.: 6.183 min
Delta R.T.: -0.006 min
Response: 5838738
Conc: 0.59 ng/ml



#17 4,4'-DDT


R.T.: 7.031 min
Delta R.T.: -0.030 min
Response: 1134794
Conc: 0.48 ng/ml



#20 Methoxychlor


R.T.: 6.711 min
Delta R.T.: -0.024 min
Response: 7643967
Conc: 1.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
FK-SF-03-006-ARE




#20 Methoxychlor

R.T.: 0.000 min
Exp R.T.: 7.521 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.001 min
Delta R.T.: -0.001 min
Response: 66518695
Conc: 5.94 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.980 min
Delta R.T.: -0.003 min
Response: 21315935
Conc: 7.47 ng/ml