

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL042621\
 Data File : PL066470.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Apr 2021 17:09
 Operator : AR\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 27 01:37:18 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL042621.M
 Quant Title : GC Extractables
 QLast Update : Tue Apr 27 01:36:13 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.429	4.154	183.3E6	176.0E6	50.000	50.000
28)	SA Decachlor...	8.160	9.353	184.0E6	148.7E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.862	4.558	305.0E6	260.8E6	50.000	50.000
3)	MA gamma-BHC...	4.142	4.851	274.8E6	243.6E6	50.000	50.000
4)	MA Heptachlor	4.440	5.368	275.1E6	242.9E6	50.000	50.000
5)	MB Aldrin	4.684	5.679	259.8E6	229.6E6	50.000	50.000
6)	B beta-BHC	4.391	5.027	122.2E6	117.2E6	50.000	50.000
7)	B delta-BHC	4.591	5.251	283.6E6	224.0E6	50.000	50.000
8)	B Heptachlo...	5.123	6.074	241.7E6	179.8E6	50.000	50.000
9)	A Endosulfan I	5.457	6.439	226.9E6	186.6E6	50.000	50.000
10)	B gamma-Chl...	5.349	6.311	249.4E6	204.7E6	50.000	50.000
11)	B alpha-Chl...	5.406	6.384	242.2E6	204.0E6	50.000	50.000
12)	B 4,4'-DDE	5.573	6.539	227.3E6	190.7E6	50.000	50.000
13)	MA Dieldrin	5.699	6.700	241.9E6	195.6E6	50.000	50.000
14)	MA Endrin	5.952	6.922	210.1E6	154.9E6	50.000	50.000
15)	B Endosulfa...	6.224	7.136	202.1E6	160.8E6	50.000	50.000
16)	A 4,4'-DDD	6.085	7.039	189.8E6	154.9E6	50.000	50.000
17)	MA 4,4'-DDT	6.325	7.340	196.0E6	161.7E6	50.000	50.000
18)	B Endrin al...	6.393	7.262	165.7E6	137.2E6	50.000	50.000
19)	B Endosulfa...	6.605	7.486	213.0E6	166.8E6	50.000	50.000
20)	A Methoxychlor	6.873	7.800	96661667	87468318	50.000	50.000
21)	B Endrin ke...	7.091	7.966	211.0E6	172.0E6	50.000	50.000
22)	Mirex	7.278	8.422	177.3E6	134.0E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL042621\
Data File : PL066470.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Apr 2021 17:09
Operator : AR\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 27 01:37:18 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL042621.M
Quant Title : GC Extractables
QLast Update : Tue Apr 27 01:36:13 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.429 min
Delta R.T.: 0.000 min
Response: 183294061
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#1 Tetrachloro-m-xylene

R.T.: 4.154 min
Delta R.T.: 0.000 min
Response: 175960308
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.862 min
Delta R.T.: 0.000 min
Response: 304967043
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.558 min
Delta R.T.: 0.000 min
Response: 260802975
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.142 min
Delta R.T.: 0.000 min
Response: 274817059
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#3 gamma-BHC (Lindane)

R.T.: 4.851 min
Delta R.T.: 0.000 min
Response: 243569405
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.440 min
Delta R.T.: 0.000 min
Response: 275139839
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.368 min
Delta R.T.: 0.000 min
Response: 242932447
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.684 min
Delta R.T.: 0.000 min
Response: 259798659
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#5 Aldrin

R.T.: 5.679 min
Delta R.T.: 0.000 min
Response: 229599352
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.391 min
Delta R.T.: 0.000 min
Response: 122152159
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 5.027 min
Delta R.T.: 0.000 min
Response: 117249986
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.591 min
Delta R.T.: 0.000 min
Response: 283556882
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#7 delta-BHC

R.T.: 5.251 min
Delta R.T.: 0.000 min
Response: 224029494
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.123 min
Delta R.T.: 0.000 min
Response: 241728932
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 6.074 min
Delta R.T.: 0.000 min
Response: 179771455
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.457 min
Delta R.T.: 0.000 min
Response: 226898920
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#9 Endosulfan I

R.T.: 6.439 min
Delta R.T.: 0.000 min
Response: 186583121
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.349 min
Delta R.T.: 0.000 min
Response: 249434323
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.311 min
Delta R.T.: 0.000 min
Response: 204688679
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.406 min
Delta R.T.: 0.000 min
Response: 242232183
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#11 alpha-Chlordane

R.T.: 6.384 min
Delta R.T.: 0.000 min
Response: 203963500
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.573 min
Delta R.T.: 0.000 min
Response: 227276301
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.539 min
Delta R.T.: 0.000 min
Response: 190667220
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 5.699 min
Delta R.T.: 0.000 min
Response: 241881037
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#13 Dieldrin

R.T.: 6.700 min
Delta R.T.: 0.000 min
Response: 195593267
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 5.952 min
Delta R.T.: 0.000 min
Response: 210080310
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.922 min
Delta R.T.: 0.000 min
Response: 154861043
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.224 min
Delta R.T.: 0.000 min
Response: 202076578
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#15 Endosulfan II

R.T.: 7.136 min
Delta R.T.: 0.000 min
Response: 160766377
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.085 min
Delta R.T.: 0.000 min
Response: 189809243
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 7.039 min
Delta R.T.: 0.000 min
Response: 154926302
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.325 min
Delta R.T.: 0.000 min
Response: 195986420
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#17 4,4'-DDT

R.T.: 7.340 min
Delta R.T.: 0.000 min
Response: 161709008
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.393 min
Delta R.T.: 0.000 min
Response: 165703856
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 7.262 min
Delta R.T.: 0.000 min
Response: 137151380
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.605 min
Delta R.T.: 0.000 min
Response: 213030879
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#19 Endosulfan Sulfate

R.T.: 7.486 min
Delta R.T.: 0.000 min
Response: 166759240
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 6.873 min
Delta R.T.: 0.000 min
Response: 96661667
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.800 min
Delta R.T.: 0.000 min
Response: 87468318
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.091 min
Delta R.T.: 0.000 min
Response: 211024929
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#21 Endrin ketone

R.T.: 7.966 min
Delta R.T.: 0.000 min
Response: 171958033
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 7.278 min
Delta R.T.: 0.000 min
Response: 177269745
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 8.422 min
Delta R.T.: 0.000 min
Response: 134032599
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.160 min
Delta R.T.: 0.000 min
Response: 184044939
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050



#28 Decachlorobiphenyl

R.T.: 9.353 min
Delta R.T.: 0.000 min
Response: 148747625
Conc: 50.00 ng/ml