

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL042624\
 Data File : PL089194.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Apr 2024 14:11
 Operator : AR\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 26 16:09:17 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL042624.M
 Quant Title : GC Extractables
 QLast Update : Fri Apr 26 16:09:00 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.550	2.796	99010435	65153266	50.000	50.000
28)	SA Decachlor...	9.060	7.947	69658539	67755418	50.000	50.000
Target Compounds							
2)	A alpha-BHC	4.005	3.301	140.3E6	98182445	50.000	50.000
3)	MA gamma-BHC...	4.337	3.632	136.8E6	96255909	50.000	50.000
4)	MA Heptachlor	4.927	3.974	118.8E6	89949969	50.000	50.000
5)	MB Aldrin	5.269	4.256	122.2E6	91424091	50.000	50.000
6)	B beta-BHC	4.532	3.929	61233663	41218898	50.000	50.000
7)	B delta-BHC	4.779	4.161	129.6E6	93818016	50.000	50.000
8)	B Heptachlo...	5.694	4.758	112.6E6	82287537	50.000	50.000
9)	A Endosulfan I	6.079	5.129	104.0E6	76290597	50.000	50.000
10)	B gamma-Chl...	5.949	5.009	109.5E6	83500887	50.000	50.000
11)	B alpha-Chl...	6.029	5.073	109.2E6	83906624	50.000	50.000
12)	B 4,4'-DDE	6.201	5.262	97776015	75206069	50.000	50.000
13)	MA Dieldrin	6.354	5.394	108.5E6	82561318	50.000	50.000
14)	MA Endrin	6.583	5.669	91762084	73176711	50.000	50.000
15)	B Endosulfa...	6.801	5.962	95455628	72559632	50.000	50.000
16)	A 4,4'-DDD	6.716	5.816	81631989	63438377	50.000	50.000
17)	MA 4,4'-DDT	7.031	6.068	87427344	69445473	50.000	50.000
18)	B Endrin al...	6.931	6.142	73091489	55842475	50.000	50.000
19)	B Endosulfa...	7.164	6.364	87648033	69975064	50.000	50.000
20)	A Methoxychlor	7.505	6.642	47650930	40298462	50.000	50.000
21)	B Endrin ke...	7.649	6.871	97311245	82358636	50.000	50.000
22)	Mirex	8.124	7.054	76432541	67893130	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL042624\
Data File : PL089194.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Apr 2024 14:11
Operator : AR\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 26 16:09:17 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL042624.M
Quant Title : GC Extractables
QLast Update : Fri Apr 26 16:09:00 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.550 min
Delta R.T.: 0.000 min
Response: 99010435
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.796 min
Delta R.T.: 0.000 min
Response: 65153266
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 4.005 min
Delta R.T.: 0.000 min
Response: 140311812
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 3.301 min
Delta R.T.: 0.000 min
Response: 98182445
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.337 min
Delta R.T.: 0.000 min
Response: 136818459
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.632 min
Delta R.T.: 0.000 min
Response: 96255909
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.927 min
Delta R.T.: 0.000 min
Response: 118790164
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 3.974 min
Delta R.T.: 0.000 min
Response: 89949969
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 5.269 min
Delta R.T.: 0.000 min
Response: 122218380
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.256 min
Delta R.T.: 0.000 min
Response: 91424091
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.532 min
Delta R.T.: 0.000 min
Response: 61233663
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 3.929 min
Delta R.T.: 0.000 min
Response: 41218898
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.779 min
Delta R.T.: 0.000 min
Response: 129622678
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.161 min
Delta R.T.: 0.000 min
Response: 93818016
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.694 min
Delta R.T.: 0.000 min
Response: 112584835
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 4.758 min
Delta R.T.: 0.000 min
Response: 82287537
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 6.079 min
Delta R.T.: 0.000 min
Response: 103956257
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 5.129 min
Delta R.T.: 0.000 min
Response: 76290597
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.949 min
Delta R.T.: 0.000 min
Response: 109535448
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 5.009 min
Delta R.T.: 0.000 min
Response: 83500887
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 6.029 min
Delta R.T.: 0.000 min
Response: 109235493
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.073 min
Delta R.T.: 0.000 min
Response: 83906624
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 6.201 min
Delta R.T.: 0.000 min
Response: 97776015
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 5.262 min
Delta R.T.: 0.000 min
Response: 75206069
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 6.354 min
Delta R.T.: 0.000 min
Response: 108477452
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.394 min
Delta R.T.: 0.000 min
Response: 82561318
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.583 min
Delta R.T.: 0.000 min
Response: 91762084
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 5.669 min
Delta R.T.: 0.000 min
Response: 73176711
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.801 min
Delta R.T.: 0.000 min
Response: 95455628
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 5.962 min
Delta R.T.: 0.000 min
Response: 72559632
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.716 min
Delta R.T.: 0.000 min
Response: 81631989
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 5.816 min
Delta R.T.: 0.000 min
Response: 63438377
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 7.031 min
Delta R.T.: 0.000 min
Response: 87427344
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.068 min
Delta R.T.: 0.000 min
Response: 69445473
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.931 min
Delta R.T.: 0.000 min
Response: 73091489
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.142 min
Delta R.T.: 0.000 min
Response: 55842475
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.164 min
Delta R.T.: 0.000 min
Response: 87648033
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.364 min
Delta R.T.: 0.000 min
Response: 69975064
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 7.505 min
Delta R.T.: 0.000 min
Response: 47650930
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 6.642 min
Delta R.T.: 0.000 min
Response: 40298462
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.649 min
Delta R.T.: 0.000 min
Response: 97311245
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.871 min
Delta R.T.: 0.000 min
Response: 82358636
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 8.124 min
Delta R.T.: 0.000 min
Response: 76432541
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 7.054 min
Delta R.T.: 0.000 min
Response: 67893130
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.060 min
Delta R.T.: 0.000 min
Response: 69658539
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 7.947 min
Delta R.T.: 0.000 min
Response: 67755418
Conc: 50.00 ng/ml