

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL042624\
 Data File : PL089193.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Apr 2024 13:57
 Operator : AR\AJ
 Sample : PSTDICC075
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC075

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 26 16:14:17 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL042624.M
 Quant Title : GC Extractables
 QLast Update : Fri Apr 26 16:09:00 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.550	2.797	135.7E6	92347026	72.006	72.637
2) SA Decachlor...	9.061	7.947	95131498	94429484	72.002	72.761
Target Compounds						
2) A alpha-BHC	4.006	3.302	196.6E6	143.6E6	72.217	72.861
3) MA gamma-BHC...	4.338	3.633	190.5E6	138.5E6	72.138	72.509
4) MA Heptachlor	4.928	3.975	163.3E6	128.7E6	72.208	72.627
5) MB Aldrin	5.270	4.256	167.5E6	131.5E6	72.006	72.661
6) B beta-BHC	4.532	3.930	83332659	57584189	72.213	72.457
7) B delta-BHC	4.780	4.161	181.5E6	136.3E6	72.208	72.672
8) B Heptachlo...	5.695	4.759	153.1E6	117.2E6	72.037	72.740
9) A Endosulfan I	6.079	5.129	141.1E6	108.4E6	72.072	72.700
10) B gamma-Chl...	5.950	5.009	149.2E6	119.4E6	72.007	72.631
11) B alpha-Chl...	6.029	5.073	148.6E6	119.6E6	72.033	72.679
12) B 4,4'-DDE	6.201	5.262	134.4E6	109.3E6	72.095	72.819
13) MA Dieldrin	6.355	5.394	148.7E6	118.9E6	72.183	72.778
14) MA Endrin	6.583	5.669	126.2E6	105.7E6	72.336	73.043
15) B Endosulfa...	6.801	5.963	129.3E6	102.6E6	71.934	72.631
16) A 4,4'-DDD	6.717	5.816	111.5E6	91184055	72.096	72.748
17) MA 4,4'-DDT	7.031	6.067	119.5E6	100.1E6	72.266	72.831
18) B Endrin al...	6.931	6.142	98952787	78327397	72.143	72.847
19) B Endosulfa...	7.165	6.364	118.4E6	98976125	72.041	72.776
20) A Methoxychlor	7.505	6.643	64526603	56439390	72.341	72.844
21) B Endrin ke...	7.649	6.871	133.0E6	116.4E6	72.091	72.677
22) Mirex	8.124	7.054	102.8E6	94102197	72.064	72.543



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL042624\
Data File : PL089193.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Apr 2024 13:57
Operator : AR\AJ
Sample : PSTDICC075
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC075

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 26 16:14:17 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL042624.M
Quant Title : GC Extractables
QLast Update : Fri Apr 26 16:09:00 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.550 min
Delta R.T.: 0.000 min
Response: 135725232
Conc: 72.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#1 Tetrachloro-m-xylene

R.T.: 2.797 min
Delta R.T.: 0.000 min
Response: 92347026
Conc: 72.64 ng/ml




#2 alpha-BHC

R.T.: 4.006 min
Delta R.T.: 0.000 min
Response: 196562517
Conc: 72.22 ng/ml



#2 alpha-BHC


R.T.: 3.302 min
Delta R.T.: 0.000 min
Response: 143565248
Conc: 72.86 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.338 min
Delta R.T.: 0.000 min
Response: 190483868
Conc: 72.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#3 gamma-BHC (Lindane)

R.T.: 3.633 min
Delta R.T.: 0.000 min
Response: 138482036
Conc: 72.51 ng/ml




#4 Heptachlor

R.T.: 4.928 min
Delta R.T.: 0.000 min
Response: 163282214
Conc: 72.21 ng/ml



#4 Heptachlor


R.T.: 3.975 min
Delta R.T.: 0.000 min
Response: 128722452
Conc: 72.63 ng/ml



#5 Aldrin


R.T.: 5.270 min
Delta R.T.: 0.000 min
Response: 167518723
Conc: 72.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#5 Aldrin

R.T.: 4.256 min
Delta R.T.: 0.000 min
Response: 131507379
Conc: 72.66 ng/ml




#6 beta-BHC

R.T.: 4.532 min
Delta R.T.: 0.000 min
Response: 83332659
Conc: 72.21 ng/ml



#6 beta-BHC


R.T.: 3.930 min
Delta R.T.: 0.000 min
Response: 57584189
Conc: 72.46 ng/ml



#7 delta-BHC


R.T.: 4.780 min
Delta R.T.: 0.000 min
Response: 181523354
Conc: 72.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#7 delta-BHC

R.T.: 4.161 min
Delta R.T.: 0.000 min
Response: 136264029
Conc: 72.67 ng/ml




#8 Heptachlor epoxide

R.T.: 5.695 min
Delta R.T.: 0.000 min
Response: 153061974
Conc: 72.04 ng/ml



#8 Heptachlor epoxide


R.T.: 4.759 min
Delta R.T.: 0.000 min
Response: 117179230
Conc: 72.74 ng/ml



#9 Endosulfan I


R.T.: 6.079 min
Delta R.T.: 0.000 min
Response: 141139781
Conc: 72.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#9 Endosulfan I

R.T.: 5.129 min
Delta R.T.: 0.000 min
Response: 108430082
Conc: 72.70 ng/ml




#10 gamma-Chlordane

R.T.: 5.950 min
Delta R.T.: 0.000 min
Response: 149162177
Conc: 72.01 ng/ml



#10 gamma-Chlordane


R.T.: 5.009 min
Delta R.T.: 0.000 min
Response: 119403781
Conc: 72.63 ng/ml



#11 alpha-Chlordane


R.T.: 6.029 min
Delta R.T.: 0.000 min
Response: 148647641
Conc: 72.03 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#11 alpha-Chlordane

R.T.: 5.073 min
Delta R.T.: 0.000 min
Response: 119574941
Conc: 72.68 ng/ml




#12 4,4'-DDE

R.T.: 6.201 min
Delta R.T.: 0.000 min
Response: 134400526
Conc: 72.10 ng/ml



#12 4,4'-DDE


R.T.: 5.262 min
Delta R.T.: 0.000 min
Response: 109311164
Conc: 72.82 ng/ml



#13 Dieldrin


R.T.: 6.355 min
Delta R.T.: 0.000 min
Response: 148731468
Conc: 72.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#13 Dieldrin

R.T.: 5.394 min
Delta R.T.: 0.000 min
Response: 118903556
Conc: 72.78 ng/ml




#14 Endrin

R.T.: 6.583 min
Delta R.T.: 0.000 min
Response: 126153458
Conc: 72.34 ng/ml



#14 Endrin


R.T.: 5.669 min
Delta R.T.: 0.000 min
Response: 105726589
Conc: 73.04 ng/ml



#15 Endosulfan II


R.T.: 6.801 min
Delta R.T.: 0.000 min
Response: 129268600
Conc: 71.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#15 Endosulfan II

R.T.: 5.963 min
Delta R.T.: 0.000 min
Response: 102610258
Conc: 72.63 ng/ml




#16 4,4'-DDD

R.T.: 6.717 min
Delta R.T.: 0.000 min
Response: 111532769
Conc: 72.10 ng/ml



#16 4,4'-DDD


R.T.: 5.816 min
Delta R.T.: 0.000 min
Response: 91184055
Conc: 72.75 ng/ml



#17 4,4'-DDT


R.T.: 7.031 min
Delta R.T.: 0.000 min
Response: 119531536
Conc: 72.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#17 4,4'-DDT

R.T.: 6.067 min
Delta R.T.: 0.000 min
Response: 100125471
Conc: 72.83 ng/ml




#18 Endrin aldehyde

R.T.: 6.931 min
Delta R.T.: 0.000 min
Response: 98952787
Conc: 72.14 ng/ml



#18 Endrin aldehyde


R.T.: 6.142 min
Delta R.T.: 0.000 min
Response: 78327397
Conc: 72.85 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.165 min
Delta R.T.: 0.000 min
Response: 118377854
Conc: 72.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#19 Endosulfan Sulfate

R.T.: 6.364 min
Delta R.T.: 0.000 min
Response: 98976125
Conc: 72.78 ng/ml




#20 Methoxychlor

R.T.: 7.505 min
Delta R.T.: 0.000 min
Response: 64526603
Conc: 72.34 ng/ml



#20 Methoxychlor


R.T.: 6.643 min
Delta R.T.: 0.000 min
Response: 56439390
Conc: 72.84 ng/ml



#21 Endrin ketone


R.T.: 7.649 min
Delta R.T.: 0.000 min
Response: 132972593
Conc: 72.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#21 Endrin ketone

R.T.: 6.871 min
Delta R.T.: 0.000 min
Response: 116423928
Conc: 72.68 ng/ml




#22 Mirex

R.T.: 8.124 min
Delta R.T.: 0.000 min
Response: 102817760
Conc: 72.06 ng/ml



#22 Mirex


R.T.: 7.054 min
Delta R.T.: 0.000 min
Response: 94102197
Conc: 72.54 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.061 min
Delta R.T.: 0.000 min
Response: 95131498
Conc: 72.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075



#28 Decachlorobiphenyl

R.T.: 7.947 min
Delta R.T.: 0.000 min
Response: 94429484
Conc: 72.76 ng/ml