

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL050124\
 Data File : PL089308.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 01 May 2024 15:56
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 01 22:42:29 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL042624.M
 Quant Title : GC Extractables
 QLast Update : Fri Apr 26 19:27:30 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.551	2.797	105.2E6	71185516	52.243	55.482
28)	SA Decachlor...	9.066	7.949	64575829	61994060	46.158	46.086
Target Compounds							
2)	A alpha-BHC	4.007	3.302	150.9E6	108.1E6	52.897	57.299
3)	MA gamma-BHC...	4.339	3.633	145.5E6	104.6E6	52.255	56.696
4)	MA Heptachlor	4.929	3.975	122.8E6	95097406	49.516	54.270
5)	MB Aldrin	5.272	4.257	127.4E6	100.1E6	49.599	56.638
6)	B beta-BHC	4.534	3.930	64778997	44926071	51.348	55.026
7)	B delta-BHC	4.782	4.162	138.9E6	103.0E6	52.361	57.220
8)	B Heptachlo...	5.697	4.759	123.4E6	89842731	52.624	55.569
9)	A Endosulfan I	6.082	5.130	107.9E6	81189965	50.213	54.210
10)	B gamma-Chl...	5.952	5.010	116.8E6	90778385	51.108	55.321
11)	B alpha-Chl...	6.032	5.074	113.6E6	90488124	49.962	54.868
12)	B 4,4'-DDE	6.203	5.263	100.2E6	80955005	49.540	55.678
13)	MA Dieldrin	6.357	5.395	110.6E6	87136284	49.395	54.165
14)	MA Endrin	6.587	5.670	92037954	74728373	48.586	51.979
15)	B Endosulfa...	6.805	5.964	95442145	75495639	47.821	52.489
16)	A 4,4'-DDD	6.720	5.818	85874234	70177784	50.903	56.905
17)	MA 4,4'-DDT	7.034	6.069	82548445	65998073	44.888	48.780
18)	B Endrin al...	6.934	6.143	75048040	58450745	49.625	52.549
19)	B Endosulfa...	7.168	6.366	87104427	71717300	48.154	51.700
20)	A Methoxychlor	7.508	6.644	43796123	36647073	44.535	45.833
21)	B Endrin ke...	7.653	6.873	97633491	84316120	48.777	52.731
22)	Mirex	8.128	7.056	71662574	67101550	46.112	49.186
24)	Chlordane-2	0.000	4.393	0	591397	N.D.	9.296 #
25)	Chlordane-3	5.952	5.010	116.8E6	90778385	353.751	530.183 #
26)	Chlordane-4	6.032	5.074	113.6E6	90488124	278.810	562.581 #
27)	Chlordane-5	0.000	5.769f	0	121052	N.D.	2.365 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL050124\
Data File : PL089308.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 01 May 2024 15:56
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 01 22:42:29 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL042624.M
Quant Title : GC Extractables
QLast Update : Fri Apr 26 19:27:30 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.551 min
Delta R.T.: 0.001 min
Response: 105201181
Conc: 52.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.797 min
Delta R.T.: 0.000 min
Response: 71185516
Conc: 55.48 ng/ml




#2 alpha-BHC

R.T.: 4.007 min
Delta R.T.: 0.002 min
Response: 150850718
Conc: 52.90 ng/ml



#2 alpha-BHC


R.T.: 3.302 min
Delta R.T.: 0.001 min
Response: 108116285
Conc: 57.30 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.339 min
Delta R.T.: 0.002 min
Response: 145474294
Conc: 52.25 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.633 min
Delta R.T.: 0.001 min
Response: 104618578
Conc: 56.70 ng/ml




#4 Heptachlor

R.T.: 4.929 min
Delta R.T.: 0.002 min
Response: 122804886
Conc: 49.52 ng/ml



#4 Heptachlor


R.T.: 3.975 min
Delta R.T.: 0.001 min
Response: 95097406
Conc: 54.27 ng/ml



#5 Aldrin


R.T.: 5.272 min
Delta R.T.: 0.002 min
Response: 127383010
Conc: 49.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.257 min
Delta R.T.: 0.001 min
Response: 100125366
Conc: 56.64 ng/ml




#6 beta-BHC

R.T.: 4.534 min
Delta R.T.: 0.002 min
Response: 64778997
Conc: 51.35 ng/ml



#6 beta-BHC


R.T.: 3.930 min
Delta R.T.: 0.001 min
Response: 44926071
Conc: 55.03 ng/ml



#7 delta-BHC


R.T.: 4.782 min
Delta R.T.: 0.002 min
Response: 138864735
Conc: 52.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.162 min
Delta R.T.: 0.000 min
Response: 102950385
Conc: 57.22 ng/ml




#8 Heptachlor epoxide

R.T.: 5.697 min
Delta R.T.: 0.003 min
Response: 123427119
Conc: 52.62 ng/ml



#8 Heptachlor epoxide


R.T.: 4.759 min
Delta R.T.: 0.001 min
Response: 89842731
Conc: 55.57 ng/ml



#9 Endosulfan I


R.T.: 6.082 min
Delta R.T.: 0.003 min
Response: 107947357
Conc: 50.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.130 min
Delta R.T.: 0.001 min
Response: 81189965
Conc: 54.21 ng/ml




#10 gamma-Chlordane

R.T.: 5.952 min
Delta R.T.: 0.003 min
Response: 116829054
Conc: 51.11 ng/ml



#10 gamma-Chlordane


R.T.: 5.010 min
Delta R.T.: 0.001 min
Response: 90778385
Conc: 55.32 ng/ml



#11 alpha-Chlordane


R.T.: 6.032 min
Delta R.T.: 0.003 min
Response: 113649744
Conc: 49.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.074 min
Delta R.T.: 0.002 min
Response: 90488124
Conc: 54.87 ng/ml




#12 4,4'-DDE

R.T.: 6.203 min
Delta R.T.: 0.003 min
Response: 100237310
Conc: 49.54 ng/ml



#12 4,4'-DDE


R.T.: 5.263 min
Delta R.T.: 0.000 min
Response: 80955005
Conc: 55.68 ng/ml



#13 Dieldrin


R.T.: 6.357 min
Delta R.T.: 0.003 min
Response: 110568985
Conc: 49.40 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.395 min
Delta R.T.: 0.001 min
Response: 87136284
Conc: 54.17 ng/ml




#14 Endrin

R.T.: 6.587 min
Delta R.T.: 0.003 min
Response: 92037954
Conc: 48.59 ng/ml



#14 Endrin


R.T.: 5.670 min
Delta R.T.: 0.001 min
Response: 74728373
Conc: 51.98 ng/ml



#15 Endosulfan II


R.T.: 6.805 min
Delta R.T.: 0.004 min
Response: 95442145
Conc: 47.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.964 min
Delta R.T.: 0.001 min
Response: 75495639
Conc: 52.49 ng/ml




#16 4,4'-DDD

R.T.: 6.720 min
Delta R.T.: 0.003 min
Response: 85874234
Conc: 50.90 ng/ml



#16 4,4'-DDD


R.T.: 5.818 min
Delta R.T.: 0.002 min
Response: 70177784
Conc: 56.91 ng/ml



#17 4,4'-DDT


R.T.: 7.034 min
Delta R.T.: 0.003 min
Response: 82548445
Conc: 44.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.069 min
Delta R.T.: 0.001 min
Response: 65998073
Conc: 48.78 ng/ml




#18 Endrin aldehyde

R.T.: 6.934 min
Delta R.T.: 0.004 min
Response: 75048040
Conc: 49.63 ng/ml



#18 Endrin aldehyde


R.T.: 6.143 min
Delta R.T.: 0.001 min
Response: 58450745
Conc: 52.55 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.168 min
Delta R.T.: 0.004 min
Response: 87104427
Conc: 48.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.366 min
Delta R.T.: 0.002 min
Response: 71717300
Conc: 51.70 ng/ml




#20 Methoxychlor

R.T.: 7.508 min
Delta R.T.: 0.003 min
Response: 43796123
Conc: 44.54 ng/ml



#20 Methoxychlor


R.T.: 6.644 min
Delta R.T.: 0.002 min
Response: 36647073
Conc: 45.83 ng/ml



#21 Endrin ketone


R.T.: 7.653 min
Delta R.T.: 0.004 min
Response: 97633491
Conc: 48.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.873 min
Delta R.T.: 0.002 min
Response: 84316120
Conc: 52.73 ng/ml




#22 Mirex

R.T.: 8.128 min
Delta R.T.: 0.005 min
Response: 71662574
Conc: 46.11 ng/ml



#22 Mirex


R.T.: 7.056 min
Delta R.T.: 0.002 min
Response: 67101550
Conc: 49.19 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 5.240 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.393 min
Delta R.T.: 0.014 min
Response: 591397
Conc: 9.30 ng/ml




#25 Chlordane-3

R.T.: 5.952 min
Delta R.T.: 0.002 min
Response: 116829054
Conc: 353.75 ng/ml



#25 Chlordane-3


R.T.: 5.010 min
Delta R.T.: 0.000 min
Response: 90778385
Conc: 530.18 ng/ml



#26 Chlordane-4


R.T.: 6.032 min
Delta R.T.: -0.001 min
Response: 113649744
Conc: 278.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.074 min
Delta R.T.: 0.002 min
Response: 90488124
Conc: 562.58 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.880 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.769 min
Delta R.T.: 0.031 min
Response: 121052
Conc: 2.37 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.066 min
Delta R.T.: 0.006 min
Response: 64575829
Conc: 46.16 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.949 min
Delta R.T.: 0.002 min
Response: 61994060
Conc: 46.09 ng/ml