

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL050421\
 Data File : PL066653.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 04 May 2021 10:04
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PEM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 04 12:49:54 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL042621.M
 Quant Title : GC Extractables
 QLast Update : Wed Apr 28 08:49:49 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.427	4.152	67794250	63362254	17.992	18.041
28)	SA Decachlor...	8.161	9.351	66898217	53262649	17.448	17.217
Target Compounds							
2)	A alpha-BHC	3.860	4.557	49673419	48481478	7.982	9.424
3)	MA gamma-BHC...	4.140	4.850	48179418	40946002	8.756	8.488
6)	B beta-BHC	4.389	5.027	24277582	23571703	9.178	7.556
13)	MA Dieldrin	0.000	6.687	0	1407111	N.D.	0.359 #
14)	MA Endrin	5.951	6.922	205.3E6	132.0E6	47.120	42.110
17)	MA 4,4'-DDT	6.324	7.339	365.5E6	238.2E6	93.724	73.603
20)	A Methoxychlor	6.872	7.800	466.1E6	335.4E6	237.274	186.984
21)	B Endrin ke...	7.088	7.969	1574182	1728120	0.359	0.487 #
23)	Chlordane-1	4.281	0.000	553876	0	3.277	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL050421\
Data File : PL066653.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 04 May 2021 10:04
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PEM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 04 12:49:54 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL042621.M
Quant Title : GC Extractables
QLast Update : Wed Apr 28 08:49:49 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.427 min
Delta R.T.: -0.002 min
Response: 67794250
Conc: 17.99 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#1 Tetrachloro-m-xylene

R.T.: 4.152 min
Delta R.T.: 0.000 min
Response: 63362254
Conc: 18.04 ng/ml




#2 alpha-BHC

R.T.: 3.860 min
Delta R.T.: -0.002 min
Response: 49673419
Conc: 7.98 ng/ml



#2 alpha-BHC


R.T.: 4.557 min
Delta R.T.: 0.000 min
Response: 48481478
Conc: 9.42 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.140 min
Delta R.T.: -0.002 min
Response: 48179418
Conc: 8.76 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#3 gamma-BHC (Lindane)

R.T.: 4.850 min
Delta R.T.: 0.000 min
Response: 40946002
Conc: 8.49 ng/ml




#6 beta-BHC

R.T.: 4.389 min
Delta R.T.: -0.002 min
Response: 24277582
Conc: 9.18 ng/ml



#6 beta-BHC


R.T.: 5.027 min
Delta R.T.: 0.000 min
Response: 23571703
Conc: 7.56 ng/ml



#13 Dieldrin


R.T.: 0.000 min
Exp R.T.: 5.699 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PEM




#13 Dieldrin

R.T.: 6.687 min
Delta R.T.: -0.012 min
Response: 1407111
Conc: 0.36 ng/ml




#14 Endrin

R.T.: 5.951 min
Delta R.T.: -0.001 min
Response: 205261820
Conc: 47.12 ng/ml



#14 Endrin


R.T.: 6.922 min
Delta R.T.: 0.000 min
Response: 131959567
Conc: 42.11 ng/ml



#17 4,4'-DDT


R.T.: 6.324 min
Delta R.T.: -0.001 min
Response: 365450028
Conc: 93.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#17 4,4'-DDT

R.T.: 7.339 min
Delta R.T.: 0.000 min
Response: 238224007
Conc: 73.60 ng/ml




#20 Methoxychlor

R.T.: 6.872 min
Delta R.T.: -0.002 min
Response: 466074467
Conc: 237.27 ng/ml



#20 Methoxychlor


R.T.: 7.800 min
Delta R.T.: 0.001 min
Response: 335408052
Conc: 186.98 ng/ml



#21 Endrin ketone


R.T.: 7.088 min
Delta R.T.: -0.002 min
Response: 1574182
Conc: 0.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#21 Endrin ketone

R.T.: 7.969 min
Delta R.T.: 0.004 min
Response: 1728120
Conc: 0.49 ng/ml




#23 Chlordane-1

R.T.: 4.281 min
Delta R.T.: -0.009 min
Response: 553876
Conc: 3.28 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 5.174 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.161 min
Delta R.T.: 0.002 min
Response: 66898217
Conc: 17.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM



#28 Decachlorobiphenyl

R.T.: 9.351 min
Delta R.T.: 0.000 min
Response: 53262649
Conc: 17.22 ng/ml