

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL050523\
 Data File : PL082556.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 05 May 2023 16:25
 Operator : AR\AJ
 Sample : PB152618BSD
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 05 21:21:23 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL042023.M
 Quant Title : GC Extractables
 QLast Update : Fri Apr 21 03:12:31 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.321	2.643	56275407	47827896	21.067	20.645
28)	SA Decachlor...	8.739	7.753	48976823	56106677	25.655	24.581
Target Compounds							
2)	A alpha-BHC	3.770	3.140	198.3E6	161.9E6	49.813	47.569
3)	MA gamma-BHC...	4.098	3.467	184.2E6	153.7E6	49.263	47.791
4)	MA Heptachlor	4.677	3.799	185.4E6	162.8E6	50.742	47.570
5)	MB Aldrin	5.014	4.076	170.9E6	158.3E6	51.825	50.256
6)	B beta-BHC	4.302	3.767	81285712	63189842	47.661	46.313
7)	B delta-BHC	4.543	3.993	181.3E6	151.9E6	50.404	49.518
8)	B Heptachlo...	5.440	4.577	156.1E6	142.4E6	51.180	49.421
9)	A Endosulfan I	5.821	4.945	143.8E6	133.4E6	51.855	49.962
10)	B gamma-Chl...	5.695	4.826	160.5E6	144.6E6	53.392	49.820
11)	B alpha-Chl...	5.772	4.889	154.7E6	144.3E6	51.838	49.724
12)	B 4,4'-DDE	5.951	5.080	135.4E6	122.6E6	53.246	53.315
13)	MA Dieldrin	6.095	5.209	145.6E6	135.8E6	52.756	50.277
14)	MA Endrin	6.323	5.483	128.1E6	122.0E6	52.848	49.870
15)	B Endosulfa...	6.544	5.780	120.5E6	118.4E6	49.496	52.531
16)	A 4,4'-DDD	6.467	5.634	110.0E6	101.6E6	54.274	54.329
17)	MA 4,4'-DDT	6.778	5.883	118.2E6	111.8E6	51.660	52.907
18)	B Endrin al...	6.675	5.960	100.1E6	97131120	53.122	51.904
19)	B Endosulfa...	6.909	6.183	123.1E6	121.8E6	51.920	51.741
20)	A Methoxychlor	7.258	6.462	63659644	61226071	52.166	50.523
21)	B Endrin ke...	7.388	6.687	127.0E6	131.1E6	53.028	51.653
22)	Mirex	7.852	6.859	97122628	105.1E6	49.646	45.597
23)	Chlordane-1	0.000	3.605f	0	261284	N.D.	2.946 #
24)	Chlordane-2	5.014f	4.219	170.9E6	6272138	1435.483	55.930 #
25)	Chlordane-3	5.695	4.826	160.5E6	144.6E6	371.881	508.855 #
26)	Chlordane-4	5.772	4.889	154.7E6	144.3E6	297.579	483.703 #
27)	Chlordane-5	0.000	5.780	0	118.4E6	N.D.	1199.554 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL050523\
Data File : PL082556.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 May 2023 16:25
Operator : AR\AJ
Sample : PB152618BSD
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 05 21:21:23 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL042023.M
Quant Title : GC Extractables
QLast Update : Fri Apr 21 03:12:31 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.321 min
Delta R.T.: -0.002 min
Response: 56275407
Conc: 21.07 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.643 min
Delta R.T.: -0.006 min
Response: 47827896
Conc: 20.64 ng/ml




#2 alpha-BHC

R.T.: 3.770 min
Delta R.T.: -0.003 min
Response: 198267710
Conc: 49.81 ng/ml



#2 alpha-BHC


R.T.: 3.140 min
Delta R.T.: -0.006 min
Response: 161899481
Conc: 47.57 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.098 min
Delta R.T.: -0.002 min
Response: 184191588
Conc: 49.26 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.467 min
Delta R.T.: -0.006 min
Response: 153660949
Conc: 47.79 ng/ml




#4 Heptachlor

R.T.: 4.677 min
Delta R.T.: -0.002 min
Response: 185408656
Conc: 50.74 ng/ml



#4 Heptachlor


R.T.: 3.799 min
Delta R.T.: -0.006 min
Response: 162842498
Conc: 47.57 ng/ml



#5 Aldrin


R.T.: 5.014 min
Delta R.T.: -0.002 min
Response: 170897767
Conc: 51.83 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.076 min
Delta R.T.: -0.006 min
Response: 158299678
Conc: 50.26 ng/ml




#6 beta-BHC

R.T.: 4.302 min
Delta R.T.: -0.002 min
Response: 81285712
Conc: 47.66 ng/ml



#6 beta-BHC


R.T.: 3.767 min
Delta R.T.: -0.006 min
Response: 63189842
Conc: 46.31 ng/ml



#7 delta-BHC


R.T.: 4.543 min
Delta R.T.: -0.002 min
Response: 181342027
Conc: 50.40 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 3.993 min
Delta R.T.: -0.006 min
Response: 151891052
Conc: 49.52 ng/ml




#8 Heptachlor epoxide

R.T.: 5.440 min
Delta R.T.: -0.001 min
Response: 156116154
Conc: 51.18 ng/ml



#8 Heptachlor epoxide


R.T.: 4.577 min
Delta R.T.: -0.006 min
Response: 142376309
Conc: 49.42 ng/ml



#9 Endosulfan I


R.T.: 5.821 min
Delta R.T.: -0.001 min
Response: 143779292
Conc: 51.85 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 4.945 min
Delta R.T.: -0.006 min
Response: 133370514
Conc: 49.96 ng/ml




#10 gamma-Chlordane

R.T.: 5.695 min
Delta R.T.: -0.002 min
Response: 160542342
Conc: 53.39 ng/ml



#10 gamma-Chlordane


R.T.: 4.826 min
Delta R.T.: -0.006 min
Response: 144570521
Conc: 49.82 ng/ml



#11 alpha-Chlordane


R.T.: 5.772 min
Delta R.T.: -0.002 min
Response: 154715942
Conc: 51.84 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 4.889 min
Delta R.T.: -0.006 min
Response: 144340230
Conc: 49.72 ng/ml




#12 4,4'-DDE

R.T.: 5.951 min
Delta R.T.: -0.001 min
Response: 135352641
Conc: 53.25 ng/ml



#12 4,4'-DDE


R.T.: 5.080 min
Delta R.T.: -0.006 min
Response: 122570130
Conc: 53.32 ng/ml



#13 Dieldrin


R.T.: 6.095 min
Delta R.T.: -0.002 min
Response: 145560961
Conc: 52.76 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.209 min
Delta R.T.: -0.006 min
Response: 135767058
Conc: 50.28 ng/ml




#14 Endrin

R.T.: 6.323 min
Delta R.T.: -0.001 min
Response: 128133863
Conc: 52.85 ng/ml



#14 Endrin


R.T.: 5.483 min
Delta R.T.: -0.006 min
Response: 121981163
Conc: 49.87 ng/ml



#15 Endosulfan II


R.T.: 6.544 min
Delta R.T.: 0.000 min
Response: 120500716
Conc: 49.50 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 5.780 min
Delta R.T.: -0.005 min
Response: 118410870
Conc: 52.53 ng/ml




#16 4,4'-DDD

R.T.: 6.467 min
Delta R.T.: -0.002 min
Response: 110024365
Conc: 54.27 ng/ml



#16 4,4'-DDD


R.T.: 5.634 min
Delta R.T.: -0.006 min
Response: 101616805
Conc: 54.33 ng/ml



#17 4,4'-DDT


R.T.: 6.778 min
Delta R.T.: -0.001 min
Response: 118184490
Conc: 51.66 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 5.883 min
Delta R.T.: -0.006 min
Response: 111771055
Conc: 52.91 ng/ml




#18 Endrin aldehyde

R.T.: 6.675 min
Delta R.T.: -0.001 min
Response: 100091645
Conc: 53.12 ng/ml



#18 Endrin aldehyde


R.T.: 5.960 min
Delta R.T.: -0.006 min
Response: 97131120
Conc: 51.90 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.909 min
Delta R.T.: -0.001 min
Response: 123130911
Conc: 51.92 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.183 min
Delta R.T.: -0.006 min
Response: 121813424
Conc: 51.74 ng/ml




#20 Methoxychlor

R.T.: 7.258 min
Delta R.T.: -0.002 min
Response: 63659644
Conc: 52.17 ng/ml



#20 Methoxychlor


R.T.: 6.462 min
Delta R.T.: -0.006 min
Response: 61226071
Conc: 50.52 ng/ml



#21 Endrin ketone


R.T.: 7.388 min
Delta R.T.: -0.002 min
Response: 126970062
Conc: 53.03 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.687 min
Delta R.T.: -0.006 min
Response: 131105478
Conc: 51.65 ng/ml




#22 Mirex

R.T.: 7.852 min
Delta R.T.: -0.002 min
Response: 97122628
Conc: 49.65 ng/ml



#22 Mirex


R.T.: 6.859 min
Delta R.T.: -0.006 min
Response: 105067362
Conc: 45.60 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.466 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#23 Chlordane-1

R.T.: 3.605 min
Delta R.T.: -0.028 min
Response: 261284
Conc: 2.95 ng/ml




#24 Chlordane-2

R.T.: 5.014 min
Delta R.T.: 0.021 min
Response: 170897767
Conc: 1435.48 ng/ml



#24 Chlordane-2


R.T.: 4.219 min
Delta R.T.: 0.012 min
Response: 6272138
Conc: 55.93 ng/ml



#25 Chlordane-3


R.T.: 5.695 min
Delta R.T.: -0.003 min
Response: 160542342
Conc: 371.88 ng/ml

Instrument :
ECD_L
ClientSampleId :




#25 Chlordane-3

R.T.: 4.826 min
Delta R.T.: -0.008 min
Response: 144570521
Conc: 508.85 ng/ml




#26 Chlordane-4

R.T.: 5.772 min
Delta R.T.: -0.005 min
Response: 154715942
Conc: 297.58 ng/ml



#26 Chlordane-4


R.T.: 4.889 min
Delta R.T.: -0.004 min
Response: 144340230
Conc: 483.70 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.619 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#27 Chlordane-5

R.T.: 5.780 min
Delta R.T.: -0.006 min
Response: 118410870
Conc: 1199.55 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.739 min
Delta R.T.: -0.002 min
Response: 48976823
Conc: 25.65 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.753 min
Delta R.T.: -0.007 min
Response: 56106677
Conc: 24.58 ng/ml