

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL050724\
 Data File : PL089396.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 07 May 2024 14:38
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 07 22:15:31 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL042624.M
 Quant Title : GC Extractables
 QLast Update : Fri Apr 26 19:27:30 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.551	2.797	102.9E6	70636735	51.085	55.054
28)	SA Decachlor...	9.068	7.948	67122224	65911950	47.978	48.998
Target Compounds							
2)	A alpha-BHC	4.007	3.302	147.0E6	107.6E6	51.543	57.014
3)	MA gamma-BHC...	4.339	3.633	142.2E6	104.0E6	51.093	56.373
4)	MA Heptachlor	4.929	3.975	119.4E6	93654678	48.132	53.447
5)	MB Aldrin	5.271	4.256	125.9E6	98472064	49.036	55.703
6)	B beta-BHC	4.534	3.930	62740433	44800066	49.733	54.871
7)	B delta-BHC	4.781	4.162	136.1E6	102.6E6	51.331	57.015
8)	B Heptachlo...	5.697	4.759	118.1E6	88260268	50.361	54.591
9)	A Endosulfan I	6.082	5.130	105.4E6	80707238	49.041	53.888
10)	B gamma-Chl...	5.952	5.010	115.8E6	90000726	50.679	54.847
11)	B alpha-Chl...	6.031	5.074	111.7E6	89437449	49.109	54.231
12)	B 4,4'-DDE	6.204	5.263	98311046	81016898	48.588	55.721
13)	MA Dieldrin	6.357	5.394	109.9E6	88430387	49.113	54.970
14)	MA Endrin	6.587	5.670	93947854	80354020	49.594	55.892
15)	B Endosulfa...	6.804	5.963	95401159	77011965	47.801	53.543
16)	A 4,4'-DDD	6.720	5.817	83829221	68328244	49.691	55.405
17)	MA 4,4'-DDT	7.033	6.068	83002907	68818680	45.135	50.864
18)	B Endrin al...	6.934	6.142	73792557	58939715	48.795	52.988
19)	B Endosulfa...	7.168	6.366	87508768	73658848	48.378	53.100
20)	A Methoxychlor	7.508	6.644	45406390	38860758	46.173	48.601
21)	B Endrin ke...	7.653	6.872	97198795	84576198	48.560	52.893
22)	Mirex	8.128	7.055	73920725	68409798	47.565	50.145



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL050724\
Data File : PL089396.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 07 May 2024 14:38
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 07 22:15:31 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL042624.M
Quant Title : GC Extractables
QLast Update : Fri Apr 26 19:27:30 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.551 min
Delta R.T.: 0.001 min
Response: 102867896
Conc: 51.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.797 min
Delta R.T.: 0.000 min
Response: 70636735
Conc: 55.05 ng/ml




#2 alpha-BHC

R.T.: 4.007 min
Delta R.T.: 0.002 min
Response: 146989164
Conc: 51.54 ng/ml



#2 alpha-BHC


R.T.: 3.302 min
Delta R.T.: 0.000 min
Response: 107578721
Conc: 57.01 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.339 min
Delta R.T.: 0.002 min
Response: 142240089
Conc: 51.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.633 min
Delta R.T.: 0.000 min
Response: 104022562
Conc: 56.37 ng/ml




#4 Heptachlor

R.T.: 4.929 min
Delta R.T.: 0.002 min
Response: 119371869
Conc: 48.13 ng/ml



#4 Heptachlor


R.T.: 3.975 min
Delta R.T.: 0.000 min
Response: 93654678
Conc: 53.45 ng/ml



#5 Aldrin


R.T.: 5.271 min
Delta R.T.: 0.002 min
Response: 125935486
Conc: 49.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.256 min
Delta R.T.: 0.000 min
Response: 98472064
Conc: 55.70 ng/ml




#6 beta-BHC

R.T.: 4.534 min
Delta R.T.: 0.002 min
Response: 62740433
Conc: 49.73 ng/ml



#6 beta-BHC


R.T.: 3.930 min
Delta R.T.: 0.000 min
Response: 44800066
Conc: 54.87 ng/ml



#7 delta-BHC


R.T.: 4.781 min
Delta R.T.: 0.002 min
Response: 136132395
Conc: 51.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.162 min
Delta R.T.: 0.000 min
Response: 102580972
Conc: 57.01 ng/ml




#8 Heptachlor epoxide

R.T.: 5.697 min
Delta R.T.: 0.003 min
Response: 118118815
Conc: 50.36 ng/ml



#8 Heptachlor epoxide


R.T.: 4.759 min
Delta R.T.: 0.001 min
Response: 88260268
Conc: 54.59 ng/ml



#9 Endosulfan I


R.T.: 6.082 min
Delta R.T.: 0.003 min
Response: 105427352
Conc: 49.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.130 min
Delta R.T.: 0.000 min
Response: 80707238
Conc: 53.89 ng/ml




#10 gamma-Chlordane

R.T.: 5.952 min
Delta R.T.: 0.003 min
Response: 115847394
Conc: 50.68 ng/ml



#10 gamma-Chlordane


R.T.: 5.010 min
Delta R.T.: 0.000 min
Response: 90000726
Conc: 54.85 ng/ml



#11 alpha-Chlordane


R.T.: 6.031 min
Delta R.T.: 0.002 min
Response: 111708568
Conc: 49.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.074 min
Delta R.T.: 0.000 min
Response: 89437449
Conc: 54.23 ng/ml




#12 4,4'-DDE

R.T.: 6.204 min
Delta R.T.: 0.003 min
Response: 98311046
Conc: 48.59 ng/ml



#12 4,4'-DDE


R.T.: 5.263 min
Delta R.T.: 0.000 min
Response: 81016898
Conc: 55.72 ng/ml



#13 Dieldrin


R.T.: 6.357 min
Delta R.T.: 0.003 min
Response: 109937783
Conc: 49.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.394 min
Delta R.T.: 0.000 min
Response: 88430387
Conc: 54.97 ng/ml




#14 Endrin

R.T.: 6.587 min
Delta R.T.: 0.003 min
Response: 93947854
Conc: 49.59 ng/ml



#14 Endrin


R.T.: 5.670 min
Delta R.T.: 0.001 min
Response: 80354020
Conc: 55.89 ng/ml



#15 Endosulfan II


R.T.: 6.804 min
Delta R.T.: 0.003 min
Response: 95401159
Conc: 47.80 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.963 min
Delta R.T.: 0.001 min
Response: 77011965
Conc: 53.54 ng/ml




#16 4,4'-DDD

R.T.: 6.720 min
Delta R.T.: 0.003 min
Response: 83829221
Conc: 49.69 ng/ml



#16 4,4'-DDD


R.T.: 5.817 min
Delta R.T.: 0.001 min
Response: 68328244
Conc: 55.41 ng/ml



#17 4,4'-DDT


R.T.: 7.033 min
Delta R.T.: 0.003 min
Response: 83002907
Conc: 45.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.068 min
Delta R.T.: 0.000 min
Response: 68818680
Conc: 50.86 ng/ml




#18 Endrin aldehyde

R.T.: 6.934 min
Delta R.T.: 0.003 min
Response: 73792557
Conc: 48.80 ng/ml



#18 Endrin aldehyde


R.T.: 6.142 min
Delta R.T.: 0.000 min
Response: 58939715
Conc: 52.99 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.168 min
Delta R.T.: 0.004 min
Response: 87508768
Conc: 48.38 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.366 min
Delta R.T.: 0.002 min
Response: 73658848
Conc: 53.10 ng/ml




#20 Methoxychlor

R.T.: 7.508 min
Delta R.T.: 0.004 min
Response: 45406390
Conc: 46.17 ng/ml



#20 Methoxychlor


R.T.: 6.644 min
Delta R.T.: 0.002 min
Response: 38860758
Conc: 48.60 ng/ml



#21 Endrin ketone


R.T.: 7.653 min
Delta R.T.: 0.004 min
Response: 97198795
Conc: 48.56 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.872 min
Delta R.T.: 0.001 min
Response: 84576198
Conc: 52.89 ng/ml




#22 Mirex

R.T.: 8.128 min
Delta R.T.: 0.004 min
Response: 73920725
Conc: 47.56 ng/ml



#22 Mirex


R.T.: 7.055 min
Delta R.T.: 0.002 min
Response: 68409798
Conc: 50.15 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.068 min
Delta R.T.: 0.008 min
Response: 67122224
Conc: 47.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.948 min
Delta R.T.: 0.001 min
Response: 65911950
Conc: 49.00 ng/ml