

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL051024\
 Data File : PL089470.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 10 May 2024 20:33
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 10 22:48:53 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL042624.M
 Quant Title : GC Extractables
 QLast Update : Fri Apr 26 19:27:30 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.551	2.797	93859816	62869339	46.611	49.000
28)	SA Decachlor...	9.066	7.948	63840692	64256458	45.633	47.768
Target Compounds							
2)	A alpha-BHC	4.007	3.302	132.9E6	95052261	46.599	50.375
3)	MA gamma-BHC...	4.339	3.632	128.2E6	92721663	46.063	50.249
4)	MA Heptachlor	4.929	3.974	112.1E6	86761090	45.190	49.513
5)	MB Aldrin	5.271	4.256	114.9E6	87823524	44.742	49.679
6)	B beta-BHC	4.534	3.930	57482312	40085102	45.565	49.096
7)	B delta-BHC	4.782	4.161	122.0E6	91505756	46.003	50.859
8)	B Heptachlo...	5.696	4.759	106.9E6	79306702	45.577	49.053
9)	A Endosulfan I	6.082	5.129	96070435	72308461	44.688	48.280
10)	B gamma-Chl...	5.952	5.009	102.2E6	79952833	44.710	48.724
11)	B alpha-Chl...	6.031	5.073	101.1E6	80375235	44.459	48.736
12)	B 4,4'-DDE	6.203	5.262	89322126	72412346	44.145	49.803
13)	MA Dieldrin	6.357	5.394	100.2E6	79154732	44.754	49.204
14)	MA Endrin	6.586	5.669	86033884	70965778	45.416	49.362
15)	B Endosulfa...	6.804	5.963	88482670	69480403	44.334	48.307
16)	A 4,4'-DDD	6.719	5.817	75958306	61653961	45.026	49.993
17)	MA 4,4'-DDT	7.033	6.068	80661768	65613915	43.862	48.496
18)	B Endrin al...	6.934	6.142	68176611	54082999	45.082	48.622
19)	B Endosulfa...	7.169	6.365	81355894	67525149	44.976	48.678
20)	A Methoxychlor	7.508	6.643	43960636	38455109	44.703	48.094
21)	B Endrin ke...	7.653	6.872	91089025	78692214	45.507	49.214
22)	Mirex	8.127	7.055	70777969	64438898	45.543	47.235



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL051024\
Data File : PL089470.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 May 2024 20:33
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 10 22:48:53 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL042624.M
Quant Title : GC Extractables
QLast Update : Fri Apr 26 19:27:30 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.551 min
Delta R.T.: 0.000 min
Response: 93859816
Conc: 46.61 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.797 min
Delta R.T.: 0.000 min
Response: 62869339
Conc: 49.00 ng/ml




#2 alpha-BHC

R.T.: 4.007 min
Delta R.T.: 0.002 min
Response: 132891781
Conc: 46.60 ng/ml



#2 alpha-BHC


R.T.: 3.302 min
Delta R.T.: 0.000 min
Response: 95052261
Conc: 50.38 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.339 min
Delta R.T.: 0.001 min
Response: 128237663
Conc: 46.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.632 min
Delta R.T.: 0.000 min
Response: 92721663
Conc: 50.25 ng/ml




#4 Heptachlor

R.T.: 4.929 min
Delta R.T.: 0.001 min
Response: 112075029
Conc: 45.19 ng/ml



#4 Heptachlor


R.T.: 3.974 min
Delta R.T.: 0.000 min
Response: 86761090
Conc: 49.51 ng/ml



#5 Aldrin


R.T.: 5.271 min
Delta R.T.: 0.002 min
Response: 114907572
Conc: 44.74 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.256 min
Delta R.T.: 0.000 min
Response: 87823524
Conc: 49.68 ng/ml




#6 beta-BHC

R.T.: 4.534 min
Delta R.T.: 0.002 min
Response: 57482312
Conc: 45.56 ng/ml



#6 beta-BHC


R.T.: 3.930 min
Delta R.T.: 0.000 min
Response: 40085102
Conc: 49.10 ng/ml



#7 delta-BHC


R.T.: 4.782 min
Delta R.T.: 0.002 min
Response: 122000997
Conc: 46.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.161 min
Delta R.T.: 0.000 min
Response: 91505756
Conc: 50.86 ng/ml




#8 Heptachlor epoxide

R.T.: 5.696 min
Delta R.T.: 0.002 min
Response: 106899275
Conc: 45.58 ng/ml



#8 Heptachlor epoxide


R.T.: 4.759 min
Delta R.T.: 0.000 min
Response: 79306702
Conc: 49.05 ng/ml



#9 Endosulfan I


R.T.: 6.082 min
Delta R.T.: 0.002 min
Response: 96070435
Conc: 44.69 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.129 min
Delta R.T.: 0.000 min
Response: 72308461
Conc: 48.28 ng/ml




#10 gamma-Chlordane

R.T.: 5.952 min
Delta R.T.: 0.002 min
Response: 102202261
Conc: 44.71 ng/ml



#10 gamma-Chlordane


R.T.: 5.009 min
Delta R.T.: 0.000 min
Response: 79952833
Conc: 48.72 ng/ml



#11 alpha-Chlordane


R.T.: 6.031 min
Delta R.T.: 0.002 min
Response: 101131027
Conc: 44.46 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.073 min
Delta R.T.: 0.000 min
Response: 80375235
Conc: 48.74 ng/ml




#12 4,4'-DDE

R.T.: 6.203 min
Delta R.T.: 0.003 min
Response: 89322126
Conc: 44.15 ng/ml



#12 4,4'-DDE


R.T.: 5.262 min
Delta R.T.: 0.000 min
Response: 72412346
Conc: 49.80 ng/ml



#13 Dieldrin


R.T.: 6.357 min
Delta R.T.: 0.003 min
Response: 100180486
Conc: 44.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.394 min
Delta R.T.: 0.000 min
Response: 79154732
Conc: 49.20 ng/ml




#14 Endrin

R.T.: 6.586 min
Delta R.T.: 0.003 min
Response: 86033884
Conc: 45.42 ng/ml



#14 Endrin


R.T.: 5.669 min
Delta R.T.: 0.000 min
Response: 70965778
Conc: 49.36 ng/ml



#15 Endosulfan II


R.T.: 6.804 min
Delta R.T.: 0.003 min
Response: 88482670
Conc: 44.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.963 min
Delta R.T.: 0.000 min
Response: 69480403
Conc: 48.31 ng/ml




#16 4,4'-DDD

R.T.: 6.719 min
Delta R.T.: 0.003 min
Response: 75958306
Conc: 45.03 ng/ml



#16 4,4'-DDD


R.T.: 5.817 min
Delta R.T.: 0.000 min
Response: 61653961
Conc: 49.99 ng/ml



#17 4,4'-DDT


R.T.: 7.033 min
Delta R.T.: 0.003 min
Response: 80661768
Conc: 43.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.068 min
Delta R.T.: 0.000 min
Response: 65613915
Conc: 48.50 ng/ml




#18 Endrin aldehyde

R.T.: 6.934 min
Delta R.T.: 0.003 min
Response: 68176611
Conc: 45.08 ng/ml



#18 Endrin aldehyde


R.T.: 6.142 min
Delta R.T.: 0.000 min
Response: 54082999
Conc: 48.62 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.169 min
Delta R.T.: 0.005 min
Response: 81355894
Conc: 44.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.365 min
Delta R.T.: 0.000 min
Response: 67525149
Conc: 48.68 ng/ml




#20 Methoxychlor

R.T.: 7.508 min
Delta R.T.: 0.004 min
Response: 43960636
Conc: 44.70 ng/ml



#20 Methoxychlor


R.T.: 6.643 min
Delta R.T.: 0.000 min
Response: 38455109
Conc: 48.09 ng/ml



#21 Endrin ketone


R.T.: 7.653 min
Delta R.T.: 0.004 min
Response: 91089025
Conc: 45.51 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.872 min
Delta R.T.: 0.000 min
Response: 78692214
Conc: 49.21 ng/ml




#22 Mirex

R.T.: 8.127 min
Delta R.T.: 0.004 min
Response: 70777969
Conc: 45.54 ng/ml



#22 Mirex


R.T.: 7.055 min
Delta R.T.: 0.000 min
Response: 64438898
Conc: 47.23 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.066 min
Delta R.T.: 0.006 min
Response: 63840692
Conc: 45.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.948 min
Delta R.T.: 0.000 min
Response: 64256458
Conc: 47.77 ng/ml