

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL051024\
 Data File : PL089494.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 11 May 2024 02:29
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 11 07:23:17 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL042624.M
 Quant Title : GC Extractables
 QLast Update : Fri Apr 26 19:27:30 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.551	2.797	97644764	66982805	48.491	52.206
28)	SA Decachlor...	9.067	7.948	64383049	60907438	46.020	45.278
Target Compounds							
2)	A alpha-BHC	4.006	3.302	136.9E6	101.1E6	48.006	53.575
3)	MA gamma-BHC...	4.339	3.633	131.4E6	97977798	47.187	53.097
4)	MA Heptachlor	4.929	3.975	112.2E6	89267451	45.224	50.943
5)	MB Aldrin	5.271	4.256	117.2E6	92428370	45.634	52.284
6)	B beta-BHC	4.533	3.930	58499248	42321413	46.371	51.835
7)	B delta-BHC	4.781	4.161	125.4E6	96259874	47.298	53.502
8)	B Heptachlo...	5.696	4.759	110.1E6	82149222	46.939	50.811
9)	A Endosulfan I	6.082	5.129	97727356	75253900	45.459	50.247
10)	B gamma-Chl...	5.952	5.010	105.7E6	82977214	46.228	50.567
11)	B alpha-Chl...	6.032	5.073	103.8E6	83257330	45.630	50.484
12)	B 4,4'-DDE	6.204	5.262	90534971	74965117	44.745	51.559
13)	MA Dieldrin	6.357	5.394	101.5E6	81643132	45.355	50.751
14)	MA Endrin	6.586	5.670	83074615	68773807	43.854	47.837
15)	B Endosulfa...	6.804	5.963	89221087	69659929	44.704	48.431
16)	A 4,4'-DDD	6.720	5.817	80471279	65540069	47.701	53.145
17)	MA 4,4'-DDT	7.033	6.068	74652545	59731930	40.595	44.148
18)	B Endrin al...	6.934	6.142	68344331	54065530	45.193	48.606
19)	B Endosulfa...	7.168	6.365	81709121	68200722	45.172	49.165
20)	A Methoxychlor	7.508	6.644	40615290	34642092	41.301	43.325
21)	B Endrin ke...	7.654	6.872	93388793	81135391	46.656	50.741
22)	Mirex	8.128	7.055	70460685	63496345	45.339	46.544



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL051024\
Data File : PL089494.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 May 2024 02:29
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 11 07:23:17 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL042624.M
Quant Title : GC Extractables
QLast Update : Fri Apr 26 19:27:30 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.551 min
Delta R.T.: 0.001 min
Response: 97644764
Conc: 48.49 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.797 min
Delta R.T.: 0.000 min
Response: 66982805
Conc: 52.21 ng/ml




#2 alpha-BHC

R.T.: 4.006 min
Delta R.T.: 0.002 min
Response: 136902358
Conc: 48.01 ng/ml



#2 alpha-BHC


R.T.: 3.302 min
Delta R.T.: 0.000 min
Response: 101090750
Conc: 53.58 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.339 min
Delta R.T.: 0.001 min
Response: 131365190
Conc: 47.19 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.633 min
Delta R.T.: 0.000 min
Response: 97977798
Conc: 53.10 ng/ml




#4 Heptachlor

R.T.: 4.929 min
Delta R.T.: 0.001 min
Response: 112159946
Conc: 45.22 ng/ml



#4 Heptachlor


R.T.: 3.975 min
Delta R.T.: 0.000 min
Response: 89267451
Conc: 50.94 ng/ml



#5 Aldrin


R.T.: 5.271 min
Delta R.T.: 0.002 min
Response: 117199896
Conc: 45.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.256 min
Delta R.T.: 0.000 min
Response: 92428370
Conc: 52.28 ng/ml




#6 beta-BHC

R.T.: 4.533 min
Delta R.T.: 0.002 min
Response: 58499248
Conc: 46.37 ng/ml



#6 beta-BHC


R.T.: 3.930 min
Delta R.T.: 0.000 min
Response: 42321413
Conc: 51.84 ng/ml



#7 delta-BHC


R.T.: 4.781 min
Delta R.T.: 0.002 min
Response: 125437323
Conc: 47.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.161 min
Delta R.T.: 0.000 min
Response: 96259874
Conc: 53.50 ng/ml




#8 Heptachlor epoxide

R.T.: 5.696 min
Delta R.T.: 0.002 min
Response: 110092844
Conc: 46.94 ng/ml



#8 Heptachlor epoxide


R.T.: 4.759 min
Delta R.T.: 0.000 min
Response: 82149222
Conc: 50.81 ng/ml



#9 Endosulfan I


R.T.: 6.082 min
Delta R.T.: 0.003 min
Response: 97727356
Conc: 45.46 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.129 min
Delta R.T.: 0.000 min
Response: 75253900
Conc: 50.25 ng/ml




#10 gamma-Chlordane

R.T.: 5.952 min
Delta R.T.: 0.003 min
Response: 105673863
Conc: 46.23 ng/ml



#10 gamma-Chlordane


R.T.: 5.010 min
Delta R.T.: 0.000 min
Response: 82977214
Conc: 50.57 ng/ml



#11 alpha-Chlordane


R.T.: 6.032 min
Delta R.T.: 0.003 min
Response: 103795806
Conc: 45.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.073 min
Delta R.T.: 0.000 min
Response: 83257330
Conc: 50.48 ng/ml




#12 4,4'-DDE

R.T.: 6.204 min
Delta R.T.: 0.003 min
Response: 90534971
Conc: 44.74 ng/ml



#12 4,4'-DDE


R.T.: 5.262 min
Delta R.T.: 0.000 min
Response: 74965117
Conc: 51.56 ng/ml



#13 Dieldrin


R.T.: 6.357 min
Delta R.T.: 0.002 min
Response: 101524918
Conc: 45.35 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.394 min
Delta R.T.: 0.000 min
Response: 81643132
Conc: 50.75 ng/ml




#14 Endrin

R.T.: 6.586 min
Delta R.T.: 0.003 min
Response: 83074615
Conc: 43.85 ng/ml



#14 Endrin


R.T.: 5.670 min
Delta R.T.: 0.000 min
Response: 68773807
Conc: 47.84 ng/ml



#15 Endosulfan II


R.T.: 6.804 min
Delta R.T.: 0.003 min
Response: 89221087
Conc: 44.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.963 min
Delta R.T.: 0.000 min
Response: 69659929
Conc: 48.43 ng/ml




#16 4,4'-DDD

R.T.: 6.720 min
Delta R.T.: 0.004 min
Response: 80471279
Conc: 47.70 ng/ml



#16 4,4'-DDD


R.T.: 5.817 min
Delta R.T.: 0.000 min
Response: 65540069
Conc: 53.14 ng/ml



#17 4,4'-DDT


R.T.: 7.033 min
Delta R.T.: 0.003 min
Response: 74652545
Conc: 40.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.068 min
Delta R.T.: 0.000 min
Response: 59731930
Conc: 44.15 ng/ml




#18 Endrin aldehyde

R.T.: 6.934 min
Delta R.T.: 0.003 min
Response: 68344331
Conc: 45.19 ng/ml



#18 Endrin aldehyde


R.T.: 6.142 min
Delta R.T.: 0.000 min
Response: 54065530
Conc: 48.61 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.168 min
Delta R.T.: 0.004 min
Response: 81709121
Conc: 45.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.365 min
Delta R.T.: 0.001 min
Response: 68200722
Conc: 49.17 ng/ml




#20 Methoxychlor

R.T.: 7.508 min
Delta R.T.: 0.004 min
Response: 40615290
Conc: 41.30 ng/ml



#20 Methoxychlor


R.T.: 6.644 min
Delta R.T.: 0.001 min
Response: 34642092
Conc: 43.33 ng/ml



#21 Endrin ketone


R.T.: 7.654 min
Delta R.T.: 0.005 min
Response: 93388793
Conc: 46.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.872 min
Delta R.T.: 0.001 min
Response: 81135391
Conc: 50.74 ng/ml




#22 Mirex

R.T.: 8.128 min
Delta R.T.: 0.004 min
Response: 70460685
Conc: 45.34 ng/ml



#22 Mirex


R.T.: 7.055 min
Delta R.T.: 0.001 min
Response: 63496345
Conc: 46.54 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.067 min
Delta R.T.: 0.007 min
Response: 64383049
Conc: 46.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.948 min
Delta R.T.: 0.002 min
Response: 60907438
Conc: 45.28 ng/ml