

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL051123\
 Data File : PL082664.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 11 May 2023 18:23
 Operator : AR\AJ
 Sample : 02643-01MSD
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 11 21:39:55 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL042023.M
 Quant Title : GC Extractables
 QLast Update : Fri Apr 21 03:12:31 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.319	2.641	48838460	41655490	18.283	17.980
28)	SA Decachlor...	8.735	7.749	39303021	44039223	20.587	19.294
Target Compounds							
2)	A alpha-BHC	3.768	3.138	195.7E6	175.4E6	49.162	51.539
3)	MA gamma-BHC...	4.096	3.465	191.9E6	170.8E6	51.316	53.121
4)	MA Heptachlor	4.674	3.796	173.9E6	160.7E6	47.594	46.951
5)	MB Aldrin	5.010	4.073	171.0E6	176.5E6	51.844	56.022
6)	B beta-BHC	4.299	3.765	82769532	65874781	48.531	48.281
7)	B delta-BHC	4.540	3.991	146.5E6	129.0E6	40.709	42.055
8)	B Heptachlo...	5.437	4.574	160.8E6	149.5E6	52.705	51.879
9)	A Endosulfan I	5.817	4.941	146.6E6	138.3E6	52.855	51.794
10)	B gamma-Chl...	5.691	4.823	169.5E6	150.0E6	56.364	51.675
11)	B alpha-Chl...	5.769	4.885	157.9E6	150.4E6	52.911	51.803
12)	B 4,4'-DDE	5.948	5.076	136.4E6	128.9E6	53.667	56.063
13)	MA Dieldrin	6.091	5.205	150.7E6	139.3E6	54.611	51.598
14)	MA Endrin	6.319	5.479	120.1E6	111.8E6	49.515	45.710
15)	B Endosulfa...	6.541	5.776	128.8E6	128.2E6	52.922	56.880
16)	A 4,4'-DDD	6.463	5.630	119.0E6	110.3E6	58.714	58.982
17)	MA 4,4'-DDT	6.775	5.879	106.9E6	101.9E6	46.724	48.216
18)	B Endrin al...	6.671	5.956	109.0E6	107.0E6	57.826	57.187
19)	B Endosulfa...	6.906	6.179	121.7E6	119.2E6	51.301	50.643
20)	A Methoxychlor	7.255	6.458	57840530	51001174	47.397	42.086
21)	B Endrin ke...	7.385	6.683	138.7E6	126.2E6	57.944	49.707
22)	Mirex	7.849	6.854	100.6E6	96821419	51.419	42.018
23)	Chlordane-1	0.000	3.641	0	1333439	N.D.	15.036 #
24)	Chlordane-2	5.010f	4.213	171.0E6	12586365	1435.997	112.235 #
25)	Chlordane-3	5.691	4.823	169.5E6	150.0E6	392.585	527.802 #
26)	Chlordane-4	5.769	4.885	157.9E6	150.4E6	303.737	503.930 #
27)	Chlordane-5	0.000	5.776	0	128.2E6	N.D.	1298.866 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL051123\
Data File : PL082664.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 May 2023 18:23
Operator : AR\AJ
Sample : 02643-01MSD
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 11 21:39:55 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL042023.M
Quant Title : GC Extractables
QLast Update : Fri Apr 21 03:12:31 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.319 min
Delta R.T.: -0.004 min
Response: 48838460
Conc: 18.28 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.641 min
Delta R.T.: -0.007 min
Response: 41655490
Conc: 17.98 ng/ml




#2 alpha-BHC

R.T.: 3.768 min
Delta R.T.: -0.004 min
Response: 195678835
Conc: 49.16 ng/ml



#2 alpha-BHC


R.T.: 3.138 min
Delta R.T.: -0.008 min
Response: 175413101
Conc: 51.54 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.096 min
Delta R.T.: -0.004 min
Response: 191865913
Conc: 51.32 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.465 min
Delta R.T.: -0.008 min
Response: 170798492
Conc: 53.12 ng/ml




#4 Heptachlor

R.T.: 4.674 min
Delta R.T.: -0.005 min
Response: 173905938
Conc: 47.59 ng/ml



#4 Heptachlor


R.T.: 3.796 min
Delta R.T.: -0.010 min
Response: 160725814
Conc: 46.95 ng/ml



#5 Aldrin


R.T.: 5.010 min
Delta R.T.: -0.005 min
Response: 170958981
Conc: 51.84 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.073 min
Delta R.T.: -0.010 min
Response: 176462080
Conc: 56.02 ng/ml




#6 beta-BHC

R.T.: 4.299 min
Delta R.T.: -0.004 min
Response: 82769532
Conc: 48.53 ng/ml



#6 beta-BHC


R.T.: 3.765 min
Delta R.T.: -0.008 min
Response: 65874781
Conc: 48.28 ng/ml



#7 delta-BHC


R.T.: 4.540 min
Delta R.T.: -0.005 min
Response: 146461104
Conc: 40.71 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 3.991 min
Delta R.T.: -0.009 min
Response: 128999230
Conc: 42.05 ng/ml




#8 Heptachlor epoxide

R.T.: 5.437 min
Delta R.T.: -0.005 min
Response: 160768544
Conc: 52.70 ng/ml



#8 Heptachlor epoxide


R.T.: 4.574 min
Delta R.T.: -0.010 min
Response: 149457017
Conc: 51.88 ng/ml



#9 Endosulfan I


R.T.: 5.817 min
Delta R.T.: -0.005 min
Response: 146551903
Conc: 52.85 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 4.941 min
Delta R.T.: -0.010 min
Response: 138260173
Conc: 51.79 ng/ml




#10 gamma-Chlordane

R.T.: 5.691 min
Delta R.T.: -0.005 min
Response: 169480403
Conc: 56.36 ng/ml



#10 gamma-Chlordane


R.T.: 4.823 min
Delta R.T.: -0.010 min
Response: 149953742
Conc: 51.68 ng/ml



#11 alpha-Chlordane


R.T.: 5.769 min
Delta R.T.: -0.005 min
Response: 157917232
Conc: 52.91 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 4.885 min
Delta R.T.: -0.010 min
Response: 150376093
Conc: 51.80 ng/ml




#12 4,4'-DDE

R.T.: 5.948 min
Delta R.T.: -0.005 min
Response: 136424042
Conc: 53.67 ng/ml



#12 4,4'-DDE


R.T.: 5.076 min
Delta R.T.: -0.010 min
Response: 128887894
Conc: 56.06 ng/ml



#13 Dieldrin


R.T.: 6.091 min
Delta R.T.: -0.005 min
Response: 150677701
Conc: 54.61 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.205 min
Delta R.T.: -0.011 min
Response: 139334832
Conc: 51.60 ng/ml




#14 Endrin

R.T.: 6.319 min
Delta R.T.: -0.005 min
Response: 120051004
Conc: 49.51 ng/ml



#14 Endrin


R.T.: 5.479 min
Delta R.T.: -0.010 min
Response: 111803971
Conc: 45.71 ng/ml



#15 Endosulfan II


R.T.: 6.541 min
Delta R.T.: -0.004 min
Response: 128842329
Conc: 52.92 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 5.776 min
Delta R.T.: -0.009 min
Response: 128214234
Conc: 56.88 ng/ml




#16 4,4'-DDD

R.T.: 6.463 min
Delta R.T.: -0.005 min
Response: 119025560
Conc: 58.71 ng/ml



#16 4,4'-DDD


R.T.: 5.630 min
Delta R.T.: -0.010 min
Response: 110320760
Conc: 58.98 ng/ml



#17 4,4'-DDT


R.T.: 6.775 min
Delta R.T.: -0.004 min
Response: 106891311
Conc: 46.72 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 5.879 min
Delta R.T.: -0.010 min
Response: 101860239
Conc: 48.22 ng/ml




#18 Endrin aldehyde

R.T.: 6.671 min
Delta R.T.: -0.005 min
Response: 108953524
Conc: 57.83 ng/ml



#18 Endrin aldehyde


R.T.: 5.956 min
Delta R.T.: -0.011 min
Response: 107017790
Conc: 57.19 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.906 min
Delta R.T.: -0.005 min
Response: 121662356
Conc: 51.30 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.179 min
Delta R.T.: -0.010 min
Response: 119226730
Conc: 50.64 ng/ml




#20 Methoxychlor

R.T.: 7.255 min
Delta R.T.: -0.004 min
Response: 57840530
Conc: 47.40 ng/ml



#20 Methoxychlor


R.T.: 6.458 min
Delta R.T.: -0.010 min
Response: 51001174
Conc: 42.09 ng/ml



#21 Endrin ketone


R.T.: 7.385 min
Delta R.T.: -0.005 min
Response: 138741577
Conc: 57.94 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.683 min
Delta R.T.: -0.010 min
Response: 126166211
Conc: 49.71 ng/ml




#22 Mirex

R.T.: 7.849 min
Delta R.T.: -0.005 min
Response: 100592954
Conc: 51.42 ng/ml



#22 Mirex


R.T.: 6.854 min
Delta R.T.: -0.011 min
Response: 96821419
Conc: 42.02 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.466 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#23 Chlordane-1

R.T.: 3.641 min
Delta R.T.: 0.009 min
Response: 1333439
Conc: 15.04 ng/ml




#24 Chlordane-2

R.T.: 5.010 min
Delta R.T.: 0.018 min
Response: 170958981
Conc: 1436.00 ng/ml



#24 Chlordane-2


R.T.: 4.213 min
Delta R.T.: 0.006 min
Response: 12586365
Conc: 112.24 ng/ml



#25 Chlordane-3


R.T.: 5.691 min
Delta R.T.: -0.006 min
Response: 169480403
Conc: 392.59 ng/ml

Instrument :
ECD_L
ClientSampleId :




#25 Chlordane-3

R.T.: 4.823 min
Delta R.T.: -0.011 min
Response: 149953742
Conc: 527.80 ng/ml




#26 Chlordane-4

R.T.: 5.769 min
Delta R.T.: -0.009 min
Response: 157917232
Conc: 303.74 ng/ml



#26 Chlordane-4


R.T.: 4.885 min
Delta R.T.: -0.008 min
Response: 150376093
Conc: 503.93 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.619 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#27 Chlordane-5

R.T.: 5.776 min
Delta R.T.: -0.010 min
Response: 128214234
Conc: 1298.87 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.735 min
Delta R.T.: -0.006 min
Response: 39303021
Conc: 20.59 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.749 min
Delta R.T.: -0.011 min
Response: 44039223
Conc: 19.29 ng/ml