

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL051719\
 Data File : PL048604.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 16 May 2019 19:41
 Operator : SM\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PEM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 17 01:07:05 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL050119.M
 Quant Title : GC Extractables
 QLast Update : Thu May 02 09:36:55 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.327	3.940	205.2E6	55012237	21.182	22.085
28)	SA Decachlor...	7.995	8.978	217.7E6	59620276	21.655	22.462
Target Compounds							
2)	A alpha-BHC	3.755	4.328	149.4E6	34323849	9.660	9.773
3)	MA gamma-BHC...	4.031	4.611	140.1E6	33568706	9.863	10.278
6)	B beta-BHC	4.284	4.786	63687944	18047713	10.792	11.599
14)	MA Endrin	5.814	6.634	560.8E6	123.3E6	46.064	47.281
16)	A 4,4'-DDD	5.948	6.760	38324744	10627481	3.937	4.736
17)	MA 4,4'-DDT	6.183	7.057	997.1E6	234.9E6	99.253	100.096
18)	B Endrin al...	6.255	6.969	15447527	3360108	1.590	1.434
20)	A Methoxychlor	6.728	7.518	1183.6E6	312.4E6	217.389	228.865
21)	B Endrin ke...	6.949	7.660	35286975	8058774	3.028	3.084



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL051719\
Data File : PL048604.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 May 2019 19:41
Operator : SM\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PEM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 17 01:07:05 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL050119.M
Quant Title : GC Extractables
QLast Update : Thu May 02 09:36:55 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.327 min
Delta R.T.: -0.001 min
Response: 205184624
Conc: 21.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#1 Tetrachloro-m-xylene

R.T.: 3.940 min
Delta R.T.: 0.000 min
Response: 55012237
Conc: 22.09 ng/ml




#2 alpha-BHC

R.T.: 3.755 min
Delta R.T.: -0.001 min
Response: 149418313
Conc: 9.66 ng/ml



#2 alpha-BHC


R.T.: 4.328 min
Delta R.T.: 0.000 min
Response: 34323849
Conc: 9.77 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.031 min
Delta R.T.: -0.001 min
Response: 140147544
Conc: 9.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#3 gamma-BHC (Lindane)

R.T.: 4.611 min
Delta R.T.: 0.000 min
Response: 33568706
Conc: 10.28 ng/ml




#6 beta-BHC

R.T.: 4.284 min
Delta R.T.: 0.000 min
Response: 63687944
Conc: 10.79 ng/ml



#6 beta-BHC


R.T.: 4.786 min
Delta R.T.: 0.000 min
Response: 18047713
Conc: 11.60 ng/ml



#14 Endrin


R.T.: 5.814 min
Delta R.T.: 0.000 min
Response: 560780543
Conc: 46.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#14 Endrin

R.T.: 6.634 min
Delta R.T.: 0.001 min
Response: 123280531
Conc: 47.28 ng/ml




#16 4,4'-DDD

R.T.: 5.948 min
Delta R.T.: 0.000 min
Response: 38324744
Conc: 3.94 ng/ml



#16 4,4'-DDD


R.T.: 6.760 min
Delta R.T.: 0.000 min
Response: 10627481
Conc: 4.74 ng/ml



#17 4,4'-DDT


R.T.: 6.183 min
Delta R.T.: -0.001 min
Response: 997143465
Conc: 99.25 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#17 4,4'-DDT

R.T.: 7.057 min
Delta R.T.: 0.000 min
Response: 234886487
Conc: 100.10 ng/ml




#18 Endrin aldehyde

R.T.: 6.255 min
Delta R.T.: -0.001 min
Response: 15447527
Conc: 1.59 ng/ml



#18 Endrin aldehyde


R.T.: 6.969 min
Delta R.T.: 0.001 min
Response: 3360108
Conc: 1.43 ng/ml



#20 Methoxychlor


R.T.: 6.728 min
Delta R.T.: 0.000 min
Response: 1183628145
Conc: 217.39 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#20 Methoxychlor

R.T.: 7.518 min
Delta R.T.: 0.002 min
Response: 312441635
Conc: 228.86 ng/ml




#21 Endrin ketone

R.T.: 6.949 min
Delta R.T.: -0.001 min
Response: 35286975
Conc: 3.03 ng/ml



#21 Endrin ketone


R.T.: 7.660 min
Delta R.T.: 0.002 min
Response: 8058774
Conc: 3.08 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.995 min
Delta R.T.: 0.000 min
Response: 217718565
Conc: 21.65 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM



#28 Decachlorobiphenyl

R.T.: 8.978 min
Delta R.T.: 0.003 min
Response: 59620276
Conc: 22.46 ng/ml