

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL051719\
 Data File : PL048627.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 17 May 2019 01:28
 Operator : SM\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 17 04:04:48 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL050119.M
 Quant Title : GC Extractables
 QLast Update : Thu May 02 09:36:55 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.327	3.940	447.3E6	119.6E6	46.172	48.011
2)	SA Decachlor...	7.996	8.978	459.6E6	125.2E6	45.717	47.161
Target Compounds							
2)	A alpha-BHC	3.755	4.328	736.5E6	173.8E6	47.614	49.500
3)	MA gamma-BHC...	4.031	4.612	679.9E6	159.4E6	47.847	48.808
4)	MA Heptachlor	4.316	5.115	677.3E6	159.7E6	46.034	46.145
5)	MB Aldrin	4.555	5.418	651.4E6	148.3E6	47.540	47.905
6)	B beta-BHC	4.285	4.786	275.5E6	72665006	46.685	46.700
7)	B delta-BHC	4.479	5.000	680.3E6	143.3E6	48.184	50.672
8)	B Heptachlo...	4.992	5.805	591.0E6	137.8E6	45.869	47.249
9)	A Endosulfan I	5.322	6.160	552.9E6	130.0E6	45.957	45.985
10)	B gamma-Chl...	5.214	6.038	614.7E6	142.4E6	46.035	46.256
11)	B alpha-Chl...	5.270	6.111	596.6E6	141.0E6	45.631	45.938
12)	B 4,4'-DDE	5.438	6.270	536.0E6	129.7E6	42.254	46.964
13)	MA Dieldrin	5.562	6.417	596.1E6	136.4E6	45.782	46.483
14)	MA Endrin	5.814	6.634	511.9E6	116.0E6	42.046	44.470
15)	B Endosulfa...	6.089	6.845	509.2E6	122.2E6	44.119	45.298
16)	A 4,4'-DDD	5.949	6.761	475.8E6	112.2E6	48.875	50.009
17)	MA 4,4'-DDT	6.183	7.058	377.1E6	91647030	37.535	39.055
18)	B Endrin al...	6.256	6.969	422.2E6	105.1E6	43.448	44.867
19)	B Endosulfa...	6.467	7.192	463.3E6	116.0E6	43.172	44.804
20)	A Methoxychlor	6.728	7.519	196.7E6	53436875	36.124	39.143
21)	B Endrin ke...	6.950	7.661	530.9E6	125.4E6	45.547	48.012
22)	Mirex	7.124	8.111	366.1E6	95543876	40.840	45.306



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL051719\
Data File : PL048627.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 17 May 2019 01:28
Operator : SM\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 17 04:04:48 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL050119.M
Quant Title : GC Extractables
QLast Update : Thu May 02 09:36:55 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.327 min
Delta R.T.: 0.000 min
Response: 447264886
Conc: 46.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.940 min
Delta R.T.: 0.000 min
Response: 119588751
Conc: 48.01 ng/ml




#2 alpha-BHC

R.T.: 3.755 min
Delta R.T.: 0.000 min
Response: 736471888
Conc: 47.61 ng/ml



#2 alpha-BHC


R.T.: 4.328 min
Delta R.T.: 0.000 min
Response: 173844300
Conc: 49.50 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.031 min
Delta R.T.: 0.000 min
Response: 679867790
Conc: 47.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.612 min
Delta R.T.: 0.000 min
Response: 159414786
Conc: 48.81 ng/ml




#4 Heptachlor

R.T.: 4.316 min
Delta R.T.: -0.001 min
Response: 677260093
Conc: 46.03 ng/ml



#4 Heptachlor


R.T.: 5.115 min
Delta R.T.: 0.000 min
Response: 159744593
Conc: 46.14 ng/ml



#5 Aldrin


R.T.: 4.555 min
Delta R.T.: -0.001 min
Response: 651365618
Conc: 47.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.418 min
Delta R.T.: 0.000 min
Response: 148343064
Conc: 47.90 ng/ml




#6 beta-BHC

R.T.: 4.285 min
Delta R.T.: 0.000 min
Response: 275515152
Conc: 46.68 ng/ml



#6 beta-BHC


R.T.: 4.786 min
Delta R.T.: 0.000 min
Response: 72665006
Conc: 46.70 ng/ml



#7 delta-BHC


R.T.: 4.479 min
Delta R.T.: 0.000 min
Response: 680296587
Conc: 48.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.000 min
Delta R.T.: 0.000 min
Response: 143295766
Conc: 50.67 ng/ml




#8 Heptachlor epoxide

R.T.: 4.992 min
Delta R.T.: 0.000 min
Response: 591008271
Conc: 45.87 ng/ml



#8 Heptachlor epoxide


R.T.: 5.805 min
Delta R.T.: 0.000 min
Response: 137811002
Conc: 47.25 ng/ml



#9 Endosulfan I


R.T.: 5.322 min
Delta R.T.: 0.000 min
Response: 552858037
Conc: 45.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.160 min
Delta R.T.: 0.000 min
Response: 130023535
Conc: 45.99 ng/ml




#10 gamma-Chlordane

R.T.: 5.214 min
Delta R.T.: 0.000 min
Response: 614674734
Conc: 46.04 ng/ml



#10 gamma-Chlordane


R.T.: 6.038 min
Delta R.T.: 0.000 min
Response: 142404384
Conc: 46.26 ng/ml



#11 alpha-Chlordane


R.T.: 5.270 min
Delta R.T.: 0.000 min
Response: 596566478
Conc: 45.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.111 min
Delta R.T.: 0.001 min
Response: 140951848
Conc: 45.94 ng/ml




#12 4,4'-DDE

R.T.: 5.438 min
Delta R.T.: 0.000 min
Response: 536006995
Conc: 42.25 ng/ml



#12 4,4'-DDE


R.T.: 6.270 min
Delta R.T.: 0.001 min
Response: 129664782
Conc: 46.96 ng/ml



#13 Dieldrin


R.T.: 5.562 min
Delta R.T.: 0.000 min
Response: 596111571
Conc: 45.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.417 min
Delta R.T.: 0.001 min
Response: 136366641
Conc: 46.48 ng/ml




#14 Endrin

R.T.: 5.814 min
Delta R.T.: 0.000 min
Response: 511863301
Conc: 42.05 ng/ml



#14 Endrin


R.T.: 6.634 min
Delta R.T.: 0.001 min
Response: 115950683
Conc: 44.47 ng/ml



#15 Endosulfan II


R.T.: 6.089 min
Delta R.T.: 0.000 min
Response: 509159004
Conc: 44.12 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.845 min
Delta R.T.: 0.002 min
Response: 122150297
Conc: 45.30 ng/ml




#16 4,4'-DDD

R.T.: 5.949 min
Delta R.T.: 0.000 min
Response: 475754699
Conc: 48.88 ng/ml



#16 4,4'-DDD


R.T.: 6.761 min
Delta R.T.: 0.001 min
Response: 112222049
Conc: 50.01 ng/ml



#17 4,4'-DDT


R.T.: 6.183 min
Delta R.T.: 0.000 min
Response: 377090703
Conc: 37.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.058 min
Delta R.T.: 0.001 min
Response: 91647030
Conc: 39.05 ng/ml




#18 Endrin aldehyde

R.T.: 6.256 min
Delta R.T.: 0.000 min
Response: 422242071
Conc: 43.45 ng/ml



#18 Endrin aldehyde


R.T.: 6.969 min
Delta R.T.: 0.002 min
Response: 105143741
Conc: 44.87 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.467 min
Delta R.T.: 0.000 min
Response: 463346073
Conc: 43.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.192 min
Delta R.T.: 0.002 min
Response: 115963211
Conc: 44.80 ng/ml




#20 Methoxychlor

R.T.: 6.728 min
Delta R.T.: 0.000 min
Response: 196687278
Conc: 36.12 ng/ml



#20 Methoxychlor


R.T.: 7.519 min
Delta R.T.: 0.002 min
Response: 53436875
Conc: 39.14 ng/ml



#21 Endrin ketone


R.T.: 6.950 min
Delta R.T.: 0.000 min
Response: 530851412
Conc: 45.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.661 min
Delta R.T.: 0.003 min
Response: 125444589
Conc: 48.01 ng/ml




#22 Mirex

R.T.: 7.124 min
Delta R.T.: 0.000 min
Response: 366085861
Conc: 40.84 ng/ml



#22 Mirex


R.T.: 8.111 min
Delta R.T.: 0.002 min
Response: 95543876
Conc: 45.31 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.996 min
Delta R.T.: 0.000 min
Response: 459642761
Conc: 45.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.978 min
Delta R.T.: 0.003 min
Response: 125178362
Conc: 47.16 ng/ml