

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL052020\
 Data File : PL058801.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 20 May 2020 09:31
 Operator : AJ\MA
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 20 11:13:38 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL052020.M
 Quant Title : GC Extractables
 QLast Update : Wed May 20 11:12:34 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.530	4.077	91747953	138.0E6	50.000	50.000
28)	SA Decachlor...	8.312	9.188	83405750	129.6E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.973	4.469	135.4E6	209.9E6	50.000	50.000
3)	MA gamma-BHC...	4.258	4.757	120.6E6	197.2E6	50.000	50.000
4)	MA Heptachlor	4.566	5.270	112.9E6	195.1E6	50.000	50.000
5)	MB Aldrin	4.816	5.579	98375831	176.0E6	50.000	50.000
6)	B beta-BHC	4.507	4.924	50234183	83975887	50.000	50.000
7)	B delta-BHC	4.715	5.144	110.4E6	188.5E6	50.000	50.000
8)	B Heptachlo...	5.261	5.966	93067165	166.6E6	50.000	50.000
9)	A Endosulfan I	5.603	6.325	85776573	149.5E6	50.000	50.000
10)	B gamma-Chl...	5.490	6.200	92303870	166.8E6	50.000	50.000
11)	B alpha-Chl...	5.549	6.274	92196617	165.3E6	50.000	50.000
12)	B 4,4'-DDE	5.712	6.428	83876345	148.1E6	50.000	50.000
13)	MA Dieldrin	5.847	6.582	89404374	155.0E6	50.000	50.000
14)	MA Endrin	6.105	6.802	79823299	127.8E6	50.000	50.000
15)	B Endosulfa...	6.377	7.009	83342375	136.4E6	50.000	50.000
16)	A 4,4'-DDD	6.229	6.919	72047322	121.8E6	50.000	50.000
17)	MA 4,4'-DDT	6.471	7.219	74626158	122.8E6	50.000	50.000
18)	B Endrin al...	6.545	7.134	70561463	118.5E6	50.000	50.000
19)	B Endosulfa...	6.758	7.356	81326355	132.0E6	50.000	50.000
20)	A Methoxychlor	7.018	7.676	43178523	70746984	50.000	50.000
21)	B Endrin ke...	7.251	7.830	93627502	139.7E6	50.000	50.000
22)	Mirex	7.446	8.288	75820236	107.9E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL052020\
Data File : PL058801.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 20 May 2020 09:31
Operator : AJ\MA
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 20 11:13:38 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL052020.M
Quant Title : GC Extractables
QLast Update : Wed May 20 11:12:34 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.530 min
Delta R.T.: 0.000 min
Response: 91747953
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#1 Tetrachloro-m-xylene

R.T.: 4.077 min
Delta R.T.: 0.000 min
Response: 137989573
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.973 min
Delta R.T.: 0.000 min
Response: 135407123
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.469 min
Delta R.T.: 0.000 min
Response: 209942538
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.258 min
Delta R.T.: 0.000 min
Response: 120614602
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#3 gamma-BHC (Lindane)

R.T.: 4.757 min
Delta R.T.: 0.000 min
Response: 197173873
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.566 min
Delta R.T.: 0.000 min
Response: 112879124
Conc: 50.00 ng/ml



#4 Heptachlor

R.T.: 5.270 min
Delta R.T.: 0.000 min
Response: 195107045
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.816 min

Delta R.T.: 0.000 min

Response: 98375831

Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#5 Aldrin

R.T.: 5.579 min

Delta R.T.: 0.000 min

Response: 175967689

Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.507 min

Delta R.T.: 0.000 min

Response: 50234183

Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.924 min

Delta R.T.: 0.000 min

Response: 83975887


Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.715 min
Delta R.T.: 0.000 min
Response: 110359888
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#7 delta-BHC

R.T.: 5.144 min
Delta R.T.: 0.000 min
Response: 188471007
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.261 min
Delta R.T.: 0.000 min
Response: 93067165
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 5.966 min
Delta R.T.: 0.000 min
Response: 166577703
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.603 min
Delta R.T.: 0.000 min
Response: 85776573
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#9 Endosulfan I

R.T.: 6.325 min
Delta R.T.: 0.000 min
Response: 149451344
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.490 min
Delta R.T.: 0.000 min
Response: 92303870
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.200 min
Delta R.T.: 0.000 min
Response: 166823476
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.549 min
Delta R.T.: 0.000 min
Response: 92196617
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#11 alpha-Chlordane

R.T.: 6.274 min
Delta R.T.: 0.000 min
Response: 165306232
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.712 min
Delta R.T.: 0.000 min
Response: 83876345
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.428 min
Delta R.T.: 0.000 min
Response: 148085115
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 5.847 min
Delta R.T.: 0.000 min
Response: 89404374
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#13 Dieldrin

R.T.: 6.582 min
Delta R.T.: 0.000 min
Response: 155049677
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.105 min
Delta R.T.: 0.000 min
Response: 79823299
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.802 min
Delta R.T.: 0.000 min
Response: 127781501
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.377 min
Delta R.T.: 0.000 min
Response: 83342375
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#15 Endosulfan II

R.T.: 7.009 min
Delta R.T.: 0.000 min
Response: 136418325
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.229 min
Delta R.T.: 0.000 min
Response: 72047322
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.919 min
Delta R.T.: 0.000 min
Response: 121797309
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.471 min
Delta R.T.: 0.000 min
Response: 74626158
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#17 4,4'-DDT

R.T.: 7.219 min
Delta R.T.: 0.000 min
Response: 122783018
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.545 min
Delta R.T.: 0.000 min
Response: 70561463
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 7.134 min
Delta R.T.: 0.000 min
Response: 118517012
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.758 min
Delta R.T.: 0.000 min
Response: 81326355
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#19 Endosulfan Sulfate

R.T.: 7.356 min
Delta R.T.: 0.000 min
Response: 132040416
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 7.018 min
Delta R.T.: 0.000 min
Response: 43178523
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.676 min
Delta R.T.: 0.000 min
Response: 70746984
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.251 min
Delta R.T.: 0.000 min
Response: 93627502
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#21 Endrin ketone

R.T.: 7.830 min
Delta R.T.: 0.000 min
Response: 139664593
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 7.446 min
Delta R.T.: 0.000 min
Response: 75820236
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 8.288 min
Delta R.T.: 0.000 min
Response: 107858928
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.312 min
Delta R.T.: 0.000 min
Response: 83405750
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050



#28 Decachlorobiphenyl

R.T.: 9.188 min
Delta R.T.: 0.000 min
Response: 129576808
Conc: 50.00 ng/ml