

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL052020\
 Data File : PL058802.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 20 May 2020 09:45
 Operator : AJ\MA
 Sample : PSTDICC025
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC025

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 20 11:13:48 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL052020.M
 Quant Title : GC Extractables
 QLast Update : Wed May 20 11:12:34 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.530	4.077	44616259	66396113	24.315	24.058
28)	SA Decachlor...	8.312	9.188	42118244	66337007	25.249	25.598
Target Compounds							
2)	A alpha-BHC	3.972	4.469	62441747	95016539	23.057	22.629
3)	MA gamma-BHC...	4.258	4.757	55934772	90838560	23.187	23.035
4)	MA Heptachlor	4.566	5.271	54029755	91776638	23.933	23.520
5)	MB Aldrin	4.816	5.579	46124726	81222913	23.443	23.079
6)	B beta-BHC	4.508	4.924	25327901	41071772	25.210	24.455
7)	B delta-BHC	4.715	5.144	50525467	86916434	22.891	23.058
8)	B Heptachlo...	5.262	5.966	44690079	79690357	24.010	23.920
9)	A Endosulfan I	5.603	6.325	41288885	71468950	24.068	23.910
10)	B gamma-Chl...	5.490	6.200	44105954	79485124	23.892	23.823
11)	B alpha-Chl...	5.549	6.275	44393245	79162565	24.075	23.944
12)	B 4,4'-DDE	5.713	6.429	38650175	67886193	23.040	22.921
13)	MA Dieldrin	5.847	6.583	41724228	72442664	23.335	23.361
14)	MA Endrin	6.105	6.802	37281955	59365615	23.353	23.229
15)	B Endosulfa...	6.377	7.010	40309210	66564417	24.183	24.397
16)	A 4,4'-DDD	6.229	6.919	33667446	57001446	23.365	23.400
17)	MA 4,4'-DDT	6.472	7.220	34365054	56620456	23.025	23.057
18)	B Endrin al...	6.545	7.134	34614695	58102905	24.528	24.512
19)	B Endosulfa...	6.759	7.357	39545993	64288336	24.313	24.344
20)	A Methoxychlor	7.018	7.677	21111816	34742438	24.447	24.554
21)	B Endrin ke...	7.251	7.831	45061098	67571823	24.064	24.191
22)	Mirex	7.446	8.288	38460776	55170737	25.363	25.575



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL052020\
Data File : PL058802.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 20 May 2020 09:45
Operator : AJ\MA
Sample : PSTDICC025
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC025

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 20 11:13:48 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL052020.M
Quant Title : GC Extractables
QLast Update : Wed May 20 11:12:34 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.530 min
Delta R.T.: 0.000 min
Response: 44616259
Conc: 24.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#1 Tetrachloro-m-xylene

R.T.: 4.077 min
Delta R.T.: 0.000 min
Response: 66396113
Conc: 24.06 ng/ml




#2 alpha-BHC

R.T.: 3.972 min
Delta R.T.: 0.000 min
Response: 62441747
Conc: 23.06 ng/ml



#2 alpha-BHC


R.T.: 4.469 min
Delta R.T.: 0.000 min
Response: 95016539
Conc: 22.63 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.258 min
Delta R.T.: 0.000 min
Response: 55934772
Conc: 23.19 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC025




#3 gamma-BHC (Lindane)

R.T.: 4.757 min
Delta R.T.: 0.000 min
Response: 90838560
Conc: 23.04 ng/ml




#4 Heptachlor

R.T.: 4.566 min
Delta R.T.: 0.000 min
Response: 54029755
Conc: 23.93 ng/ml



#4 Heptachlor


R.T.: 5.271 min
Delta R.T.: 0.000 min
Response: 91776638
Conc: 23.52 ng/ml



#5 Aldrin


R.T.: 4.816 min
Delta R.T.: 0.000 min
Response: 46124726
Conc: 23.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC025




#5 Aldrin

R.T.: 5.579 min
Delta R.T.: 0.000 min
Response: 81222913
Conc: 23.08 ng/ml




#6 beta-BHC

R.T.: 4.508 min
Delta R.T.: 0.000 min
Response: 25327901
Conc: 25.21 ng/ml



#6 beta-BHC


R.T.: 4.924 min
Delta R.T.: 0.000 min
Response: 41071772
Conc: 24.45 ng/ml



#7 delta-BHC


R.T.: 4.715 min
Delta R.T.: 0.000 min
Response: 50525467
Conc: 22.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC025




#7 delta-BHC

R.T.: 5.144 min
Delta R.T.: 0.000 min
Response: 86916434
Conc: 23.06 ng/ml




#8 Heptachlor epoxide

R.T.: 5.262 min
Delta R.T.: 0.000 min
Response: 44690079
Conc: 24.01 ng/ml



#8 Heptachlor epoxide


R.T.: 5.966 min
Delta R.T.: 0.000 min
Response: 79690357
Conc: 23.92 ng/ml



#9 Endosulfan I


R.T.: 5.603 min
Delta R.T.: 0.000 min
Response: 4128885
Conc: 24.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC025




#9 Endosulfan I

R.T.: 6.325 min
Delta R.T.: 0.000 min
Response: 71468950
Conc: 23.91 ng/ml




#10 gamma-Chlordane

R.T.: 5.490 min
Delta R.T.: 0.000 min
Response: 44105954
Conc: 23.89 ng/ml



#10 gamma-Chlordane


R.T.: 6.200 min
Delta R.T.: 0.000 min
Response: 79485124
Conc: 23.82 ng/ml



#11 alpha-Chlordane


R.T.: 5.549 min
Delta R.T.: 0.000 min
Response: 44393245
Conc: 24.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#11 alpha-Chlordane

R.T.: 6.275 min
Delta R.T.: 0.000 min
Response: 79162565
Conc: 23.94 ng/ml




#12 4,4'-DDE

R.T.: 5.713 min
Delta R.T.: 0.000 min
Response: 38650175
Conc: 23.04 ng/ml



#12 4,4'-DDE


R.T.: 6.429 min
Delta R.T.: 0.000 min
Response: 67886193
Conc: 22.92 ng/ml



#13 Dieldrin


R.T.: 5.847 min
Delta R.T.: 0.000 min
Response: 41724228
Conc: 23.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC025




#13 Dieldrin

R.T.: 6.583 min
Delta R.T.: 0.000 min
Response: 72442664
Conc: 23.36 ng/ml




#14 Endrin

R.T.: 6.105 min
Delta R.T.: 0.000 min
Response: 37281955
Conc: 23.35 ng/ml



#14 Endrin


R.T.: 6.802 min
Delta R.T.: 0.000 min
Response: 59365615
Conc: 23.23 ng/ml



#15 Endosulfan II


R.T.: 6.377 min
Delta R.T.: 0.000 min
Response: 40309210
Conc: 24.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC025




#15 Endosulfan II

R.T.: 7.010 min
Delta R.T.: 0.000 min
Response: 66564417
Conc: 24.40 ng/ml




#16 4,4'-DDD

R.T.: 6.229 min
Delta R.T.: 0.000 min
Response: 33667446
Conc: 23.36 ng/ml



#16 4,4'-DDD


R.T.: 6.919 min
Delta R.T.: 0.000 min
Response: 57001446
Conc: 23.40 ng/ml



#17 4,4'-DDT


R.T.: 6.472 min
Delta R.T.: 0.000 min
Response: 34365054
Conc: 23.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC025




#17 4,4'-DDT

R.T.: 7.220 min
Delta R.T.: 0.000 min
Response: 56620456
Conc: 23.06 ng/ml




#18 Endrin aldehyde

R.T.: 6.545 min
Delta R.T.: 0.000 min
Response: 34614695
Conc: 24.53 ng/ml



#18 Endrin aldehyde


R.T.: 7.134 min
Delta R.T.: 0.000 min
Response: 58102905
Conc: 24.51 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.759 min
Delta R.T.: 0.000 min
Response: 39545993
Conc: 24.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC025




#19 Endosulfan Sulfate

R.T.: 7.357 min
Delta R.T.: 0.000 min
Response: 64288336
Conc: 24.34 ng/ml




#20 Methoxychlor

R.T.: 7.018 min
Delta R.T.: 0.000 min
Response: 21111816
Conc: 24.45 ng/ml



#20 Methoxychlor


R.T.: 7.677 min
Delta R.T.: 0.000 min
Response: 34742438
Conc: 24.55 ng/ml



#21 Endrin ketone


R.T.: 7.251 min
Delta R.T.: 0.000 min
Response: 45061098
Conc: 24.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC025




#21 Endrin ketone

R.T.: 7.831 min
Delta R.T.: 0.000 min
Response: 67571823
Conc: 24.19 ng/ml




#22 Mirex

R.T.: 7.446 min
Delta R.T.: 0.000 min
Response: 38460776
Conc: 25.36 ng/ml



#22 Mirex


R.T.: 8.288 min
Delta R.T.: 0.000 min
Response: 55170737
Conc: 25.58 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.312 min
Delta R.T.: 0.000 min
Response: 42118244
Conc: 25.25 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC025



#28 Decachlorobiphenyl

R.T.: 9.188 min
Delta R.T.: 0.000 min
Response: 66337007
Conc: 25.60 ng/ml