

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL052319\
 Data File : PL048868.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 May 2019 11:13
 Operator : SM\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Manual Integrations
 APPROVED

Ankita
 5/24/2019 10:02:13 AM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 24 01:00:25 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL050119.M
 Quant Title : GC Extractables
 QLast Update : Thu May 02 09:36:55 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.326	3.937	510.2E6	134.0E6	52.667	53.810
28)	SA Decachlor...	7.993	8.972	531.4E6	144.0E6	52.853	54.245
Target Compounds							
2)	A alpha-BHC	3.754	4.325	846.3E6	196.2E6	54.712	55.863
3)	MA gamma-BHC...	4.030	4.608	789.6E6	180.6E6	55.568	55.291
4)	MA Heptachlor	4.314	5.112	800.1E6	182.9E6	54.385	52.828
5)	MB Aldrin	4.553	5.414	763.4E6	168.2E6	55.717	54.325
6)	B beta-BHC	4.283	4.783	321.2E6	82116349	54.421	52.774
7)	B delta-BHC	4.477	4.997	795.2E6	162.0E6	56.321	57.277
8)	B Heptachlo...	4.989	5.801	679.0E6	152.5E6	52.701	52.299
9)	A Endosulfan I	5.320	6.157	647.3E6	146.8E6	53.808	51.935
10)	B gamma-Chl...	5.212	6.035	721.8E6	161.7E6	54.058	52.521
11)	B alpha-Chl...	5.268	6.107	697.7E6	159.7E6	53.370	52.037
12)	B 4,4'-DDE	5.436	6.267	686.2E6	148.7E6	54.091	53.873
13)	MA Dieldrin	5.559	6.413	705.0E6	155.1E6	54.145	52.860
14)	MA Endrin	5.812	6.630	604.0E6	126.0E6	49.617	48.327
15)	B Endosulfa...	6.087	6.841	599.3E6	138.3E6	51.933	51.269
16)	A 4,4'-DDD	5.945	6.757	547.3E6	122.4E6	56.227m	54.531
17)	MA 4,4'-DDT	6.181	7.054	494.5E6	115.3E6	49.219	49.135
18)	B Endrin al...	6.254	6.965	497.5E6	119.4E6	51.191	50.930
19)	B Endosulfa...	6.465	7.188	537.1E6	131.2E6	50.040	50.710
20)	A Methoxychlor	6.726	7.514	250.7E6	66092274	46.039	48.413
21)	B Endrin ke...	6.946	7.656	616.5E6	143.3E6	52.893	54.831
22)	Mirex	7.121	8.106	421.6E6	108.6E6	47.036	51.510

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL052319\
Data File : PL048868.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 May 2019 11:13
Operator : SM\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampled :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
5/24/2019 10:02:13 AM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 24 01:00:25 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL050119.M
Quant Title : GC Extractables
QLast Update : Thu May 02 09:36:55 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.326 min
Delta R.T.: -0.002 min
Response: 510179357
Conc: 52.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
5/24/2019 10:02:13 AM




#1 Tetrachloro-m-xylene

R.T.: 3.937 min
Delta R.T.: -0.003 min
Response: 134034865
Conc: 53.81 ng/ml




#2 alpha-BHC

R.T.: 3.754 min
Delta R.T.: -0.002 min
Response: 846259591
Conc: 54.71 ng/ml



#2 alpha-BHC

R.T.: 4.325 min
Delta R.T.: -0.003 min
Response: 196189859
Conc: 55.86 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.030 min
Delta R.T.: -0.002 min
Response: 789575773
Conc: 55.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
5/24/2019 10:02:13 AM




#3 gamma-BHC (Lindane)

R.T.: 4.608 min
Delta R.T.: -0.003 min
Response: 180588544
Conc: 55.29 ng/ml




#4 Heptachlor

R.T.: 4.314 min
Delta R.T.: -0.003 min
Response: 800109905
Conc: 54.38 ng/ml



#4 Heptachlor

R.T.: 5.112 min
Delta R.T.: -0.004 min
Response: 182881102
Conc: 52.83 ng/ml




#5 Aldrin

R.T.: 4.553 min
Delta R.T.: -0.003 min
Response: 763404305
Conc: 55.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
5/24/2019 10:02:13 AM




#5 Aldrin

R.T.: 5.414 min
Delta R.T.: -0.004 min
Response: 168224929
Conc: 54.33 ng/ml




#6 beta-BHC

R.T.: 4.283 min
Delta R.T.: -0.002 min
Response: 321167405
Conc: 54.42 ng/ml



#6 beta-BHC

R.T.: 4.783 min
Delta R.T.: -0.003 min
Response: 82116349
Conc: 52.77 ng/ml




#7 delta-BHC

R.T.: 4.477 min
Delta R.T.: -0.002 min
Response: 795182723
Conc: 56.32 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
5/24/2019 10:02:13 AM




#7 delta-BHC

R.T.: 4.997 min
Delta R.T.: -0.003 min
Response: 161971784
Conc: 57.28 ng/ml




#8 Heptachlor epoxide

R.T.: 4.989 min
Delta R.T.: -0.003 min
Response: 679034745
Conc: 52.70 ng/ml



#8 Heptachlor epoxide

R.T.: 5.801 min
Delta R.T.: -0.003 min
Response: 152540845
Conc: 52.30 ng/ml




#9 Endosulfan I

R.T.: 5.320 min
Delta R.T.: -0.003 min
Response: 647302514
Conc: 53.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
5/24/2019 10:02:13 AM




#9 Endosulfan I

R.T.: 6.157 min
Delta R.T.: -0.003 min
Response: 146846089
Conc: 51.94 ng/ml




#10 gamma-Chlordane

R.T.: 5.212 min
Delta R.T.: -0.003 min
Response: 721802494
Conc: 54.06 ng/ml



#10 gamma-Chlordane

R.T.: 6.035 min
Delta R.T.: -0.003 min
Response: 161694149
Conc: 52.52 ng/ml




#11 alpha-Chlordane

R.T.: 5.268 min
Delta R.T.: -0.003 min
Response: 697730708
Conc: 53.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
5/24/2019 10:02:13 AM




#11 alpha-Chlordane

R.T.: 6.107 min
Delta R.T.: -0.002 min
Response: 159664791
Conc: 52.04 ng/ml




#12 4,4'-DDE

R.T.: 5.436 min
Delta R.T.: -0.003 min
Response: 686162292
Conc: 54.09 ng/ml



#12 4,4'-DDE

R.T.: 6.267 min
Delta R.T.: -0.003 min
Response: 148739023
Conc: 53.87 ng/ml




#13 Dieldrin

R.T.: 5.559 min
Delta R.T.: -0.003 min
Response: 705002016
Conc: 54.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
5/24/2019 10:02:13 AM




#13 Dieldrin

R.T.: 6.413 min
Delta R.T.: -0.003 min
Response: 155072430
Conc: 52.86 ng/ml




#14 Endrin

R.T.: 5.812 min
Delta R.T.: -0.002 min
Response: 604036412
Conc: 49.62 ng/ml



#14 Endrin

R.T.: 6.630 min
Delta R.T.: -0.002 min
Response: 126007885
Conc: 48.33 ng/ml




#15 Endosulfan II

R.T.: 6.087 min
Delta R.T.: -0.002 min
Response: 599330788
Conc: 51.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
5/24/2019 10:02:13 AM




#15 Endosulfan II

R.T.: 6.841 min
Delta R.T.: -0.002 min
Response: 138251564
Conc: 51.27 ng/ml




#16 4,4'-DDD

R.T.: 5.945 min
Delta R.T.: -0.004 min
Response: 547318189
Conc: 56.23 ng/ml m



#16 4,4'-DDD

R.T.: 6.757 min
Delta R.T.: -0.002 min
Response: 122369280
Conc: 54.53 ng/ml




#17 4,4'-DDT

R.T.: 6.181 min
Delta R.T.: -0.003 min
Response: 494475409
Conc: 49.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
5/24/2019 10:02:13 AM




#17 4,4'-DDT

R.T.: 7.054 min
Delta R.T.: -0.003 min
Response: 115300391
Conc: 49.13 ng/ml




#18 Endrin aldehyde

R.T.: 6.254 min
Delta R.T.: -0.002 min
Response: 497492536
Conc: 51.19 ng/ml



#18 Endrin aldehyde

R.T.: 6.965 min
Delta R.T.: -0.003 min
Response: 119352728
Conc: 50.93 ng/ml




#19 Endosulfan Sulfate

R.T.: 6.465 min
Delta R.T.: -0.003 min
Response: 537064582
Conc: 50.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
5/24/2019 10:02:13 AM




#19 Endosulfan Sulfate

R.T.: 7.188 min
Delta R.T.: -0.002 min
Response: 131249398
Conc: 50.71 ng/ml




#20 Methoxychlor

R.T.: 6.726 min
Delta R.T.: -0.003 min
Response: 250668818
Conc: 46.04 ng/ml



#20 Methoxychlor

R.T.: 7.514 min
Delta R.T.: -0.002 min
Response: 66092274
Conc: 48.41 ng/ml




#21 Endrin ketone

R.T.: 6.946 min
Delta R.T.: -0.003 min
Response: 616471666
Conc: 52.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
5/24/2019 10:02:13 AM




#21 Endrin ketone

R.T.: 7.656 min
Delta R.T.: -0.003 min
Response: 143262510
Conc: 54.83 ng/ml




#22 Mirex

R.T.: 7.121 min
Delta R.T.: -0.003 min
Response: 421624321
Conc: 47.04 ng/ml



#22 Mirex

R.T.: 8.106 min
Delta R.T.: -0.003 min
Response: 108627613
Conc: 51.51 ng/ml




#28 Decachlorobiphenyl

R.T.: 7.993 min
Delta R.T.: -0.003 min
Response: 531397902
Conc: 52.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Manual Integrations
APPROVED

Ankita
5/24/2019 10:02:13 AM



#28 Decachlorobiphenyl

R.T.: 8.972 min
Delta R.T.: -0.003 min
Response: 143982808
Conc: 54.25 ng/ml