

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL053019\
 Data File : PL049084.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 30 May 2019 11:51
 Operator : SM\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 30 12:09:22 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL053019.M
 Quant Title : GC Extractables
 QLast Update : Thu May 30 12:09:00 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.324	3.936	554.0E6	143.4E6	50.000	50.000
28)	SA Decachlor...	7.992	8.972	619.4E6	161.6E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.752	4.325	917.6E6	204.7E6	50.000	50.000
3)	MA gamma-BHC...	4.028	4.608	859.2E6	190.1E6	50.000	50.000
4)	MA Heptachlor	4.312	5.111	908.5E6	200.1E6	50.000	50.000
5)	MB Aldrin	4.551	5.414	877.1E6	185.3E6	50.000	50.000
6)	B beta-BHC	4.282	4.783	348.8E6	84803340	50.000	50.000
7)	B delta-BHC	4.475	4.997	833.2E6	158.7E6	50.000	50.000
8)	B Heptachlo...	4.988	5.801	782.7E6	164.3E6	50.000	50.000
9)	A Endosulfan I	5.319	6.156	736.2E6	159.5E6	50.000	50.000
10)	B gamma-Chl...	5.211	6.035	809.7E6	172.4E6	50.000	50.000
11)	B alpha-Chl...	5.267	6.107	785.5E6	172.5E6	50.000	50.000
12)	B 4,4'-DDE	5.435	6.267	794.4E6	164.9E6	50.000	50.000
13)	MA Dieldrin	5.558	6.413	788.0E6	167.9E6	50.000	50.000
14)	MA Endrin	5.811	6.630	729.3E6	149.6E6	50.000	50.000
15)	B Endosulfa...	6.085	6.841	662.0E6	147.2E6	50.000	50.000
16)	A 4,4'-DDD	5.945	6.756	610.7E6	131.5E6	50.000	50.000
17)	MA 4,4'-DDT	6.180	7.054	641.8E6	140.3E6	50.000	50.000
18)	B Endrin al...	6.252	6.965	547.4E6	126.6E6	50.000	50.000
19)	B Endosulfa...	6.464	7.188	652.3E6	149.7E6	50.000	50.000
20)	A Methoxychlor	6.725	7.514	326.0E6	81746017	50.000	50.000
21)	B Endrin ke...	6.946	7.657	705.3E6	156.0E6	50.000	50.000
22)	Mirex	7.120	8.107	517.9E6	124.9E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL053019\
Data File : PL049084.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 May 2019 11:51
Operator : SM\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 12:09:22 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL053019.M
Quant Title : GC Extractables
QLast Update : Thu May 30 12:09:00 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.324 min
Delta R.T.: 0.000 min
Response: 553958539
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#1 Tetrachloro-m-xylene

R.T.: 3.936 min
Delta R.T.: 0.000 min
Response: 143408194
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.752 min
Delta R.T.: 0.000 min
Response: 917622817
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.325 min
Delta R.T.: 0.000 min
Response: 204734061
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.028 min
Delta R.T.: 0.000 min
Response: 859167464
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#3 gamma-BHC (Lindane)

R.T.: 4.608 min
Delta R.T.: 0.000 min
Response: 190141768
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.312 min
Delta R.T.: 0.000 min
Response: 908546828
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.111 min
Delta R.T.: 0.000 min
Response: 200085508
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.551 min
Delta R.T.: 0.000 min
Response: 877097707
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#5 Aldrin

R.T.: 5.414 min
Delta R.T.: 0.000 min
Response: 185270274
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.282 min
Delta R.T.: 0.000 min
Response: 348826212
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.783 min
Delta R.T.: 0.000 min
Response: 84803340
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.475 min
Delta R.T.: 0.000 min
Response: 833209211
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#7 delta-BHC

R.T.: 4.997 min
Delta R.T.: 0.000 min
Response: 158654091
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 4.988 min
Delta R.T.: 0.000 min
Response: 782673561
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 5.801 min
Delta R.T.: 0.000 min
Response: 164258816
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.319 min
Delta R.T.: 0.000 min
Response: 736204064
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#9 Endosulfan I

R.T.: 6.156 min
Delta R.T.: 0.000 min
Response: 159540306
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.211 min
Delta R.T.: 0.000 min
Response: 809744796
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.035 min
Delta R.T.: 0.000 min
Response: 172429700
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.267 min
Delta R.T.: 0.000 min
Response: 785452912
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#11 alpha-Chlordane

R.T.: 6.107 min
Delta R.T.: 0.000 min
Response: 172466138
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.435 min
Delta R.T.: 0.000 min
Response: 794365816
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.267 min
Delta R.T.: 0.000 min
Response: 164868527
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 5.558 min
Delta R.T.: 0.000 min
Response: 787981188
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#13 Dieldrin

R.T.: 6.413 min
Delta R.T.: 0.000 min
Response: 167888172
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 5.811 min
Delta R.T.: 0.000 min
Response: 729281586
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.630 min
Delta R.T.: 0.000 min
Response: 149614492
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.085 min
Delta R.T.: 0.000 min
Response: 662016603
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#15 Endosulfan II

R.T.: 6.841 min
Delta R.T.: 0.000 min
Response: 147151266
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 5.945 min
Delta R.T.: 0.000 min
Response: 610732730
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.756 min
Delta R.T.: 0.000 min
Response: 131509283
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.180 min
Delta R.T.: 0.000 min
Response: 641782250
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#17 4,4'-DDT

R.T.: 7.054 min
Delta R.T.: 0.000 min
Response: 140292006
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.252 min
Delta R.T.: 0.000 min
Response: 547434082
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.965 min
Delta R.T.: 0.000 min
Response: 126554660
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.464 min
Delta R.T.: 0.000 min
Response: 652268418
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#19 Endosulfan Sulfate

R.T.: 7.188 min
Delta R.T.: 0.000 min
Response: 149696716
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 6.725 min
Delta R.T.: 0.000 min
Response: 326035097
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.514 min
Delta R.T.: 0.000 min
Response: 81746017
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 6.946 min
Delta R.T.: 0.000 min
Response: 705312524
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#21 Endrin ketone

R.T.: 7.657 min
Delta R.T.: 0.000 min
Response: 156039699
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 7.120 min
Delta R.T.: 0.000 min
Response: 517893100
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 8.107 min
Delta R.T.: 0.000 min
Response: 124886028
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.992 min
Delta R.T.: 0.000 min
Response: 619440721
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050



#28 Decachlorobiphenyl

R.T.: 8.972 min
Delta R.T.: 0.000 min
Response: 161647915
Conc: 50.00 ng/ml