

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL053019\
 Data File : PL049086.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 30 May 2019 12:21
 Operator : SM\AJ
 Sample : PSTDICC005
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC005

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 30 12:32:04 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL053019.M
 Quant Title : GC Extractables
 QLast Update : Thu May 30 12:19:36 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.325	3.937	56620157	15089718	5.174	5.282
28)	SA Decachlor...	7.995	8.974	73142839	19601692	5.977	6.136
Target Compounds							
2)	A alpha-BHC	3.754	4.325	88054292	18187929	4.860	4.435
3)	MA gamma-BHC...	4.030	4.608	84229745	17574003	4.962	4.624
4)	MA Heptachlor	4.314	5.112	85224617	20774507	4.768	5.214
5)	MB Aldrin	4.553	5.415	80911600	17855437	4.678	4.818
6)	B beta-BHC	4.283	4.784	35498387	10449455	5.137	6.121
7)	B delta-BHC	4.477	4.997	74540783	12625934	4.525	3.993
8)	B Heptachlo...	4.990	5.801	69355562	16997510	4.602	5.252
9)	A Endosulfan I	5.320	6.157	74105609	17018923	5.080	5.360
10)	B gamma-Chl...	5.212	6.035	78659777	17686970	4.909	5.142
11)	B alpha-Chl...	5.269	6.107	79607962	18126491	5.120	5.285
12)	B 4,4'-DDE	5.436	6.267	78116116	15996812	4.993	4.842
13)	MA Dieldrin	5.560	6.413	70590532	16712575	4.530	4.979
14)	MA Endrin	5.812	6.630	74105055	14881530	5.174	4.983
15)	B Endosulfa...	6.087	6.841	67964884	17074528	5.185	5.812
16)	A 4,4'-DDD	5.947	6.757	56513307	13091257	4.690	4.971
17)	MA 4,4'-DDT	6.182	7.055	54919380	13976794	4.343	4.982
18)	B Endrin al...	6.254	6.966	57413030	14184451	5.311	5.640
19)	B Endosulfa...	6.466	7.189	67031656	16458208	5.205	5.526
20)	A Methoxychlor	6.728	7.515	32240230	9096269	5.034	5.624
21)	B Endrin ke...	6.947	7.657	78702135	17412874	5.681	5.607
22)	Mirex	7.123	8.107	59216036	15633877	5.800	6.342



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL053019\
Data File : PL049086.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 May 2019 12:21
Operator : SM\AJ
Sample : PSTDICC005
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PSTDICC005

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 12:32:04 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL053019.M
Quant Title : GC Extractables
QLast Update : Thu May 30 12:19:36 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.325 min
Delta R.T.: 0.002 min
Response: 56620157
Conc: 5.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC005




#1 Tetrachloro-m-xylene

R.T.: 3.937 min
Delta R.T.: 0.000 min
Response: 15089718
Conc: 5.28 ng/ml




#2 alpha-BHC

R.T.: 3.754 min
Delta R.T.: 0.002 min
Response: 88054292
Conc: 4.86 ng/ml



#2 alpha-BHC


R.T.: 4.325 min
Delta R.T.: 0.000 min
Response: 18187929
Conc: 4.44 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.030 min
Delta R.T.: 0.002 min
Response: 84229745
Conc: 4.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC005




#3 gamma-BHC (Lindane)

R.T.: 4.608 min
Delta R.T.: 0.000 min
Response: 17574003
Conc: 4.62 ng/ml




#4 Heptachlor

R.T.: 4.314 min
Delta R.T.: 0.002 min
Response: 85224617
Conc: 4.77 ng/ml



#4 Heptachlor


R.T.: 5.112 min
Delta R.T.: 0.000 min
Response: 20774507
Conc: 5.21 ng/ml



#5 Aldrin


R.T.: 4.553 min
Delta R.T.: 0.002 min
Response: 80911600
Conc: 4.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC005




#5 Aldrin

R.T.: 5.415 min
Delta R.T.: 0.000 min
Response: 17855437
Conc: 4.82 ng/ml




#6 beta-BHC

R.T.: 4.283 min
Delta R.T.: 0.002 min
Response: 35498387
Conc: 5.14 ng/ml



#6 beta-BHC


R.T.: 4.784 min
Delta R.T.: 0.000 min
Response: 10449455
Conc: 6.12 ng/ml



#7 delta-BHC


R.T.: 4.477 min
Delta R.T.: 0.002 min
Response: 74540783
Conc: 4.52 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC005




#7 delta-BHC

R.T.: 4.997 min
Delta R.T.: 0.000 min
Response: 12625934
Conc: 3.99 ng/ml




#8 Heptachlor epoxide

R.T.: 4.990 min
Delta R.T.: 0.002 min
Response: 69355562
Conc: 4.60 ng/ml



#8 Heptachlor epoxide


R.T.: 5.801 min
Delta R.T.: 0.000 min
Response: 16997510
Conc: 5.25 ng/ml



#9 Endosulfan I


R.T.: 5.320 min
Delta R.T.: 0.002 min
Response: 74105609
Conc: 5.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC005




#9 Endosulfan I

R.T.: 6.157 min
Delta R.T.: 0.000 min
Response: 17018923
Conc: 5.36 ng/ml




#10 gamma-Chlordane

R.T.: 5.212 min
Delta R.T.: 0.002 min
Response: 78659777
Conc: 4.91 ng/ml



#10 gamma-Chlordane


R.T.: 6.035 min
Delta R.T.: 0.000 min
Response: 17686970
Conc: 5.14 ng/ml



#11 alpha-Chlordane


R.T.: 5.269 min
Delta R.T.: 0.002 min
Response: 79607962
Conc: 5.12 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC005




#11 alpha-Chlordane

R.T.: 6.107 min
Delta R.T.: 0.000 min
Response: 18126491
Conc: 5.28 ng/ml




#12 4,4'-DDE

R.T.: 5.436 min
Delta R.T.: 0.002 min
Response: 78116116
Conc: 4.99 ng/ml



#12 4,4'-DDE


R.T.: 6.267 min
Delta R.T.: 0.000 min
Response: 15996812
Conc: 4.84 ng/ml



#13 Dieldrin


R.T.: 5.560 min
Delta R.T.: 0.002 min
Response: 70590532
Conc: 4.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC005




#13 Dieldrin

R.T.: 6.413 min
Delta R.T.: 0.000 min
Response: 16712575
Conc: 4.98 ng/ml




#14 Endrin

R.T.: 5.812 min
Delta R.T.: 0.001 min
Response: 74105055
Conc: 5.17 ng/ml



#14 Endrin


R.T.: 6.630 min
Delta R.T.: 0.000 min
Response: 14881530
Conc: 4.98 ng/ml



#15 Endosulfan II


R.T.: 6.087 min
Delta R.T.: 0.002 min
Response: 67964884
Conc: 5.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC005




#15 Endosulfan II

R.T.: 6.841 min
Delta R.T.: 0.000 min
Response: 17074528
Conc: 5.81 ng/ml




#16 4,4'-DDD

R.T.: 5.947 min
Delta R.T.: 0.002 min
Response: 56513307
Conc: 4.69 ng/ml



#16 4,4'-DDD


R.T.: 6.757 min
Delta R.T.: 0.001 min
Response: 13091257
Conc: 4.97 ng/ml



#17 4,4'-DDT


R.T.: 6.182 min
Delta R.T.: 0.002 min
Response: 54919380
Conc: 4.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC005




#17 4,4'-DDT

R.T.: 7.055 min
Delta R.T.: 0.000 min
Response: 13976794
Conc: 4.98 ng/ml




#18 Endrin aldehyde

R.T.: 6.254 min
Delta R.T.: 0.002 min
Response: 57413030
Conc: 5.31 ng/ml



#18 Endrin aldehyde


R.T.: 6.966 min
Delta R.T.: 0.000 min
Response: 14184451
Conc: 5.64 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.466 min
Delta R.T.: 0.003 min
Response: 67031656
Conc: 5.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC005




#19 Endosulfan Sulfate

R.T.: 7.189 min
Delta R.T.: 0.000 min
Response: 16458208
Conc: 5.53 ng/ml




#20 Methoxychlor

R.T.: 6.728 min
Delta R.T.: 0.003 min
Response: 32240230
Conc: 5.03 ng/ml



#20 Methoxychlor


R.T.: 7.515 min
Delta R.T.: 0.001 min
Response: 9096269
Conc: 5.62 ng/ml



#21 Endrin ketone


R.T.: 6.947 min
Delta R.T.: 0.002 min
Response: 78702135
Conc: 5.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC005




#21 Endrin ketone

R.T.: 7.657 min
Delta R.T.: 0.000 min
Response: 17412874
Conc: 5.61 ng/ml




#22 Mirex

R.T.: 7.123 min
Delta R.T.: 0.002 min
Response: 59216036
Conc: 5.80 ng/ml



#22 Mirex

R.T.: 8.107 min
Delta R.T.: 0.000 min
Response: 15633877
Conc: 6.34 ng/ml



#28 Decachlorobiphenyl


R.T.: 7.995 min

Delta R.T.: 0.002 min

Response: 73142839

Conc: 5.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC005



#28 Decachlorobiphenyl

R.T.: 8.974 min

Delta R.T.: 0.002 min

Response: 19601692

Conc: 6.14 ng/ml