

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL053122\
 Data File : PL075294.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 31 May 2022 18:25
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 01 07:41:14 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL052822.M
 Quant Title : GC Extractables
 QLast Update : Tue May 31 02:52:42 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	5.640	4.639	12998396	35294817	22.116	22.280
28)	SA Decachlor...	11.638	10.387	12228182	28398264	22.806	20.694
Target Compounds							
2)	A alpha-BHC	6.224	5.340	8139788	22472629	9.863	10.383
3)	MA gamma-BHC...	6.622	5.761	7945932	21954865	10.152	10.454
4)	MA Heptachlor	7.308f	0.000	275143	0	0.344	N.D. #
5)	MB Aldrin	0.000	6.519f	0	198528	N.D.	0.103 #
6)	B beta-BHC	6.874	6.139	3985565	11136280	10.705	11.474
7)	B delta-BHC	0.000	6.400	0	316664	N.D.	0.148 #
8)	B Heptachlo...	8.123	0.000	7704431	0	11.285	N.D. #
10)	B gamma-Chl...	0.000	7.360	0	74180	N.D.	0.040 #
12)	B 4,4'-DDE	0.000	7.626	0	341286	N.D.	0.210 #
13)	MA Dieldrin	0.000	7.763	0	4785714	N.D.	2.758 #
14)	MA Endrin	9.061	8.047	29133099	80094470	54.861	51.452
15)	B Endosulfa...	9.304	8.381f	395881	334280	0.701	0.212 #
16)	A 4,4'-DDD	9.201	8.210	1729041	4105958	3.496	3.072
17)	MA 4,4'-DDT	9.520	8.471	55830680	144.5E6	95.851	101.064
18)	B Endrin al...	9.430	8.547	269637	657062	0.614	0.545
19)	B Endosulfa...	0.000	8.772	0	266160	N.D.	0.178 #
20)	A Methoxychlor	10.006	9.064	76372753	188.8E6	249.352	232.505
21)	B Endrin ke...	10.171	9.291	1423099	-2328135	2.318	N.D. #
25)	Chlordane-3	0.000	7.360	0	74180	N.D.	0.407 #
27)	Chlordane-5	0.000	8.126	0	130135	N.D.	2.526 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL053122\
Data File : PL075294.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 31 May 2022 18:25
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 01 07:41:14 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL052822.M
Quant Title : GC Extractables
QLast Update : Tue May 31 02:52:42 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 5.640 min
Delta R.T.: 0.000 min
Response: 12998396
Conc: 22.12 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 4.639 min
Delta R.T.: -0.003 min
Response: 35294817
Conc: 22.28 ng/ml




#2 alpha-BHC

R.T.: 6.224 min
Delta R.T.: -0.002 min
Response: 8139788
Conc: 9.86 ng/ml



#2 alpha-BHC


R.T.: 5.340 min
Delta R.T.: -0.004 min
Response: 22472629
Conc: 10.38 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 6.622 min
Delta R.T.: -0.001 min
Response: 7945932
Conc: 10.15 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 5.761 min
Delta R.T.: -0.003 min
Response: 21954865
Conc: 10.45 ng/ml




#4 Heptachlor

R.T.: 7.308 min
Delta R.T.: 0.029 min
Response: 275143
Conc: 0.34 ng/ml



#4 Heptachlor


R.T.: 0.000 min
Exp R.T. : 6.174 min
Response: 0
Conc: N.D.



#5 Aldrin


R.T.: 0.000 min
Exp R.T.: 7.654 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 6.519 min
Delta R.T.: 0.021 min
Response: 198528
Conc: 0.10 ng/ml




#6 beta-BHC

R.T.: 6.874 min
Delta R.T.: 0.000 min
Response: 3985565
Conc: 10.71 ng/ml



#6 beta-BHC


R.T.: 6.139 min
Delta R.T.: -0.003 min
Response: 11136280
Conc: 11.47 ng/ml



#7 delta-BHC


R.T.: 0.000 min
Exp R.T.: 7.146 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 6.400 min
Delta R.T.: -0.003 min
Response: 316664
Conc: 0.15 ng/ml




#8 Heptachlor epoxide

R.T.: 8.123 min
Delta R.T.: 0.001 min
Response: 7704431
Conc: 11.29 ng/ml



#8 Heptachlor epoxide


R.T.: 0.000 min
Exp R.T.: 7.072 min
Response: 0
Conc: N.D.



#10 gamma-Chlordane


R.T.: 0.000 min
Exp R.T.: 8.392 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#10 gamma-Chlordane

R.T.: 7.360 min
Delta R.T.: 0.011 min
Response: 74180
Conc: 0.04 ng/ml




#12 4,4'-DDE

R.T.: 0.000 min
Exp R.T.: 8.660 min
Response: 0
Conc: N.D.



#12 4,4'-DDE


R.T.: 7.626 min
Delta R.T.: -0.004 min
Response: 341286
Conc: 0.21 ng/ml



#13 Dieldrin


R.T.: 0.000 min
Exp R.T.: 8.821 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 7.763 min
Delta R.T.: 0.003 min
Response: 4785714
Conc: 2.76 ng/ml




#14 Endrin

R.T.: 9.061 min
Delta R.T.: -0.002 min
Response: 29133099
Conc: 54.86 ng/ml



#14 Endrin


R.T.: 8.047 min
Delta R.T.: -0.004 min
Response: 80094470
Conc: 51.45 ng/ml



#15 Endosulfan II


R.T.: 9.304 min
Delta R.T.: 0.008 min
Response: 395881
Conc: 0.70 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 8.381 min
Delta R.T.: 0.020 min
Response: 334280
Conc: 0.21 ng/ml




#16 4,4'-DDD

R.T.: 9.201 min
Delta R.T.: 0.000 min
Response: 1729041
Conc: 3.50 ng/ml



#16 4,4'-DDD


R.T.: 8.210 min
Delta R.T.: -0.004 min
Response: 4105958
Conc: 3.07 ng/ml



#17 4,4'-DDT


R.T.: 9.520 min
Delta R.T.: -0.001 min
Response: 55830680
Conc: 95.85 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 8.471 min
Delta R.T.: -0.005 min
Response: 144535641
Conc: 101.06 ng/ml




#18 Endrin aldehyde

R.T.: 9.430 min
Delta R.T.: -0.001 min
Response: 269637
Conc: 0.61 ng/ml



#18 Endrin aldehyde


R.T.: 8.547 min
Delta R.T.: -0.001 min
Response: 657062
Conc: 0.55 ng/ml



#19 Endosulfan Sulfate


R.T.: 0.000 min
Exp R.T.: 9.669 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 8.772 min
Delta R.T.: -0.007 min
Response: 266160
Conc: 0.18 ng/ml




#20 Methoxychlor

R.T.: 10.006 min
Delta R.T.: -0.002 min
Response: 76372753
Conc: 249.35 ng/ml



#20 Methoxychlor


R.T.: 9.064 min
Delta R.T.: -0.004 min
Response: 188806274
Conc: 232.51 ng/ml



#21 Endrin ketone


R.T.: 10.171 min
Delta R.T.: 0.000 min
Response: 1423099
Conc: 2.32 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 9.291 min
Delta R.T.: -0.007 min
Response: -2328135
Conc: N.D.




#25 Chlordane-3

R.T.: 0.000 min
Exp R.T. : 8.392 min
Response: 0
Conc: N.D.



#25 Chlordane-3


R.T.: 7.360 min
Delta R.T.: 0.013 min
Response: 74180
Conc: 0.41 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 9.369 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#27 Chlordane-5

R.T.: 8.126 min
Delta R.T.: -0.002 min
Response: 130135
Conc: 2.53 ng/ml



#28 Decachlorobiphenyl

R.T.: 11.638 min
Delta R.T.: -0.003 min
Response: 12228182
Conc: 22.81 ng/ml



#28 Decachlorobiphenyl

R.T.: 10.387 min
Delta R.T.: -0.005 min
Response: 28398264
Conc: 20.69 ng/ml