

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL060223\
 Data File : PL083186.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 Jun 2023 16:43
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 03 05:41:51 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL051923.M
 Quant Title : GC Extractables
 QLast Update : Sat May 20 04:58:53 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.316	2.632	141.5E6	131.8E6	48.137	50.759
2)	SA Decachlor...	8.732	7.737	106.8E6	128.3E6	50.935	51.614
Target Compounds							
2)	A alpha-BHC	3.765	3.129	220.8E6	192.7E6	49.734	51.629
3)	MA gamma-BHC...	4.094	3.455	205.2E6	175.5E6	49.525	52.648
4)	MA Heptachlor	4.671	3.786	193.4E6	188.0E6	50.603	51.345
5)	MB Aldrin	5.008	4.062	179.7E6	174.6E6	51.086	53.671
6)	B beta-BHC	4.298	3.756	88412575	72886005	46.960	50.966
7)	B delta-BHC	4.538	3.981	191.4E6	173.1E6	55.658	52.822
8)	B Heptachlo...	5.434	4.563	162.7E6	152.7E6	50.866	51.453
9)	A Endosulfan I	5.814	4.930	156.5E6	136.5E6	52.156	48.842
10)	B gamma-Chl...	5.688	4.812	175.9E6	154.8E6	55.371	51.545
11)	B alpha-Chl...	5.766	4.875	166.7E6	154.7E6	51.935	51.549
12)	B 4,4'-DDE	5.945	5.065	141.4E6	132.6E6	51.305	54.593
13)	MA Dieldrin	6.089	5.194	155.1E6	144.8E6	51.565	51.291
14)	MA Endrin	6.316	5.468	135.4E6	130.7E6	50.386	51.537
15)	B Endosulfa...	6.539	5.765	129.4E6	121.9E6	48.847	49.270
16)	A 4,4'-DDD	6.460	5.620	113.8E6	100.4E6	52.386	52.208
17)	MA 4,4'-DDT	6.771	5.868	126.3E6	113.0E6	50.444	50.671
18)	B Endrin al...	6.668	5.945	100.7E6	98447428	50.097	49.785
19)	B Endosulfa...	6.903	6.168	129.8E6	124.2E6	50.613	50.703
20)	A Methoxychlor	7.253	6.447	67736294	64187078	51.223	50.472
21)	B Endrin ke...	7.382	6.672	130.9E6	135.8E6	51.319	50.237
22)	Mirex	7.846	6.842	102.6E6	117.5E6	48.964	50.233
24)	Chlordane-2	5.008f	4.207	179.7E6	14897870	1631.537	167.337 #
25)	Chlordane-3	5.688	4.812	175.9E6	154.8E6	423.980	580.892 #
26)	Chlordane-4	5.766	4.875	166.7E6	154.7E6	329.153	549.241 #
27)	Chlordane-5	0.000	5.765	0	121.9E6	N.D.	1254.848 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL060223\
Data File : PL083186.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 Jun 2023 16:43
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 03 05:41:51 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL051923.M
Quant Title : GC Extractables
QLast Update : Sat May 20 04:58:53 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.316 min
Delta R.T.: -0.007 min
Response: 141476912
Conc: 48.14 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.632 min
Delta R.T.: -0.007 min
Response: 131774676
Conc: 50.76 ng/ml




#2 alpha-BHC

R.T.: 3.765 min
Delta R.T.: -0.007 min
Response: 220780760
Conc: 49.73 ng/ml



#2 alpha-BHC


R.T.: 3.129 min
Delta R.T.: -0.006 min
Response: 192650649
Conc: 51.63 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.094 min
Delta R.T.: -0.005 min
Response: 205177541
Conc: 49.52 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.455 min
Delta R.T.: -0.007 min
Response: 175491357
Conc: 52.65 ng/ml




#4 Heptachlor

R.T.: 4.671 min
Delta R.T.: -0.007 min
Response: 193428777
Conc: 50.60 ng/ml



#4 Heptachlor


R.T.: 3.786 min
Delta R.T.: -0.007 min
Response: 187979055
Conc: 51.35 ng/ml



#5 Aldrin


R.T.: 5.008 min
Delta R.T.: -0.006 min
Response: 179727091
Conc: 51.09 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.062 min
Delta R.T.: -0.008 min
Response: 174624347
Conc: 53.67 ng/ml




#6 beta-BHC

R.T.: 4.298 min
Delta R.T.: -0.005 min
Response: 88412575
Conc: 46.96 ng/ml



#6 beta-BHC


R.T.: 3.756 min
Delta R.T.: -0.006 min
Response: 72886005
Conc: 50.97 ng/ml



#7 delta-BHC


R.T.: 4.538 min
Delta R.T.: -0.006 min
Response: 191404124
Conc: 55.66 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 3.981 min
Delta R.T.: -0.007 min
Response: 173069242
Conc: 52.82 ng/ml




#8 Heptachlor epoxide

R.T.: 5.434 min
Delta R.T.: -0.005 min
Response: 162707112
Conc: 50.87 ng/ml



#8 Heptachlor epoxide


R.T.: 4.563 min
Delta R.T.: -0.007 min
Response: 152705815
Conc: 51.45 ng/ml



#9 Endosulfan I


R.T.: 5.814 min
Delta R.T.: -0.006 min
Response: 156497737
Conc: 52.16 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 4.930 min
Delta R.T.: -0.007 min
Response: 136484078
Conc: 48.84 ng/ml




#10 gamma-Chlordane

R.T.: 5.688 min
Delta R.T.: -0.006 min
Response: 175910771
Conc: 55.37 ng/ml



#10 gamma-Chlordane


R.T.: 4.812 min
Delta R.T.: -0.007 min
Response: 154810423
Conc: 51.55 ng/ml



#11 alpha-Chlordane


R.T.: 5.766 min
Delta R.T.: -0.006 min
Response: 166675770
Conc: 51.94 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 4.875 min
Delta R.T.: -0.007 min
Response: 154749354
Conc: 51.55 ng/ml




#12 4,4'-DDE

R.T.: 5.945 min
Delta R.T.: -0.006 min
Response: 141421547
Conc: 51.30 ng/ml



#12 4,4'-DDE


R.T.: 5.065 min
Delta R.T.: -0.007 min
Response: 132592097
Conc: 54.59 ng/ml



#13 Dieldrin


R.T.: 6.089 min
Delta R.T.: -0.006 min
Response: 155100736
Conc: 51.57 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.194 min
Delta R.T.: -0.007 min
Response: 144791367
Conc: 51.29 ng/ml




#14 Endrin

R.T.: 6.316 min
Delta R.T.: -0.005 min
Response: 135400192
Conc: 50.39 ng/ml



#14 Endrin


R.T.: 5.468 min
Delta R.T.: -0.007 min
Response: 130746324
Conc: 51.54 ng/ml



#15 Endosulfan II


R.T.: 6.539 min
Delta R.T.: -0.004 min
Response: 129430102
Conc: 48.85 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 5.765 min
Delta R.T.: -0.006 min
Response: 121903788
Conc: 49.27 ng/ml




#16 4,4'-DDD

R.T.: 6.460 min
Delta R.T.: -0.007 min
Response: 113837719
Conc: 52.39 ng/ml



#16 4,4'-DDD


R.T.: 5.620 min
Delta R.T.: -0.006 min
Response: 100408967
Conc: 52.21 ng/ml



#17 4,4'-DDT


R.T.: 6.771 min
Delta R.T.: -0.007 min
Response: 126269577
Conc: 50.44 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 5.868 min
Delta R.T.: -0.007 min
Response: 113049447
Conc: 50.67 ng/ml




#18 Endrin aldehyde

R.T.: 6.668 min
Delta R.T.: -0.006 min
Response: 100727994
Conc: 50.10 ng/ml



#18 Endrin aldehyde


R.T.: 5.945 min
Delta R.T.: -0.007 min
Response: 98447428
Conc: 49.78 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.903 min
Delta R.T.: -0.005 min
Response: 129758026
Conc: 50.61 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.168 min
Delta R.T.: -0.006 min
Response: 124171312
Conc: 50.70 ng/ml




#20 Methoxychlor

R.T.: 7.253 min
Delta R.T.: -0.005 min
Response: 67736294
Conc: 51.22 ng/ml



#20 Methoxychlor


R.T.: 6.447 min
Delta R.T.: -0.007 min
Response: 64187078
Conc: 50.47 ng/ml



#21 Endrin ketone


R.T.: 7.382 min
Delta R.T.: -0.005 min
Response: 130904648
Conc: 51.32 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.672 min
Delta R.T.: -0.006 min
Response: 135834102
Conc: 50.24 ng/ml




#22 Mirex

R.T.: 7.846 min
Delta R.T.: -0.005 min
Response: 102631018
Conc: 48.96 ng/ml



#22 Mirex


R.T.: 6.842 min
Delta R.T.: -0.007 min
Response: 117535694
Conc: 50.23 ng/ml



#24 Chlordane-2


R.T.: 5.008 min
Delta R.T.: 0.022 min
Response: 179727091
Conc: 1631.54 ng/ml

Instrument :
ECD_L
ClientSampleId :




#24 Chlordane-2

R.T.: 4.207 min
Delta R.T.: 0.014 min
Response: 14897870
Conc: 167.34 ng/ml




#25 Chlordane-3

R.T.: 5.688 min
Delta R.T.: -0.001 min
Response: 175910771
Conc: 423.98 ng/ml



#25 Chlordane-3


R.T.: 4.812 min
Delta R.T.: -0.008 min
Response: 154810423
Conc: 580.89 ng/ml



#26 Chlordane-4


R.T.: 5.766 min
Delta R.T.: -0.004 min
Response: 166675770
Conc: 329.15 ng/ml

Instrument :
ECD_L
ClientSampleId :




#26 Chlordane-4

R.T.: 4.875 min
Delta R.T.: -0.005 min
Response: 154749354
Conc: 549.24 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.612 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.765 min
Delta R.T.: -0.006 min
Response: 121903788
Conc: 1254.85 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.732 min
Delta R.T.: -0.006 min
Response: 106828141
Conc: 50.94 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 7.737 min
Delta R.T.: -0.007 min
Response: 128340991
Conc: 51.61 ng/ml