

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL060225\
 Data File : PL095836.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 Jun 2025 10:41
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050


Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 02 21:51:59 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL052125.M
 Quant Title : GC Extractables
 QLast Update : Thu May 22 06:29:30 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.572	2.884	158.2E6	197.2E6	50.133	50.388
28)	SA Decachlor...	9.099	8.060	111.8E6	204.1E6	47.451	46.662
Target Compounds							
2)	A alpha-BHC	4.024	3.394	244.3E6	303.5E6	50.385	51.809
3)	MA gamma-BHC...	4.356	3.728	224.4E6	288.2E6	50.183	51.459
4)	MA Heptachlor	4.953	4.080	186.7E6	284.6E6	49.324	50.740
5)	MB Aldrin	5.296	4.365	218.3E6	274.2E6	51.026	51.664
6)	B beta-BHC	4.543	4.023	97508366	126.6E6	49.462	51.118
7)	B delta-BHC	4.791	4.258	221.0E6	288.3E6	49.849	51.050
8)	B Heptachlo...	5.717	4.867	193.1E6	252.1E6	50.580	51.067
9)	A Endosulfan I	6.101	5.240	184.3E6	242.3E6	50.281	50.856
10)	B gamma-Chl...	5.972	5.120	195.6E6	267.4E6	50.250	50.916
11)	B alpha-Chl...	6.053	5.184	198.6E6	263.9E6	50.303	50.717
12)	B 4,4'-DDE	6.223	5.371	184.5E6	269.1E6	50.293	50.185
13)	MA Dieldrin	6.374	5.504	195.9E6	267.2E6	50.758	50.422
14)	MA Endrin	6.601	5.779	158.5E6	259.0E6	49.105	53.110
15)	B Endosulfa...	6.814	6.070	157.1E6	237.9E6	45.583	50.061
16)	A 4,4'-DDD	6.733	5.923	144.2E6	222.9E6	49.198	50.837
17)	MA 4,4'-DDT	7.049	6.176	135.1E6	236.3E6	49.956	49.418
18)	B Endrin al...	6.943	6.248	119.4E6	173.2E6	49.408	50.133
19)	B Endosulfa...	7.177	6.471	147.3E6	222.2E6	49.307	49.425
20)	A Methoxychlor	7.522	6.747	64807271	123.0E6	50.816	46.998
21)	B Endrin ke...	7.658	6.976	154.8E6	253.1E6	48.882	48.912
22)	Mirex	8.139	7.170	114.9E6	197.5E6	49.647	48.639
24)	Chlordane-2	5.296f	0.000	218.3E6	0	1135.835	N.D. #
25)	Chlordane-3	5.972	5.120	195.6E6	267.4E6	264.641	405.894 #
26)	Chlordane-4	6.053	5.184	198.6E6	263.9E6	220.969	462.190 #
27)	Chlordane-5	0.000	6.070	0	237.9E6	N.D.	933.110 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.



#1 Tetrachloro-m-xylene


R.T.: 3.572 min
Delta R.T.: -0.005 min
Response: 158181848
Conc: 50.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.884 min
Delta R.T.: 0.000 min
Response: 197214933
Conc: 50.39 ng/ml




#2 alpha-BHC

R.T.: 4.024 min
Delta R.T.: -0.005 min
Response: 244262752
Conc: 50.38 ng/ml



#2 alpha-BHC


R.T.: 3.394 min
Delta R.T.: 0.000 min
Response: 303462923
Conc: 51.81 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.356 min
Delta R.T.: -0.005 min
Response: 224410449
Conc: 50.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.728 min
Delta R.T.: 0.000 min
Response: 288231752
Conc: 51.46 ng/ml




#4 Heptachlor

R.T.: 4.953 min
Delta R.T.: -0.005 min
Response: 186693649
Conc: 49.32 ng/ml



#4 Heptachlor


R.T.: 4.080 min
Delta R.T.: -0.001 min
Response: 284604926
Conc: 50.74 ng/ml



#5 Aldrin


R.T.: 5.296 min
Delta R.T.: -0.006 min
Response: 218276232
Conc: 51.03 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.365 min
Delta R.T.: -0.001 min
Response: 274183739
Conc: 51.66 ng/ml




#6 beta-BHC

R.T.: 4.543 min
Delta R.T.: -0.006 min
Response: 97508366
Conc: 49.46 ng/ml



#6 beta-BHC


R.T.: 4.023 min
Delta R.T.: 0.000 min
Response: 126646899
Conc: 51.12 ng/ml



#7 delta-BHC


R.T.: 4.791 min
Delta R.T.: -0.006 min
Response: 221012158
Conc: 49.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.258 min
Delta R.T.: -0.001 min
Response: 288297502
Conc: 51.05 ng/ml




#8 Heptachlor epoxide

R.T.: 5.717 min
Delta R.T.: -0.005 min
Response: 193057116
Conc: 50.58 ng/ml



#8 Heptachlor epoxide


R.T.: 4.867 min
Delta R.T.: -0.002 min
Response: 252141059
Conc: 51.07 ng/ml



#9 Endosulfan I


R.T.: 6.101 min
Delta R.T.: -0.005 min
Response: 184272645
Conc: 50.28 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.240 min
Delta R.T.: -0.002 min
Response: 242326713
Conc: 50.86 ng/ml




#10 gamma-Chlordane

R.T.: 5.972 min
Delta R.T.: -0.006 min
Response: 195577047
Conc: 50.25 ng/ml



#10 gamma-Chlordane


R.T.: 5.120 min
Delta R.T.: -0.002 min
Response: 267445002
Conc: 50.92 ng/ml



#11 alpha-Chlordane


R.T.: 6.053 min
Delta R.T.: -0.006 min
Response: 198604263
Conc: 50.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.184 min
Delta R.T.: -0.002 min
Response: 263868422
Conc: 50.72 ng/ml




#12 4,4'-DDE

R.T.: 6.223 min
Delta R.T.: -0.006 min
Response: 184468671
Conc: 50.29 ng/ml



#12 4,4'-DDE


R.T.: 5.371 min
Delta R.T.: -0.002 min
Response: 269101590
Conc: 50.19 ng/ml



#13 Dieldrin


R.T.: 6.374 min
Delta R.T.: -0.006 min
Response: 195882455
Conc: 50.76 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.504 min
Delta R.T.: -0.002 min
Response: 267244224
Conc: 50.42 ng/ml




#14 Endrin

R.T.: 6.601 min
Delta R.T.: -0.006 min
Response: 158450160
Conc: 49.11 ng/ml



#14 Endrin


R.T.: 5.779 min
Delta R.T.: -0.003 min
Response: 258970438
Conc: 53.11 ng/ml



#15 Endosulfan II


R.T.: 6.814 min
Delta R.T.: -0.005 min
Response: 157081861
Conc: 45.58 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.070 min
Delta R.T.: -0.003 min
Response: 237881254
Conc: 50.06 ng/ml




#16 4,4'-DDD

R.T.: 6.733 min
Delta R.T.: -0.006 min
Response: 144179791
Conc: 49.20 ng/ml



#16 4,4'-DDD


R.T.: 5.923 min
Delta R.T.: -0.003 min
Response: 222918118
Conc: 50.84 ng/ml



#17 4,4'-DDT


R.T.: 7.049 min
Delta R.T.: -0.005 min
Response: 135139078
Conc: 49.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.176 min
Delta R.T.: -0.003 min
Response: 236348437
Conc: 49.42 ng/ml




#18 Endrin aldehyde

R.T.: 6.943 min
Delta R.T.: -0.006 min
Response: 119448812
Conc: 49.41 ng/ml



#18 Endrin aldehyde


R.T.: 6.248 min
Delta R.T.: -0.003 min
Response: 173172513
Conc: 50.13 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.177 min
Delta R.T.: -0.006 min
Response: 147276205
Conc: 49.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.471 min
Delta R.T.: -0.003 min
Response: 222154994
Conc: 49.43 ng/ml




#20 Methoxychlor

R.T.: 7.522 min
Delta R.T.: -0.006 min
Response: 64807271
Conc: 50.82 ng/ml



#20 Methoxychlor


R.T.: 6.747 min
Delta R.T.: -0.003 min
Response: 122952815
Conc: 47.00 ng/ml



#21 Endrin ketone


R.T.: 7.658 min
Delta R.T.: -0.006 min
Response: 154804817
Conc: 48.88 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.976 min
Delta R.T.: -0.003 min
Response: 253061800
Conc: 48.91 ng/ml




#22 Mirex

R.T.: 8.139 min
Delta R.T.: -0.006 min
Response: 114870810
Conc: 49.65 ng/ml



#22 Mirex


R.T.: 7.170 min
Delta R.T.: -0.003 min
Response: 197496697
Conc: 48.64 ng/ml



#24 Chlordane-2


R.T.: 5.296 min
Delta R.T.: 0.029 min
Response: 218276232
Conc: 1135.84 ng/m

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.487 min
Response: 0
Conc: N.D.




#25 Chlordane-3

R.T.: 5.972 min
Delta R.T.: 0.000 min
Response: 195577047
Conc: 264.64 ng/ml



#25 Chlordane-3


R.T.: 5.120 min
Delta R.T.: -0.003 min
Response: 267445002
Conc: 405.89 ng/ml



#26 Chlordane-4


R.T.: 6.053 min
Delta R.T.: -0.005 min
Response: 198604263
Conc: 220.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.184 min
Delta R.T.: -0.002 min
Response: 263868422
Conc: 462.19 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.897 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 6.070 min
Delta R.T.: -0.012 min
Response: 237881254
Conc: 933.11 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.099 min
Delta R.T.: -0.010 min
Response: 111809472
Conc: 47.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.060 min
Delta R.T.: -0.004 min
Response: 204122008
Conc: 46.66 ng/ml