

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL060320\
 Data File : PL059091.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 03 Jun 2020 11:40
 Operator : AJ\MA
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 03 12:49:06 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL060320.M
 Quant Title : GC Extractables
 QLast Update : Wed Jun 03 12:47:26 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.521	4.072	88907681	135.8E6	50.000	50.000
28)	SA Decachlor...	8.297	9.184	82860665	119.1E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.963	4.465	130.3E6	203.3E6	50.000	50.000
3)	MA gamma-BHC...	4.248	4.752	114.0E6	191.1E6	50.000	50.000
4)	MA Heptachlor	4.554	5.266	106.4E6	176.5E6	50.000	50.000
5)	MB Aldrin	4.805	5.575	92325160	162.3E6	50.000	50.000
6)	B beta-BHC	4.497	4.920	46885117	79028995	50.000	50.000
7)	B delta-BHC	4.704	5.140	104.5E6	153.0E6	50.000	50.000
8)	B Heptachlo...	5.249	5.962	87568677	143.5E6	50.000	50.000
9)	A Endosulfan I	5.589	6.321	80502825	143.0E6	50.000	50.000
10)	B gamma-Chl...	5.477	6.197	85926330	153.6E6	50.000	50.000
11)	B alpha-Chl...	5.535	6.270	85589100	155.3E6	50.000	50.000
12)	B 4,4'-DDE	5.699	6.425	79155911	144.1E6	50.000	50.000
13)	MA Dieldrin	5.833	6.579	84282355	149.7E6	50.000	50.000
14)	MA Endrin	6.091	6.798	78050050	127.5E6	50.000	50.000
15)	B Endosulfa...	6.363	7.006	78580083	130.6E6	50.000	50.000
16)	A 4,4'-DDD	6.215	6.916	67999321	119.1E6	50.000	50.000
17)	MA 4,4'-DDT	6.457	7.216	66362228	117.4E6	50.000	50.000
18)	B Endrin al...	6.531	7.130	65881464	114.5E6	50.000	50.000
19)	B Endosulfa...	6.745	7.353	75616280	127.0E6	50.000	50.000
20)	A Methoxychlor	7.003	7.673	40221986	67048012	50.000	50.000
21)	B Endrin ke...	7.237	7.827	88391075	135.2E6	50.000	50.000
22)	Mirex	7.431	8.285	69020716	98924043	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL060320\
Data File : PL059091.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 03 Jun 2020 11:40
Operator : AJ\MA
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 03 12:49:06 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL060320.M
Quant Title : GC Extractables
QLast Update : Wed Jun 03 12:47:26 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.521 min
Delta R.T.: 0.000 min
Response: 88907681
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#1 Tetrachloro-m-xylene

R.T.: 4.072 min
Delta R.T.: 0.000 min
Response: 135777070
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.963 min
Delta R.T.: 0.000 min
Response: 130278500
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.465 min
Delta R.T.: 0.000 min
Response: 203300833
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.248 min
Delta R.T.: 0.000 min
Response: 114028254
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#3 gamma-BHC (Lindane)

R.T.: 4.752 min
Delta R.T.: 0.000 min
Response: 191131125
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.554 min
Delta R.T.: 0.000 min
Response: 106384517
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.266 min
Delta R.T.: 0.000 min
Response: 176498078
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.805 min
Delta R.T.: 0.000 min
Response: 92325160
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#5 Aldrin

R.T.: 5.575 min
Delta R.T.: 0.000 min
Response: 162301564
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.497 min
Delta R.T.: 0.000 min
Response: 46885117
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.920 min
Delta R.T.: 0.000 min
Response: 79028995
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.704 min
Delta R.T.: 0.000 min
Response: 104543421
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#7 delta-BHC

R.T.: 5.140 min
Delta R.T.: 0.000 min
Response: 153019366
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.249 min
Delta R.T.: 0.000 min
Response: 87568677
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 5.962 min
Delta R.T.: 0.000 min
Response: 143461533
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.589 min
Delta R.T.: 0.000 min
Response: 80502825
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#9 Endosulfan I

R.T.: 6.321 min
Delta R.T.: 0.000 min
Response: 142985635
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.477 min
Delta R.T.: 0.000 min
Response: 85926330
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.197 min
Delta R.T.: 0.000 min
Response: 153642060
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.535 min
Delta R.T.: 0.000 min
Response: 85589100
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#11 alpha-Chlordane

R.T.: 6.270 min
Delta R.T.: 0.000 min
Response: 155279534
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.699 min
Delta R.T.: 0.000 min
Response: 79155911
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.425 min
Delta R.T.: 0.000 min
Response: 144134533
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 5.833 min
Delta R.T.: 0.000 min
Response: 84282355
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#13 Dieldrin

R.T.: 6.579 min
Delta R.T.: 0.000 min
Response: 149710530
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.091 min
Delta R.T.: 0.000 min
Response: 78050050
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.798 min
Delta R.T.: 0.000 min
Response: 127480507
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.363 min
Delta R.T.: 0.000 min
Response: 78580083
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#15 Endosulfan II

R.T.: 7.006 min
Delta R.T.: 0.000 min
Response: 130642141
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.215 min
Delta R.T.: 0.000 min
Response: 67999321
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.916 min
Delta R.T.: 0.000 min
Response: 119057759
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.457 min
Delta R.T.: 0.000 min
Response: 66362228
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#17 4,4'-DDT

R.T.: 7.216 min
Delta R.T.: 0.000 min
Response: 117444840
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.531 min
Delta R.T.: 0.000 min
Response: 65881464
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 7.130 min
Delta R.T.: 0.000 min
Response: 114536004
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.745 min
Delta R.T.: 0.000 min
Response: 75616280
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#19 Endosulfan Sulfate

R.T.: 7.353 min
Delta R.T.: 0.000 min
Response: 127041867
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 7.003 min
Delta R.T.: 0.000 min
Response: 40221986
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.673 min
Delta R.T.: 0.000 min
Response: 67048012
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.237 min
Delta R.T.: 0.000 min
Response: 88391075
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#21 Endrin ketone

R.T.: 7.827 min
Delta R.T.: 0.000 min
Response: 135212117
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 7.431 min
Delta R.T.: 0.000 min
Response: 69020716
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 8.285 min
Delta R.T.: 0.000 min
Response: 98924043
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.297 min
Delta R.T.: 0.000 min
Response: 82860665
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050



#28 Decachlorobiphenyl

R.T.: 9.184 min
Delta R.T.: 0.000 min
Response: 119083935
Conc: 50.00 ng/ml