

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL060419\
 Data File : PL049275.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 04 Jun 2019 18:37
 Operator : SM\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PEM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 05 01:17:39 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL053019.M
 Quant Title : GC Extractables
 QLast Update : Fri May 31 01:35:35 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.325	3.936	105.6E6	28720193	9.582	9.941
28)	SA Decachlor...	7.992	8.971	91683220	27808126	7.210	8.327
Target Compounds							
2)	A alpha-BHC	3.752	4.324	79292413	17582971	4.401	4.387
3)	MA gamma-BHC...	4.028	4.607	71828318	16963853	4.238	4.531
4)	MA Heptachlor	4.282f	0.000	33585551	0	1.897	N.D. #
6)	B beta-BHC	4.282	4.782	33585551	8606561	4.833	4.997
8)	B Heptachlo...	0.000	5.797	0	5389245	N.D.	1.649 #
14)	MA Endrin	5.811	6.629	270.0E6	58894076	18.722	19.735
16)	A 4,4'-DDD	5.945	6.756	21673718	3944062	1.821	1.499
17)	MA 4,4'-DDT	6.180	7.053	449.1E6	107.4E6	36.475	38.293
20)	A Methoxychlor	6.726	7.514	567.9E6	150.5E6	88.545	90.751
21)	B Endrin ke...	6.945	7.655	16791732	4195833	1.180	1.319



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL060419\
Data File : PL049275.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 04 Jun 2019 18:37
Operator : SM\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PEM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 05 01:17:39 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL053019.M
Quant Title : GC Extractables
QLast Update : Fri May 31 01:35:35 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.325 min
Delta R.T.: 0.000 min
Response: 105585173
Conc: 9.58 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#1 Tetrachloro-m-xylene

R.T.: 3.936 min
Delta R.T.: 0.000 min
Response: 28720193
Conc: 9.94 ng/ml




#2 alpha-BHC

R.T.: 3.752 min
Delta R.T.: 0.000 min
Response: 79292413
Conc: 4.40 ng/ml



#2 alpha-BHC


R.T.: 4.324 min
Delta R.T.: -0.001 min
Response: 17582971
Conc: 4.39 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.028 min
Delta R.T.: 0.000 min
Response: 71828318
Conc: 4.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#3 gamma-BHC (Lindane)

R.T.: 4.607 min
Delta R.T.: -0.001 min
Response: 16963853
Conc: 4.53 ng/ml




#4 Heptachlor

R.T.: 4.282 min
Delta R.T.: -0.030 min
Response: 33585551
Conc: 1.90 ng/ml



#4 Heptachlor


R.T.: 0.000 min
Exp R.T. : 5.111 min
Response: 0
Conc: N.D.



#6 beta-BHC


R.T.: 4.282 min
Delta R.T.: 0.000 min
Response: 33585551
Conc: 4.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#6 beta-BHC

R.T.: 4.782 min
Delta R.T.: 0.000 min
Response: 8606561
Conc: 5.00 ng/ml




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T. : 4.988 min
Response: 0
Conc: N.D.



#8 Heptachlor epoxide


R.T.: 5.797 min
Delta R.T.: -0.003 min
Response: 5389245
Conc: 1.65 ng/ml



#14 Endrin


R.T.: 5.811 min
Delta R.T.: 0.000 min
Response: 270038595
Conc: 18.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#14 Endrin

R.T.: 6.629 min
Delta R.T.: -0.001 min
Response: 58894076
Conc: 19.74 ng/ml




#16 4,4'-DDD

R.T.: 5.945 min
Delta R.T.: 0.000 min
Response: 21673718
Conc: 1.82 ng/ml



#16 4,4'-DDD


R.T.: 6.756 min
Delta R.T.: 0.000 min
Response: 3944062
Conc: 1.50 ng/ml



#17 4,4'-DDT


R.T.: 6.180 min
Delta R.T.: 0.000 min
Response: 449106942
Conc: 36.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#17 4,4'-DDT

R.T.: 7.053 min
Delta R.T.: 0.000 min
Response: 107360198
Conc: 38.29 ng/ml




#20 Methoxychlor

R.T.: 6.726 min
Delta R.T.: 0.000 min
Response: 567900940
Conc: 88.54 ng/ml



#20 Methoxychlor


R.T.: 7.514 min
Delta R.T.: 0.000 min
Response: 150450881
Conc: 90.75 ng/ml



#21 Endrin ketone


R.T.: 6.945 min
Delta R.T.: 0.000 min
Response: 16791732
Conc: 1.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#21 Endrin ketone

R.T.: 7.655 min
Delta R.T.: -0.002 min
Response: 4195833
Conc: 1.32 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.992 min
Delta R.T.: 0.000 min
Response: 91683220
Conc: 7.21 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.971 min
Delta R.T.: -0.001 min
Response: 27808126
Conc: 8.33 ng/ml