

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL060824\
 Data File : PL090026.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 06 Jun 2024 18:15
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 07 04:50:15 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL052424.M
 Quant Title : GC Extractables
 QLast Update : Fri May 24 14:57:01 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.550	2.792	107.3E6	80728052	51.234	56.302
28)	SA Decachlor...	9.065	7.940	61146955	72365143	41.586	48.698
Target Compounds							
2)	A alpha-BHC	4.006	3.296	152.5E6	122.9E6	51.157	57.483
3)	MA gamma-BHC...	4.338	3.627	148.5E6	118.9E6	51.085	56.826
4)	MA Heptachlor	4.928	3.968	129.2E6	112.3E6	49.476	56.262
5)	MB Aldrin	5.269	4.249	128.8E6	113.2E6	48.453	56.628
6)	B beta-BHC	4.533	3.925	64798850	50520478	49.610	55.225
7)	B delta-BHC	4.781	4.155	138.1E6	117.5E6	50.141	58.320
8)	B Heptachlo...	5.695	4.752	114.8E6	101.4E6	46.080	55.249
9)	A Endosulfan I	6.080	5.122	104.5E6	93198162	46.249	54.553
10)	B gamma-Chl...	5.950	5.002	111.5E6	102.0E6	46.093	54.713
11)	B alpha-Chl...	6.029	5.066	110.7E6	102.6E6	46.080	54.669
12)	B 4,4'-DDE	6.202	5.255	99223998	94965632	45.613	56.843
13)	MA Dieldrin	6.355	5.387	107.5E6	101.7E6	45.352	55.166
14)	MA Endrin	6.585	5.662	91016619	89946108	45.271	54.913
15)	B Endosulfa...	6.803	5.956	101.6E6	86934393	48.740	53.980
16)	A 4,4'-DDD	6.718	5.809	81061842	78965842	46.278	56.020
17)	MA 4,4'-DDT	7.032	6.060	79880083	83583533	43.387	55.040 #
18)	B Endrin al...	6.932	6.135	63548654	63043793	40.997	51.949 #
19)	B Endosulfa...	7.167	6.358	82257676	82031139	42.982	52.161
20)	A Methoxychlor	7.507	6.636	41643013	46744529	42.399	52.547
21)	B Endrin ke...	7.652	6.864	94924619	95172275	45.080	52.225
22)	Mirex	8.126	7.046	64129058	74643353	38.548	48.603 #
23)	Chlordane-1	0.000	3.791	0	18804	N.D.	0.287 #
24)	Chlordane-2	0.000	4.384	0	329747	N.D.	4.134 #
25)	Chlordane-3	5.950	5.002	111.5E6	102.0E6	278.569	458.139 #
26)	Chlordane-4	6.029	5.066	110.7E6	102.6E6	226.406	485.123 #
27)	Chlordane-5	0.000	5.750	0	286699	N.D.	4.223 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL060824\
Data File : PL090026.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 06 Jun 2024 18:15
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 07 04:50:15 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL052424.M
Quant Title : GC Extractables
QLast Update : Fri May 24 14:57:01 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.550 min
Delta R.T.: 0.000 min
Response: 107271179
Conc: 51.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.792 min
Delta R.T.: -0.003 min
Response: 80728052
Conc: 56.30 ng/ml




#2 alpha-BHC

R.T.: 4.006 min
Delta R.T.: 0.000 min
Response: 152523713
Conc: 51.16 ng/ml



#2 alpha-BHC


R.T.: 3.296 min
Delta R.T.: -0.003 min
Response: 122876674
Conc: 57.48 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.338 min
Delta R.T.: 0.000 min
Response: 148464645
Conc: 51.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.627 min
Delta R.T.: -0.003 min
Response: 118853230
Conc: 56.83 ng/ml




#4 Heptachlor

R.T.: 4.928 min
Delta R.T.: 0.000 min
Response: 129157838
Conc: 49.48 ng/ml



#4 Heptachlor


R.T.: 3.968 min
Delta R.T.: -0.003 min
Response: 112285332
Conc: 56.26 ng/ml



#5 Aldrin


R.T.: 5.269 min
Delta R.T.: 0.000 min
Response: 128773674
Conc: 48.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.249 min
Delta R.T.: -0.003 min
Response: 113156582
Conc: 56.63 ng/ml




#6 beta-BHC

R.T.: 4.533 min
Delta R.T.: 0.000 min
Response: 64798850
Conc: 49.61 ng/ml



#6 beta-BHC


R.T.: 3.925 min
Delta R.T.: -0.003 min
Response: 50520478
Conc: 55.23 ng/ml



#7 delta-BHC


R.T.: 4.781 min
Delta R.T.: 0.000 min
Response: 138127885
Conc: 50.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.155 min
Delta R.T.: -0.003 min
Response: 117541537
Conc: 58.32 ng/ml




#8 Heptachlor epoxide

R.T.: 5.695 min
Delta R.T.: 0.000 min
Response: 114774019
Conc: 46.08 ng/ml



#8 Heptachlor epoxide


R.T.: 4.752 min
Delta R.T.: -0.004 min
Response: 101394345
Conc: 55.25 ng/ml



#9 Endosulfan I


R.T.: 6.080 min
Delta R.T.: 0.000 min
Response: 104454026
Conc: 46.25 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.122 min
Delta R.T.: -0.004 min
Response: 93198162
Conc: 54.55 ng/ml




#10 gamma-Chlordane

R.T.: 5.950 min
Delta R.T.: 0.000 min
Response: 111469073
Conc: 46.09 ng/ml



#10 gamma-Chlordane


R.T.: 5.002 min
Delta R.T.: -0.004 min
Response: 101977452
Conc: 54.71 ng/ml



#11 alpha-Chlordane


R.T.: 6.029 min
Delta R.T.: 0.000 min
Response: 110685843
Conc: 46.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.066 min
Delta R.T.: -0.004 min
Response: 102573370
Conc: 54.67 ng/ml




#12 4,4'-DDE

R.T.: 6.202 min
Delta R.T.: 0.000 min
Response: 99223998
Conc: 45.61 ng/ml



#12 4,4'-DDE


R.T.: 5.255 min
Delta R.T.: -0.005 min
Response: 94965632
Conc: 56.84 ng/ml



#13 Dieldrin


R.T.: 6.355 min
Delta R.T.: 0.000 min
Response: 107517727
Conc: 45.35 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.387 min
Delta R.T.: -0.004 min
Response: 101650753
Conc: 55.17 ng/ml




#14 Endrin

R.T.: 6.585 min
Delta R.T.: 0.000 min
Response: 91016619
Conc: 45.27 ng/ml



#14 Endrin


R.T.: 5.662 min
Delta R.T.: -0.004 min
Response: 89946108
Conc: 54.91 ng/ml



#15 Endosulfan II


R.T.: 6.803 min
Delta R.T.: 0.000 min
Response: 101610051
Conc: 48.74 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.956 min
Delta R.T.: -0.004 min
Response: 86934393
Conc: 53.98 ng/ml




#16 4,4'-DDD

R.T.: 6.718 min
Delta R.T.: 0.000 min
Response: 81061842
Conc: 46.28 ng/ml



#16 4,4'-DDD


R.T.: 5.809 min
Delta R.T.: -0.005 min
Response: 78965842
Conc: 56.02 ng/ml



#17 4,4'-DDT


R.T.: 7.032 min
Delta R.T.: 0.000 min
Response: 79880083
Conc: 43.39 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.060 min
Delta R.T.: -0.005 min
Response: 83583533
Conc: 55.04 ng/ml




#18 Endrin aldehyde

R.T.: 6.932 min
Delta R.T.: 0.000 min
Response: 63548654
Conc: 41.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.135 min
Delta R.T.: -0.004 min
Response: 63043793
Conc: 51.95 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.167 min
Delta R.T.: 0.000 min
Response: 82257676
Conc: 42.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.358 min
Delta R.T.: -0.005 min
Response: 82031139
Conc: 52.16 ng/ml




#20 Methoxychlor

R.T.: 7.507 min
Delta R.T.: 0.000 min
Response: 41643013
Conc: 42.40 ng/ml



#20 Methoxychlor


R.T.: 6.636 min
Delta R.T.: -0.004 min
Response: 46744529
Conc: 52.55 ng/ml



#21 Endrin ketone


R.T.: 7.652 min
Delta R.T.: 0.000 min
Response: 94924619
Conc: 45.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.864 min
Delta R.T.: -0.005 min
Response: 95172275
Conc: 52.23 ng/ml




#22 Mirex

R.T.: 8.126 min
Delta R.T.: 0.000 min
Response: 64129058
Conc: 38.55 ng/ml



#22 Mirex


R.T.: 7.046 min
Delta R.T.: -0.005 min
Response: 74643353
Conc: 48.60 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.710 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.791 min
Delta R.T.: -0.004 min
Response: 18804
Conc: 0.29 ng/ml




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T.: 5.239 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 4.384 min
Delta R.T.: 0.011 min
Response: 329747
Conc: 4.13 ng/ml



#25 Chlordane-3


R.T.: 5.950 min
Delta R.T.: 0.002 min
Response: 111469073
Conc: 278.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 5.002 min
Delta R.T.: -0.001 min
Response: 101977452
Conc: 458.14 ng/ml




#26 Chlordane-4

R.T.: 6.029 min
Delta R.T.: -0.002 min
Response: 110685843
Conc: 226.41 ng/ml



#26 Chlordane-4


R.T.: 5.066 min
Delta R.T.: -0.001 min
Response: 102573370
Conc: 485.12 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.879 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 5.750 min
Delta R.T.: 0.017 min
Response: 286699
Conc: 4.22 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.065 min
Delta R.T.: 0.002 min
Response: 61146955
Conc: 41.59 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.940 min
Delta R.T.: -0.004 min
Response: 72365143
Conc: 48.70 ng/ml