

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL061120\
 Data File : PL059244.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 11 Jun 2020 15:44
 Operator : AJ\MA
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 I.BLK

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 11 17:18:14 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL060320.M
 Quant Title : GC Extractables
 QLast Update : Thu Jun 04 08:16:22 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.519	4.072	39888949	60676974	23.099	23.320
28)	SA Decachlor...	8.291	9.182	32009011	51700623	19.466	21.810
Target Compounds							
2)	A alpha-BHC	3.971	0.000	917235	0	0.366	N.D. #
4)	MA Heptachlor	0.000	5.261	0	1094612	N.D.	0.317 #
8)	B Heptachlo...	0.000	5.950	0	5776489	N.D.	2.085 #
9)	A Endosulfan I	0.000	6.331	0	163809	N.D.	0.059 #
10)	B gamma-Chl...	5.470	0.000	77161	0	0.046	N.D. #
11)	B alpha-Chl...	0.000	6.282	0	1089674	N.D.	0.359 #
14)	MA Endrin	6.086	0.000	236358	0	0.156	N.D. #
15)	B Endosulfa...	0.000	7.008	0	1828115	N.D.	0.702 #
22)	Mirex	7.422	0.000	344529	0	0.250	N.D. #
23)	Chlordane-1	4.424f	5.053f	880173	1271403	17.498	12.584 #
25)	Chlordane-3	5.470	0.000	77161	0	0.522	N.D. #
26)	Chlordane-4	0.000	6.282	0	1089674	N.D.	2.395 #
27)	Chlordane-5	0.000	7.067	0	914654	N.D.	11.557 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL061120\
Data File : PL059244.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Jun 2020 15:44
Operator : AJ\MA
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
I.BLK

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 11 17:18:14 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL060320.M
Quant Title : GC Extractables
QLast Update : Thu Jun 04 08:16:22 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.519 min
Delta R.T.: -0.002 min
Response: 39888949
Conc: 23.10 ng/ml

Instrument :
ECD_L
ClientSampleId :
I.BLK




#1 Tetrachloro-m-xylene

R.T.: 4.072 min
Delta R.T.: 0.000 min
Response: 60676974
Conc: 23.32 ng/ml




#2 alpha-BHC

R.T.: 3.971 min
Delta R.T.: 0.009 min
Response: 917235
Conc: 0.37 ng/ml



#2 alpha-BHC


R.T.: 0.000 min
Exp R.T.: 4.465 min
Response: 0
Conc: N.D.



#4 Heptachlor


R.T.: 0.000 min
Exp R.T.: 4.554 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
I.BLK




#4 Heptachlor

R.T.: 5.261 min
Delta R.T.: -0.005 min
Response: 1094612
Conc: 0.32 ng/ml




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T.: 5.248 min
Response: 0
Conc: N.D.



#8 Heptachlor epoxide


R.T.: 5.950 min
Delta R.T.: -0.012 min
Response: 5776489
Conc: 2.09 ng/ml



#9 Endosulfan I


R.T.: 0.000 min
Exp R.T.: 5.589 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
I.BLK




#9 Endosulfan I

R.T.: 6.331 min
Delta R.T.: 0.010 min
Response: 163809
Conc: 0.06 ng/ml




#10 gamma-Chlordane

R.T.: 5.470 min
Delta R.T.: -0.006 min
Response: 77161
Conc: 0.05 ng/ml



#10 gamma-Chlordane


R.T.: 0.000 min
Exp R.T.: 6.197 min
Response: 0
Conc: N.D.



#11 alpha-Chlordane


R.T.: 0.000 min
Exp R.T.: 5.535 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
I.BLK




#11 alpha-Chlordane

R.T.: 6.282 min
Delta R.T.: 0.011 min
Response: 1089674
Conc: 0.36 ng/ml




#14 Endrin

R.T.: 6.086 min
Delta R.T.: -0.005 min
Response: 236358
Conc: 0.16 ng/ml



#14 Endrin


R.T.: 0.000 min
Exp R.T.: 6.799 min
Response: 0
Conc: N.D.



#15 Endosulfan II


R.T.: 0.000 min
Exp R.T.: 6.363 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
I.BLK




#15 Endosulfan II

R.T.: 7.008 min
Delta R.T.: 0.002 min
Response: 1828115
Conc: 0.70 ng/ml




#22 Mirex

R.T.: 7.422 min
Delta R.T.: -0.009 min
Response: 344529
Conc: 0.25 ng/ml



#22 Mirex


R.T.: 0.000 min
Exp R.T.: 8.285 min
Response: 0
Conc: N.D.



#23 Chlordane-1


R.T.: 4.424 min
Delta R.T.: 0.024 min
Response: 880173
Conc: 17.50 ng/ml

Instrument :
ECD_L
ClientSampleId :
I.BLK




#23 Chlordane-1

R.T.: 5.053 min
Delta R.T.: -0.024 min
Response: 1271403
Conc: 12.58 ng/ml




#25 Chlordane-3

R.T.: 5.470 min
Delta R.T.: -0.007 min
Response: 77161
Conc: 0.52 ng/ml



#25 Chlordane-3


R.T.: 0.000 min
Exp R.T.: 6.197 min
Response: 0
Conc: N.D.



#26 Chlordane-4


R.T.: 0.000 min
Exp R.T.: 5.535 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
I.BLK




#26 Chlordane-4

R.T.: 6.282 min
Delta R.T.: 0.010 min
Response: 1089674
Conc: 2.39 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T.: 6.374 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 7.067 min
Delta R.T.: -0.013 min
Response: 914654
Conc: 11.56 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.291 min
Delta R.T.: -0.005 min
Response: 32009011
Conc: 19.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
I.BLK



#28 Decachlorobiphenyl

R.T.: 9.182 min
Delta R.T.: -0.002 min
Response: 51700623
Conc: 21.81 ng/ml