

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL061219\
 Data File : PL049458.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 12 Jun 2019 17:20
 Operator : SM\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 13 01:37:23 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL053019.M
 Quant Title : GC Extractables
 QLast Update : Fri May 31 01:35:35 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.324	3.936	519.6E6	143.3E6	47.153	49.600
28)	SA Decachlor...	7.990	8.969	592.9E6	168.8E6	46.630	50.539
Target Compounds							
2)	A alpha-BHC	3.752	4.324	877.3E6	209.3E6	48.694	52.224
3)	MA gamma-BHC...	4.027	4.607	813.9E6	193.9E6	48.021	51.787
4)	MA Heptachlor	4.312	5.110	825.5E6	196.7E6	46.619	48.960
5)	MB Aldrin	4.550	5.412	793.8E6	179.3E6	46.489	48.740
6)	B beta-BHC	4.282	4.782	335.7E6	89470927	48.305	51.944
7)	B delta-BHC	4.475	4.996	829.1E6	180.9E6	51.304	58.966
8)	B Heptachlo...	4.987	5.799	725.6E6	167.7E6	48.930	51.316
9)	A Endosulfan I	5.317	6.154	683.8E6	154.9E6	46.728	48.080
10)	B gamma-Chl...	5.210	6.032	765.9E6	170.3E6	47.974	49.243
11)	B alpha-Chl...	5.265	6.104	738.4E6	168.4E6	47.268	48.553
12)	B 4,4'-DDE	5.433	6.265	628.8E6	157.5E6	40.202	47.974
13)	MA Dieldrin	5.556	6.410	733.1E6	161.8E6	47.944	48.250
14)	MA Endrin	5.809	6.627	662.2E6	141.0E6	45.915	47.248
15)	B Endosulfa...	6.084	6.839	619.0E6	142.6E6	46.875	47.017
16)	A 4,4'-DDD	5.944	6.754	554.8E6	122.9E6	46.616	46.722
17)	MA 4,4'-DDT	6.178	7.052	566.9E6	129.0E6	46.042	46.029
18)	B Endrin al...	6.250	6.963	501.1E6	122.0E6	45.790	47.289
19)	B Endosulfa...	6.462	7.186	545.4E6	133.9E6	42.008	44.043
20)	A Methoxychlor	6.723	7.512	299.4E6	80807998	46.684	48.743
21)	B Endrin ke...	6.943	7.653	601.4E6	143.0E6	42.260	44.964
22)	Mirex	7.117	8.103	414.4E6	109.1E6	39.325	42.018



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL061219\
Data File : PL049458.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Jun 2019 17:20
Operator : SM\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 13 01:37:23 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL053019.M
Quant Title : GC Extractables
QLast Update : Fri May 31 01:35:35 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.324 min
Delta R.T.: 0.000 min
Response: 519562780
Conc: 47.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.936 min
Delta R.T.: 0.000 min
Response: 143296979
Conc: 49.60 ng/ml




#2 alpha-BHC

R.T.: 3.752 min
Delta R.T.: 0.000 min
Response: 877292502
Conc: 48.69 ng/ml



#2 alpha-BHC


R.T.: 4.324 min
Delta R.T.: 0.000 min
Response: 209328154
Conc: 52.22 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.027 min
Delta R.T.: 0.000 min
Response: 813883424
Conc: 48.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.607 min
Delta R.T.: 0.000 min
Response: 193869537
Conc: 51.79 ng/ml




#4 Heptachlor

R.T.: 4.312 min
Delta R.T.: 0.000 min
Response: 825539475
Conc: 46.62 ng/ml



#4 Heptachlor


R.T.: 5.110 min
Delta R.T.: -0.001 min
Response: 196746895
Conc: 48.96 ng/ml



#5 Aldrin


R.T.: 4.550 min
Delta R.T.: 0.000 min
Response: 793777893
Conc: 46.49 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.412 min
Delta R.T.: -0.002 min
Response: 179323210
Conc: 48.74 ng/ml




#6 beta-BHC

R.T.: 4.282 min
Delta R.T.: 0.000 min
Response: 335654851
Conc: 48.30 ng/ml



#6 beta-BHC


R.T.: 4.782 min
Delta R.T.: 0.000 min
Response: 89470927
Conc: 51.94 ng/ml



#7 delta-BHC


R.T.: 4.475 min
Delta R.T.: 0.000 min
Response: 829106907
Conc: 51.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.996 min
Delta R.T.: 0.000 min
Response: 180859529
Conc: 58.97 ng/ml




#8 Heptachlor epoxide

R.T.: 4.987 min
Delta R.T.: 0.000 min
Response: 725648519
Conc: 48.93 ng/ml



#8 Heptachlor epoxide


R.T.: 5.799 min
Delta R.T.: -0.002 min
Response: 167741929
Conc: 51.32 ng/ml



#9 Endosulfan I


R.T.: 5.317 min
Delta R.T.: -0.002 min
Response: 683844675
Conc: 46.73 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.154 min
Delta R.T.: -0.002 min
Response: 154855274
Conc: 48.08 ng/ml




#10 gamma-Chlordane

R.T.: 5.210 min
Delta R.T.: -0.001 min
Response: 765851481
Conc: 47.97 ng/ml



#10 gamma-Chlordane


R.T.: 6.032 min
Delta R.T.: -0.002 min
Response: 170338851
Conc: 49.24 ng/ml



#11 alpha-Chlordane


R.T.: 5.265 min
Delta R.T.: -0.002 min
Response: 738429165
Conc: 47.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.104 min
Delta R.T.: -0.002 min
Response: 168437294
Conc: 48.55 ng/ml




#12 4,4'-DDE

R.T.: 5.433 min
Delta R.T.: -0.002 min
Response: 628828046
Conc: 40.20 ng/ml



#12 4,4'-DDE


R.T.: 6.265 min
Delta R.T.: -0.002 min
Response: 157483845
Conc: 47.97 ng/ml



#13 Dieldrin


R.T.: 5.556 min
Delta R.T.: -0.002 min
Response: 733084393
Conc: 47.94 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.410 min
Delta R.T.: -0.002 min
Response: 161819154
Conc: 48.25 ng/ml




#14 Endrin

R.T.: 5.809 min
Delta R.T.: -0.002 min
Response: 662247742
Conc: 45.92 ng/ml



#14 Endrin


R.T.: 6.627 min
Delta R.T.: -0.002 min
Response: 140998658
Conc: 47.25 ng/ml



#15 Endosulfan II


R.T.: 6.084 min
Delta R.T.: -0.002 min
Response: 61900050
Conc: 46.87 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.839 min
Delta R.T.: -0.002 min
Response: 142610233
Conc: 47.02 ng/ml




#16 4,4'-DDD

R.T.: 5.944 min
Delta R.T.: -0.002 min
Response: 554768038
Conc: 46.62 ng/ml



#16 4,4'-DDD


R.T.: 6.754 min
Delta R.T.: -0.002 min
Response: 122892313
Conc: 46.72 ng/ml



#17 4,4'-DDT


R.T.: 6.178 min
Delta R.T.: -0.002 min
Response: 566898520
Conc: 46.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.052 min
Delta R.T.: -0.002 min
Response: 129049225
Conc: 46.03 ng/ml




#18 Endrin aldehyde

R.T.: 6.250 min
Delta R.T.: -0.002 min
Response: 501123868
Conc: 45.79 ng/ml



#18 Endrin aldehyde


R.T.: 6.963 min
Delta R.T.: -0.002 min
Response: 121967900
Conc: 47.29 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.462 min
Delta R.T.: -0.002 min
Response: 545416326
Conc: 42.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.186 min
Delta R.T.: -0.002 min
Response: 133928305
Conc: 44.04 ng/ml




#20 Methoxychlor

R.T.: 6.723 min
Delta R.T.: -0.002 min
Response: 299419165
Conc: 46.68 ng/ml



#20 Methoxychlor


R.T.: 7.512 min
Delta R.T.: -0.002 min
Response: 80807998
Conc: 48.74 ng/ml



#21 Endrin ketone


R.T.: 6.943 min
Delta R.T.: -0.002 min
Response: 601436739
Conc: 42.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.653 min
Delta R.T.: -0.003 min
Response: 143026435
Conc: 44.96 ng/ml




#22 Mirex

R.T.: 7.117 min
Delta R.T.: -0.003 min
Response: 414359526
Conc: 39.33 ng/ml



#22 Mirex


R.T.: 8.103 min
Delta R.T.: -0.003 min
Response: 109142359
Conc: 42.02 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.990 min
Delta R.T.: -0.002 min
Response: 592917530
Conc: 46.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.969 min
Delta R.T.: -0.003 min
Response: 168786409
Conc: 50.54 ng/ml