

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL061225\
 Data File : PL096020.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 12 Jun 2025 09:31
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PEM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 12 22:52:16 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL061125.M
 Quant Title : GC Extractables
 QLast Update : Wed Jun 11 14:04:36 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.571	2.883	69860677	77197355	21.500	19.021
28)	SA Decachlor...	9.116	8.066	63605507	99940846	26.020	21.020
Target Compounds							
2)	A alpha-BHC	4.022	3.392	50995352	55563896	10.209	9.109
3)	MA gamma-BHC...	4.354	3.725	48549966	54029350	10.409	9.293
6)	B beta-BHC	4.542	4.021	21025711	24930305	10.612	9.681
14)	MA Endrin	6.599	5.779	166.6E6	238.9E6	52.616	50.293
16)	A 4,4'-DDD	6.732	5.924	5664181	7906228	1.884	1.728
17)	MA 4,4'-DDT	7.049	6.178	285.5E6	482.7E6	100.294	102.409
20)	A Methoxychlor	7.525	6.750	333.7E6	572.3E6	233.060	222.359
21)	B Endrin ke...	7.659	6.979	4803943	8244328	1.432	1.490



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL061225\
Data File : PL096020.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Jun 2025 09:31
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PEM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 22:52:16 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL061125.M
Quant Title : GC Extractables
QLast Update : Wed Jun 11 14:04:36 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.571 min
Delta R.T.: 0.000 min
Response: 69860677
Conc: 21.50 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#1 Tetrachloro-m-xylene

R.T.: 2.883 min
Delta R.T.: 0.000 min
Response: 77197355
Conc: 19.02 ng/ml




#2 alpha-BHC

R.T.: 4.022 min
Delta R.T.: 0.000 min
Response: 50995352
Conc: 10.21 ng/ml



#2 alpha-BHC


R.T.: 3.392 min
Delta R.T.: -0.001 min
Response: 55563896
Conc: 9.11 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.354 min
Delta R.T.: 0.000 min
Response: 48549966
Conc: 10.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#3 gamma-BHC (Lindane)

R.T.: 3.725 min
Delta R.T.: 0.000 min
Response: 54029350
Conc: 9.29 ng/ml




#6 beta-BHC

R.T.: 4.542 min
Delta R.T.: 0.000 min
Response: 21025711
Conc: 10.61 ng/ml



#6 beta-BHC


R.T.: 4.021 min
Delta R.T.: 0.000 min
Response: 24930305
Conc: 9.68 ng/ml



#14 Endrin


R.T.: 6.599 min
Delta R.T.: 0.000 min
Response: 166648571
Conc: 52.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#14 Endrin

R.T.: 5.779 min
Delta R.T.: 0.000 min
Response: 238862022
Conc: 50.29 ng/ml




#16 4,4'-DDD

R.T.: 6.732 min
Delta R.T.: 0.000 min
Response: 5664181
Conc: 1.88 ng/ml



#16 4,4'-DDD


R.T.: 5.924 min
Delta R.T.: 0.000 min
Response: 7906228
Conc: 1.73 ng/ml



#17 4,4'-DDT


R.T.: 7.049 min
Delta R.T.: 0.000 min
Response: 285490903
Conc: 100.29 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#17 4,4'-DDT

R.T.: 6.178 min
Delta R.T.: 0.000 min
Response: 482692660
Conc: 102.41 ng/ml




#20 Methoxychlor

R.T.: 7.525 min
Delta R.T.: 0.002 min
Response: 333698930
Conc: 233.06 ng/ml



#20 Methoxychlor


R.T.: 6.750 min
Delta R.T.: 0.000 min
Response: 572304002
Conc: 222.36 ng/ml



#21 Endrin ketone


R.T.: 7.659 min
Delta R.T.: 0.001 min
Response: 4803943
Conc: 1.43 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#21 Endrin ketone

R.T.: 6.979 min
Delta R.T.: 0.000 min
Response: 8244328
Conc: 1.49 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.116 min
Delta R.T.: 0.004 min
Response: 63605507
Conc: 26.02 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.066 min
Delta R.T.: 0.000 min
Response: 99940846
Conc: 21.02 ng/ml