

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL061419\
 Data File : PL049534.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Jun 2019 05:36
 Operator : SM\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 15 06:30:38 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL053019.M
 Quant Title : GC Extractables
 QLast Update : Fri May 31 01:35:35 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.325	3.935	595.5E6	162.0E6	54.042	56.090
28)	SA Decachlor...	7.990	8.971	706.9E6	196.0E6	55.596	58.676
Target Compounds							
2)	A alpha-BHC	3.753	4.323	1004.0E6	241.2E6	55.727	60.175
3)	MA gamma-BHC...	4.029	4.607	933.2E6	222.1E6	55.061	59.336
4)	MA Heptachlor	4.313	5.110	954.7E6	226.1E6	53.914	56.263
5)	MB Aldrin	4.551	5.412	909.6E6	203.5E6	53.274	55.305
6)	B beta-BHC	4.283	4.782	382.3E6	98089170	55.018	56.947
7)	B delta-BHC	4.476	4.996	945.2E6	206.5E6	58.485	67.315
8)	B Heptachlor...	4.988	5.799	828.6E6	195.1E6	55.871	59.696
9)	A Endosulfan I	5.319	6.154	768.1E6	173.3E6	52.484	53.808
10)	B gamma-Chl...	5.211	6.033	868.3E6	190.8E6	54.394	55.152
11)	B alpha-Chl...	5.266	6.105	837.7E6	188.2E6	53.626	54.247
12)	B 4,4'-DDE	5.435	6.265	630.9E6	177.0E6	40.331	53.917 #
13)	MA Dieldrin	5.558	6.411	838.7E6	181.4E6	54.849	54.090
14)	MA Endrin	5.810	6.628	778.8E6	160.0E6	53.997	53.632
15)	B Endosulfa...	6.085	6.839	710.0E6	158.7E6	53.764	52.318
16)	A 4,4'-DDD	5.945	6.755	634.2E6	136.7E6	53.292	51.982
17)	MA 4,4'-DDT	6.179	7.052	658.4E6	145.6E6	53.470	51.944
18)	B Endrin al...	6.252	6.963	574.8E6	135.3E6	52.518	52.460
19)	B Endosulfa...	6.464	7.186	627.0E6	148.0E6	48.291	48.685
20)	A Methoxychlor	6.724	7.513	328.4E6	85904326	51.210	51.817
21)	B Endrin ke...	6.945	7.655	700.7E6	158.0E6	49.235	49.677
22)	Mirex	7.120	8.103	487.0E6	122.7E6	46.216	47.254



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL061419\
Data File : PL049534.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Jun 2019 05:36
Operator : SM\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 15 06:30:38 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL053019.M
Quant Title : GC Extractables
QLast Update : Fri May 31 01:35:35 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.325 min
Delta R.T.: 0.000 min
Response: 595479021
Conc: 54.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.935 min
Delta R.T.: -0.001 min
Response: 162048254
Conc: 56.09 ng/ml




#2 alpha-BHC

R.T.: 3.753 min
Delta R.T.: 0.001 min
Response: 1004001895
Conc: 55.73 ng/ml



#2 alpha-BHC


R.T.: 4.323 min
Delta R.T.: -0.001 min
Response: 241200313
Conc: 60.18 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.029 min
Delta R.T.: 0.001 min
Response: 933197969
Conc: 55.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.607 min
Delta R.T.: -0.001 min
Response: 222131616
Conc: 59.34 ng/ml




#4 Heptachlor

R.T.: 4.313 min
Delta R.T.: 0.000 min
Response: 954723921
Conc: 53.91 ng/ml



#4 Heptachlor


R.T.: 5.110 min
Delta R.T.: -0.002 min
Response: 226095303
Conc: 56.26 ng/ml



#5 Aldrin


R.T.: 4.551 min
Delta R.T.: 0.000 min
Response: 909625667
Conc: 53.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.412 min
Delta R.T.: -0.002 min
Response: 203476703
Conc: 55.30 ng/ml




#6 beta-BHC

R.T.: 4.283 min
Delta R.T.: 0.001 min
Response: 382301999
Conc: 55.02 ng/ml



#6 beta-BHC


R.T.: 4.782 min
Delta R.T.: 0.000 min
Response: 98089170
Conc: 56.95 ng/ml



#7 delta-BHC


R.T.: 4.476 min
Delta R.T.: 0.000 min
Response: 945156803
Conc: 58.49 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.996 min
Delta R.T.: 0.000 min
Response: 206467046
Conc: 67.31 ng/ml




#8 Heptachlor epoxide

R.T.: 4.988 min
Delta R.T.: 0.000 min
Response: 828577836
Conc: 55.87 ng/ml



#8 Heptachlor epoxide


R.T.: 5.799 min
Delta R.T.: -0.002 min
Response: 195131912
Conc: 59.70 ng/ml



#9 Endosulfan I


R.T.: 5.319 min
Delta R.T.: 0.000 min
Response: 768077330
Conc: 52.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.154 min
Delta R.T.: -0.002 min
Response: 173303820
Conc: 53.81 ng/ml




#10 gamma-Chlordane

R.T.: 5.211 min
Delta R.T.: 0.000 min
Response: 868346543
Conc: 54.39 ng/ml



#10 gamma-Chlordane


R.T.: 6.033 min
Delta R.T.: -0.002 min
Response: 190779205
Conc: 55.15 ng/ml



#11 alpha-Chlordane


R.T.: 5.266 min
Delta R.T.: 0.000 min
Response: 837748007
Conc: 53.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.105 min
Delta R.T.: -0.002 min
Response: 188189620
Conc: 54.25 ng/ml




#12 4,4'-DDE

R.T.: 5.435 min
Delta R.T.: 0.000 min
Response: 630854300
Conc: 40.33 ng/ml



#12 4,4'-DDE


R.T.: 6.265 min
Delta R.T.: -0.002 min
Response: 176993754
Conc: 53.92 ng/ml



#13 Dielldrin


R.T.: 5.558 min
Delta R.T.: 0.000 min
Response: 838676915
Conc: 54.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dielldrin

R.T.: 6.411 min
Delta R.T.: -0.002 min
Response: 181407763
Conc: 54.09 ng/ml




#14 Endrin

R.T.: 5.810 min
Delta R.T.: 0.000 min
Response: 778806189
Conc: 54.00 ng/ml



#14 Endrin


R.T.: 6.628 min
Delta R.T.: -0.002 min
Response: 160049474
Conc: 53.63 ng/ml



#15 Endosulfan II


R.T.: 6.085 min
Delta R.T.: 0.000 min
Response: 709979388
Conc: 53.76 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.839 min
Delta R.T.: -0.002 min
Response: 158686377
Conc: 52.32 ng/ml




#16 4,4'-DDD

R.T.: 5.945 min
Delta R.T.: 0.000 min
Response: 634217122
Conc: 53.29 ng/ml



#16 4,4'-DDD


R.T.: 6.755 min
Delta R.T.: -0.002 min
Response: 136728270
Conc: 51.98 ng/ml



#17 4,4'-DDT


R.T.: 6.179 min
Delta R.T.: -0.001 min
Response: 658353038
Conc: 53.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.052 min
Delta R.T.: -0.001 min
Response: 145633865
Conc: 51.94 ng/ml




#18 Endrin aldehyde

R.T.: 6.252 min
Delta R.T.: 0.000 min
Response: 574755470
Conc: 52.52 ng/ml



#18 Endrin aldehyde


R.T.: 6.963 min
Delta R.T.: -0.002 min
Response: 135306785
Conc: 52.46 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.464 min
Delta R.T.: 0.000 min
Response: 626995247
Conc: 48.29 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.186 min
Delta R.T.: -0.002 min
Response: 148044039
Conc: 48.68 ng/ml




#20 Methoxychlor

R.T.: 6.724 min
Delta R.T.: -0.001 min
Response: 328444396
Conc: 51.21 ng/ml



#20 Methoxychlor


R.T.: 7.513 min
Delta R.T.: -0.001 min
Response: 85904326
Conc: 51.82 ng/ml



#21 Endrin ketone


R.T.: 6.945 min
Delta R.T.: 0.000 min
Response: 700709241
Conc: 49.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.655 min
Delta R.T.: -0.002 min
Response: 158017673
Conc: 49.68 ng/ml




#22 Mirex

R.T.: 7.120 min
Delta R.T.: 0.000 min
Response: 486966600
Conc: 46.22 ng/ml



#22 Mirex


R.T.: 8.103 min
Delta R.T.: -0.003 min
Response: 122743230
Conc: 47.25 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.990 min
Delta R.T.: -0.002 min
Response: 706924678
Conc: 55.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.971 min
Delta R.T.: -0.002 min
Response: 195959425
Conc: 58.68 ng/ml