

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL061421\
 Data File : PL067442.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Jun 2021 01:35
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 15 05:27:52 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL061021.M
 Quant Title : GC Extractables
 QLast Update : Fri Jun 11 02:00:12 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.478	5.528	27405846	50252741	49.848	53.305
28)	SA Decachlor...	10.220	11.425	31946221	49897278	45.078	50.095
Target Compounds							
2)	A alpha-BHC	5.178	6.109	39392793	67218646	53.559	54.363
3)	MA gamma-BHC...	5.596	6.504	37286447	63353512	49.753	53.736
4)	MA Heptachlor	6.008	7.151	36842715	59728367	48.843	53.557
5)	MB Aldrin	6.329	7.522	37135299	57353416	50.470	52.990
6)	B beta-BHC	5.980	6.759	17645966	29520675	49.317	54.365
7)	B delta-BHC	6.236	7.025	36357614	61357156	49.226	52.196
8)	B Heptachlo...	6.903	7.987	34560745	54217929	49.396	54.122
9)	A Endosulfan I	7.302	8.393	32835964	47823705	48.844	52.373
10)	B gamma-Chl...	7.181	8.257	35530080	52408548	49.007	51.907
11)	B alpha-Chl...	7.250	8.338	35529893	51706179	48.530	51.214
12)	B 4,4'-DDE	7.468	8.526	32945238	48199584	49.519	53.205
13)	MA Dieldrin	7.587	8.681	32812596	48804985	46.808	53.736
14)	MA Endrin	7.874	8.920	30261652	38749275	46.155	50.659
15)	B Endosulfa...	8.184	9.155	29312995	41300197	47.596	51.800
16)	A 4,4'-DDD	8.049	9.066	30039449	41196144	51.679	57.925
17)	MA 4,4'-DDT	8.309	9.383	24473800	34976486	42.060	47.707
18)	B Endrin al...	8.371	9.289	23656100	33568954	46.726	52.564
19)	B Endosulfa...	8.603	9.527	28547216	39900405	44.970	50.241
20)	A Methoxychlor	8.902	9.869	15011322	19229200	42.230	49.457
21)	B Endrin ke...	9.113	10.024	36534805	48317868	47.986	53.309
22)	Mirex	9.299	10.489	28718538	37286836	45.601	49.321



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL061421\
Data File : PL067442.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Jun 2021 01:35
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 15 05:27:52 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL061021.M
Quant Title : GC Extractables
QLast Update : Fri Jun 11 02:00:12 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 4.478 min
Delta R.T.: -0.003 min
Response: 27405846
Conc: 49.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 5.528 min
Delta R.T.: -0.003 min
Response: 50252741
Conc: 53.31 ng/ml




#2 alpha-BHC

R.T.: 5.178 min
Delta R.T.: -0.003 min
Response: 39392793
Conc: 53.56 ng/ml



#2 alpha-BHC


R.T.: 6.109 min
Delta R.T.: -0.003 min
Response: 67218646
Conc: 54.36 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 5.596 min
Delta R.T.: -0.004 min
Response: 37286447
Conc: 49.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 6.504 min
Delta R.T.: -0.003 min
Response: 63353512
Conc: 53.74 ng/ml




#4 Heptachlor

R.T.: 6.008 min
Delta R.T.: -0.004 min
Response: 36842715
Conc: 48.84 ng/ml



#4 Heptachlor


R.T.: 7.151 min
Delta R.T.: -0.003 min
Response: 59728367
Conc: 53.56 ng/ml



#5 Aldrin


R.T.: 6.329 min
Delta R.T.: -0.005 min
Response: 37135299
Conc: 50.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 7.522 min
Delta R.T.: -0.004 min
Response: 57353416
Conc: 52.99 ng/ml




#6 beta-BHC

R.T.: 5.980 min
Delta R.T.: -0.003 min
Response: 17645966
Conc: 49.32 ng/ml



#6 beta-BHC


R.T.: 6.759 min
Delta R.T.: -0.003 min
Response: 29520675
Conc: 54.36 ng/ml



#7 delta-BHC


R.T.: 6.236 min
Delta R.T.: -0.004 min
Response: 36357614
Conc: 49.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 7.025 min
Delta R.T.: -0.003 min
Response: 61357156
Conc: 52.20 ng/ml




#8 Heptachlor epoxide

R.T.: 6.903 min
Delta R.T.: -0.005 min
Response: 34560745
Conc: 49.40 ng/ml



#8 Heptachlor epoxide


R.T.: 7.987 min
Delta R.T.: -0.004 min
Response: 54217929
Conc: 54.12 ng/ml



#9 Endosulfan I


R.T.: 7.302 min
Delta R.T.: -0.005 min
Response: 32835964
Conc: 48.84 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 8.393 min
Delta R.T.: -0.004 min
Response: 47823705
Conc: 52.37 ng/ml




#10 gamma-Chlordane

R.T.: 7.181 min
Delta R.T.: -0.005 min
Response: 35530080
Conc: 49.01 ng/ml



#10 gamma-Chlordane


R.T.: 8.257 min
Delta R.T.: -0.004 min
Response: 52408548
Conc: 51.91 ng/ml



#11 alpha-Chlordane


R.T.: 7.250 min
Delta R.T.: -0.005 min
Response: 35529893
Conc: 48.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 8.338 min
Delta R.T.: -0.004 min
Response: 51706179
Conc: 51.21 ng/ml




#12 4,4'-DDE

R.T.: 7.468 min
Delta R.T.: -0.005 min
Response: 32945238
Conc: 49.52 ng/ml



#12 4,4'-DDE


R.T.: 8.526 min
Delta R.T.: -0.004 min
Response: 48199584
Conc: 53.20 ng/ml



#13 Dieldrin


R.T.: 7.587 min
Delta R.T.: -0.005 min
Response: 32812596
Conc: 46.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 8.681 min
Delta R.T.: -0.004 min
Response: 48804985
Conc: 53.74 ng/ml




#14 Endrin

R.T.: 7.874 min
Delta R.T.: -0.005 min
Response: 30261652
Conc: 46.15 ng/ml



#14 Endrin


R.T.: 8.920 min
Delta R.T.: -0.004 min
Response: 38749275
Conc: 50.66 ng/ml



#15 Endosulfan II


R.T.: 8.184 min
Delta R.T.: -0.005 min
Response: 29312995
Conc: 47.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 9.155 min
Delta R.T.: -0.004 min
Response: 41300197
Conc: 51.80 ng/ml




#16 4,4'-DDD

R.T.: 8.049 min
Delta R.T.: -0.005 min
Response: 30039449
Conc: 51.68 ng/ml



#16 4,4'-DDD


R.T.: 9.066 min
Delta R.T.: -0.003 min
Response: 41196144
Conc: 57.92 ng/ml



#17 4,4'-DDT


R.T.: 8.309 min
Delta R.T.: -0.006 min
Response: 24473800
Conc: 42.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 9.383 min
Delta R.T.: -0.003 min
Response: 34976486
Conc: 47.71 ng/ml




#18 Endrin aldehyde

R.T.: 8.371 min
Delta R.T.: -0.006 min
Response: 23656100
Conc: 46.73 ng/ml



#18 Endrin aldehyde


R.T.: 9.289 min
Delta R.T.: -0.003 min
Response: 33568954
Conc: 52.56 ng/ml



#19 Endosulfan Sulfate


R.T.: 8.603 min
Delta R.T.: -0.006 min
Response: 28547216
Conc: 44.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 9.527 min
Delta R.T.: -0.003 min
Response: 39900405
Conc: 50.24 ng/ml




#20 Methoxychlor

R.T.: 8.902 min
Delta R.T.: -0.005 min
Response: 15011322
Conc: 42.23 ng/ml



#20 Methoxychlor


R.T.: 9.869 min
Delta R.T.: -0.003 min
Response: 19229200
Conc: 49.46 ng/ml



#21 Endrin ketone


R.T.: 9.113 min
Delta R.T.: -0.005 min
Response: 36534805
Conc: 47.99 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 10.024 min
Delta R.T.: -0.003 min
Response: 48317868
Conc: 53.31 ng/ml




#22 Mirex

R.T.: 9.299 min
Delta R.T.: -0.006 min
Response: 28718538
Conc: 45.60 ng/ml



#22 Mirex


R.T.: 10.489 min
Delta R.T.: -0.003 min
Response: 37286836
Conc: 49.32 ng/ml



#28 Decachlorobiphenyl

R.T.: 10.220 min
Delta R.T.: -0.004 min
Response: 31946221
Conc: 45.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 11.425 min
Delta R.T.: -0.003 min
Response: 49897278
Conc: 50.09 ng/ml