

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL061421\
 Data File : PL067443.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Jun 2021 02:58
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 15 05:28:13 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL061021.M
 Quant Title : GC Extractables
 QLast Update : Fri Jun 11 02:00:12 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.478	5.528	27446140	50225750	49.922	53.277
28)	SA Decachlor...	10.220	11.424	32212781	51975249	45.454	52.181
Target Compounds							
2)	A alpha-BHC	5.177	6.109	39418980	66802459	53.595	54.027
3)	MA gamma-BHC...	5.596	6.504	37148705	63230727	49.570	53.632
4)	MA Heptachlor	6.008	7.152	36528835	59248794	48.427	53.127
5)	MB Aldrin	6.329	7.521	37127129	57389369	50.459	53.023
6)	B beta-BHC	5.980	6.759	17703166	29697400	49.477	54.690
7)	B delta-BHC	6.236	7.025	36182816	60604320	48.990	51.556
8)	B Heptachlo...	6.903	7.987	34904939	54181483	49.888	54.086
9)	A Endosulfan I	7.301	8.392	32983947	47913589	49.064	52.472
10)	B gamma-Chl...	7.181	8.256	35786320	52574977	49.360	52.072
11)	B alpha-Chl...	7.249	8.337	35688731	51857039	48.747	51.363
12)	B 4,4'-DDE	7.468	8.526	33018874	48138291	49.629	53.137
13)	MA Dieldrin	7.586	8.681	32470854	48885331	46.321	53.825
14)	MA Endrin	7.873	8.920	30039129	38337540	45.815	50.121
15)	B Endosulfa...	8.184	9.154	29399530	41408833	47.737	51.936
16)	A 4,4'-DDD	8.049	9.065	30412748	41522220	52.321	58.383
17)	MA 4,4'-DDT	8.309	9.382	23767281	33856484	40.846	46.179
18)	B Endrin al...	8.371	9.288	23708751	33501104	46.830	52.458
19)	B Endosulfa...	8.602	9.526	28304895	39784028	44.589	50.095
20)	A Methoxychlor	8.903	9.869	14645332	19013819	41.200	48.904
21)	B Endrin ke...	9.113	10.023	36552511	48903433	48.010	53.955
22)	Mirex	9.300	10.489	29073613	38882378	46.165	51.432



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL061421\
Data File : PL067443.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Jun 2021 02:58
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 15 05:28:13 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL061021.M
Quant Title : GC Extractables
QLast Update : Fri Jun 11 02:00:12 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 4.478 min
Delta R.T.: -0.003 min
Response: 27446140
Conc: 49.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 5.528 min
Delta R.T.: -0.003 min
Response: 50225750
Conc: 53.28 ng/ml




#2 alpha-BHC

R.T.: 5.177 min
Delta R.T.: -0.003 min
Response: 39418980
Conc: 53.59 ng/ml



#2 alpha-BHC


R.T.: 6.109 min
Delta R.T.: -0.003 min
Response: 66802459
Conc: 54.03 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 5.596 min
Delta R.T.: -0.004 min
Response: 37148705
Conc: 49.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 6.504 min
Delta R.T.: -0.003 min
Response: 63230727
Conc: 53.63 ng/ml




#4 Heptachlor

R.T.: 6.008 min
Delta R.T.: -0.004 min
Response: 36528835
Conc: 48.43 ng/ml



#4 Heptachlor


R.T.: 7.152 min
Delta R.T.: -0.003 min
Response: 59248794
Conc: 53.13 ng/ml



#5 Aldrin


R.T.: 6.329 min
Delta R.T.: -0.005 min
Response: 37127129
Conc: 50.46 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 7.521 min
Delta R.T.: -0.004 min
Response: 57389369
Conc: 53.02 ng/ml




#6 beta-BHC

R.T.: 5.980 min
Delta R.T.: -0.004 min
Response: 17703166
Conc: 49.48 ng/ml



#6 beta-BHC


R.T.: 6.759 min
Delta R.T.: -0.003 min
Response: 29697400
Conc: 54.69 ng/ml



#7 delta-BHC


R.T.: 6.236 min
Delta R.T.: -0.004 min
Response: 36182816
Conc: 48.99 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 7.025 min
Delta R.T.: -0.003 min
Response: 60604320
Conc: 51.56 ng/ml




#8 Heptachlor epoxide

R.T.: 6.903 min
Delta R.T.: -0.005 min
Response: 34904939
Conc: 49.89 ng/ml



#8 Heptachlor epoxide


R.T.: 7.987 min
Delta R.T.: -0.004 min
Response: 54181483
Conc: 54.09 ng/ml



#9 Endosulfan I


R.T.: 7.301 min
Delta R.T.: -0.006 min
Response: 32983947
Conc: 49.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 8.392 min
Delta R.T.: -0.005 min
Response: 47913589
Conc: 52.47 ng/ml




#10 gamma-Chlordane

R.T.: 7.181 min
Delta R.T.: -0.005 min
Response: 35786320
Conc: 49.36 ng/ml



#10 gamma-Chlordane


R.T.: 8.256 min
Delta R.T.: -0.005 min
Response: 52574977
Conc: 52.07 ng/ml



#11 alpha-Chlordane


R.T.: 7.249 min
Delta R.T.: -0.005 min
Response: 35688731
Conc: 48.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 8.337 min
Delta R.T.: -0.005 min
Response: 51857039
Conc: 51.36 ng/ml




#12 4,4'-DDE

R.T.: 7.468 min
Delta R.T.: -0.005 min
Response: 33018874
Conc: 49.63 ng/ml



#12 4,4'-DDE


R.T.: 8.526 min
Delta R.T.: -0.004 min
Response: 48138291
Conc: 53.14 ng/ml



#13 Dieldrin


R.T.: 7.586 min
Delta R.T.: -0.006 min
Response: 32470854
Conc: 46.32 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 8.681 min
Delta R.T.: -0.004 min
Response: 48885331
Conc: 53.82 ng/ml




#14 Endrin

R.T.: 7.873 min
Delta R.T.: -0.005 min
Response: 30039129
Conc: 45.82 ng/ml



#14 Endrin


R.T.: 8.920 min
Delta R.T.: -0.004 min
Response: 38337540
Conc: 50.12 ng/ml



#15 Endosulfan II


R.T.: 8.184 min
Delta R.T.: -0.006 min
Response: 29399530
Conc: 47.74 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 9.154 min
Delta R.T.: -0.005 min
Response: 41408833
Conc: 51.94 ng/ml




#16 4,4'-DDD

R.T.: 8.049 min
Delta R.T.: -0.005 min
Response: 30412748
Conc: 52.32 ng/ml



#16 4,4'-DDD


R.T.: 9.065 min
Delta R.T.: -0.004 min
Response: 41522220
Conc: 58.38 ng/ml



#17 4,4'-DDT


R.T.: 8.309 min
Delta R.T.: -0.005 min
Response: 23767281
Conc: 40.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 9.382 min
Delta R.T.: -0.004 min
Response: 33856484
Conc: 46.18 ng/ml




#18 Endrin aldehyde

R.T.: 8.371 min
Delta R.T.: -0.006 min
Response: 23708751
Conc: 46.83 ng/ml



#18 Endrin aldehyde


R.T.: 9.288 min
Delta R.T.: -0.004 min
Response: 33501104
Conc: 52.46 ng/ml



#19 Endosulfan Sulfate


R.T.: 8.602 min
Delta R.T.: -0.006 min
Response: 28304895
Conc: 44.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 9.526 min
Delta R.T.: -0.004 min
Response: 39784028
Conc: 50.09 ng/ml




#20 Methoxychlor

R.T.: 8.903 min
Delta R.T.: -0.005 min
Response: 14645332
Conc: 41.20 ng/ml



#20 Methoxychlor


R.T.: 9.869 min
Delta R.T.: -0.003 min
Response: 19013819
Conc: 48.90 ng/ml



#21 Endrin ketone


R.T.: 9.113 min
Delta R.T.: -0.005 min
Response: 36552511
Conc: 48.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 10.023 min
Delta R.T.: -0.003 min
Response: 48903433
Conc: 53.95 ng/ml




#22 Mirex

R.T.: 9.300 min
Delta R.T.: -0.006 min
Response: 29073613
Conc: 46.16 ng/ml



#22 Mirex


R.T.: 10.489 min
Delta R.T.: -0.004 min
Response: 38882378
Conc: 51.43 ng/ml



#28 Decachlorobiphenyl

R.T.: 10.220 min
Delta R.T.: -0.005 min
Response: 32212781
Conc: 45.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 11.424 min
Delta R.T.: -0.004 min
Response: 51975249
Conc: 52.18 ng/ml