

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL061421\
 Data File : PL067461.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Jun 2021 07:57
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 15 08:03:08 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL061021.M
 Quant Title : GC Extractables
 QLast Update : Fri Jun 11 02:00:12 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.478	5.529	28042448	50472119	51.006	53.538
28)	SA Decachlor...	10.221	11.427	32932343	52080355	46.470	52.287
Target Compounds							
2)	A alpha-BHC	5.178	6.109	40386517	66861472	54.910	54.074
3)	MA gamma-BHC...	5.597	6.504	37956688	62984631	50.648	53.424
4)	MA Heptachlor	6.008	7.152	37455580	58932745	49.656	52.844
5)	MB Aldrin	6.329	7.522	38075632	57444951	51.748	53.074
6)	B beta-BHC	5.980	6.759	17871450	29764528	49.947	54.814
7)	B delta-BHC	6.237	7.026	36934607	60358377	50.008	51.346
8)	B Heptachlo...	6.904	7.988	35645509	54713765	50.947	54.617
9)	A Endosulfan I	7.303	8.393	33730245	47579176	50.174	52.105
10)	B gamma-Chl...	7.182	8.258	36656161	52437792	50.560	51.936
11)	B alpha-Chl...	7.250	8.338	36542966	51790084	49.914	51.297
12)	B 4,4'-DDE	7.469	8.527	33907314	48030394	50.965	53.018
13)	MA Dieldrin	7.587	8.682	33164599	48749150	47.310	53.675
14)	MA Endrin	7.875	8.922	30452849	37533753	46.446	49.070
15)	B Endosulfa...	8.185	9.156	30025206	41148675	48.752	51.610
16)	A 4,4'-DDD	8.050	9.067	31499725	41851947	54.191	58.847
17)	MA 4,4'-DDT	8.310	9.384	23912536	32843290	41.095	44.797
18)	B Endrin al...	8.372	9.291	24371171	33453486	48.138	52.384
19)	B Endosulfa...	8.604	9.528	29127183	39491224	45.884	49.726
20)	A Methoxychlor	8.904	9.870	14701886	18349872	41.359	47.196
21)	B Endrin ke...	9.113	10.025	37244946	48418999	48.919	53.421
22)	Mirex	9.301	10.490	29940402	38792374	47.541	51.313



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL061421\
Data File : PL067461.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Jun 2021 07:57
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 15 08:03:08 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL061021.M
Quant Title : GC Extractables
QLast Update : Fri Jun 11 02:00:12 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 4.478 min
Delta R.T.: -0.003 min
Response: 28042448
Conc: 51.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 5.529 min
Delta R.T.: -0.002 min
Response: 50472119
Conc: 53.54 ng/ml




#2 alpha-BHC

R.T.: 5.178 min
Delta R.T.: -0.003 min
Response: 40386517
Conc: 54.91 ng/ml



#2 alpha-BHC


R.T.: 6.109 min
Delta R.T.: -0.003 min
Response: 66861472
Conc: 54.07 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 5.597 min
Delta R.T.: -0.003 min
Response: 37956688
Conc: 50.65 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 6.504 min
Delta R.T.: -0.003 min
Response: 62984631
Conc: 53.42 ng/ml




#4 Heptachlor

R.T.: 6.008 min
Delta R.T.: -0.004 min
Response: 37455580
Conc: 49.66 ng/ml



#4 Heptachlor


R.T.: 7.152 min
Delta R.T.: -0.002 min
Response: 58932745
Conc: 52.84 ng/ml



#5 Aldrin


R.T.: 6.329 min
Delta R.T.: -0.004 min
Response: 38075632
Conc: 51.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 7.522 min
Delta R.T.: -0.003 min
Response: 57444951
Conc: 53.07 ng/ml




#6 beta-BHC

R.T.: 5.980 min
Delta R.T.: -0.003 min
Response: 17871450
Conc: 49.95 ng/ml



#6 beta-BHC


R.T.: 6.759 min
Delta R.T.: -0.003 min
Response: 29764528
Conc: 54.81 ng/ml



#7 delta-BHC


R.T.: 6.237 min
Delta R.T.: -0.004 min
Response: 36934607
Conc: 50.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 7.026 min
Delta R.T.: -0.002 min
Response: 60358377
Conc: 51.35 ng/ml




#8 Heptachlor epoxide

R.T.: 6.904 min
Delta R.T.: -0.004 min
Response: 35645509
Conc: 50.95 ng/ml



#8 Heptachlor epoxide


R.T.: 7.988 min
Delta R.T.: -0.003 min
Response: 54713765
Conc: 54.62 ng/ml



#9 Endosulfan I


R.T.: 7.303 min
Delta R.T.: -0.004 min
Response: 33730245
Conc: 50.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 8.393 min
Delta R.T.: -0.003 min
Response: 47579176
Conc: 52.11 ng/ml




#10 gamma-Chlordane

R.T.: 7.182 min
Delta R.T.: -0.003 min
Response: 36656161
Conc: 50.56 ng/ml



#10 gamma-Chlordane


R.T.: 8.258 min
Delta R.T.: -0.003 min
Response: 52437792
Conc: 51.94 ng/ml



#11 alpha-Chlordane


R.T.: 7.250 min
Delta R.T.: -0.004 min
Response: 36542966
Conc: 49.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 8.338 min
Delta R.T.: -0.004 min
Response: 51790084
Conc: 51.30 ng/ml




#12 4,4'-DDE

R.T.: 7.469 min
Delta R.T.: -0.004 min
Response: 33907314
Conc: 50.96 ng/ml



#12 4,4'-DDE


R.T.: 8.527 min
Delta R.T.: -0.003 min
Response: 48030394
Conc: 53.02 ng/ml



#13 Dieldrin


R.T.: 7.587 min
Delta R.T.: -0.004 min
Response: 33164599
Conc: 47.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 8.682 min
Delta R.T.: -0.003 min
Response: 48749150
Conc: 53.67 ng/ml




#14 Endrin

R.T.: 7.875 min
Delta R.T.: -0.004 min
Response: 30452849
Conc: 46.45 ng/ml



#14 Endrin


R.T.: 8.922 min
Delta R.T.: -0.002 min
Response: 37533753
Conc: 49.07 ng/ml



#15 Endosulfan II


R.T.: 8.185 min
Delta R.T.: -0.005 min
Response: 30025206
Conc: 48.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 9.156 min
Delta R.T.: -0.002 min
Response: 41148675
Conc: 51.61 ng/ml




#16 4,4'-DDD

R.T.: 8.050 min
Delta R.T.: -0.005 min
Response: 31499725
Conc: 54.19 ng/ml



#16 4,4'-DDD


R.T.: 9.067 min
Delta R.T.: -0.003 min
Response: 41851947
Conc: 58.85 ng/ml



#17 4,4'-DDT


R.T.: 8.310 min
Delta R.T.: -0.004 min
Response: 23912536
Conc: 41.10 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 9.384 min
Delta R.T.: -0.002 min
Response: 32843290
Conc: 44.80 ng/ml




#18 Endrin aldehyde

R.T.: 8.372 min
Delta R.T.: -0.005 min
Response: 24371171
Conc: 48.14 ng/ml



#18 Endrin aldehyde


R.T.: 9.291 min
Delta R.T.: -0.002 min
Response: 33453486
Conc: 52.38 ng/ml



#19 Endosulfan Sulfate


R.T.: 8.604 min
Delta R.T.: -0.005 min
Response: 29127183
Conc: 45.88 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 9.528 min
Delta R.T.: -0.002 min
Response: 39491224
Conc: 49.73 ng/ml




#20 Methoxychlor

R.T.: 8.904 min
Delta R.T.: -0.004 min
Response: 14701886
Conc: 41.36 ng/ml



#20 Methoxychlor


R.T.: 9.870 min
Delta R.T.: -0.001 min
Response: 18349872
Conc: 47.20 ng/ml



#21 Endrin ketone


R.T.: 9.113 min
Delta R.T.: -0.004 min
Response: 37244946
Conc: 48.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 10.025 min
Delta R.T.: -0.002 min
Response: 48418999
Conc: 53.42 ng/ml




#22 Mirex

R.T.: 9.301 min
Delta R.T.: -0.004 min
Response: 29940402
Conc: 47.54 ng/ml



#22 Mirex


R.T.: 10.490 min
Delta R.T.: -0.002 min
Response: 38792374
Conc: 51.31 ng/ml



#28 Decachlorobiphenyl

R.T.: 10.221 min
Delta R.T.: -0.003 min
Response: 32932343
Conc: 46.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 11.427 min
Delta R.T.: -0.001 min
Response: 52080355
Conc: 52.29 ng/ml